

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग कार्य प्रमंडल, भागलपुर

पत्रांक...१४६ अनु०

भागलपुर/दिनांक :- ०९ / ०७ / २१

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, भागलपुर

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण, (ब्राडा)
बिहार, पटना।

विषय : MR-3054 New Maintenance Policy -2018 के अन्तर्गत आवंटन की अध्याचना
के संबंध में।

महाशय,

उपर्युक्त विषयक के संबंधित एम०आर० योजना अंतर्गत संवेदक द्वारा कराए गये
कार्यों के भुगतान हेतु विहित प्रपत्र में अध्याचित राशि रू० 5900000/- () मात्र का
आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया जा सके।

अनु०:- 1. अध्याचना प्रपत्र
2. IRI Report

विश्वासभाजन

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग
कार्य प्रमंडल, भागलपुर

46/07/2021

Requisition OF MR -3054 Bihar Rural Road Maintenance Policy-2018

Sl No.	Package No	Name of Road	Project ID As Per MIS	Administrative Approval (AA) Letter no & Date	Administrative Approval	Agreement Amount (in Lakh)	5 Year Routine Maintenance (in Lakh)	Agreement No Date	Date of Completion As per Agreement	Actual Date Of Completion	Value Of IR (in mm/Km)	Thickness of Bitumen Layer (in Mm)	Value of Bitumen Content in Percentage	Previous total allotted Amount	Up-to Date Expenditure As Per MIS	Requestion Against Work Done	Remarks
10	MR-N/19-20 Bhagalpur	Repair of Road from Raddhargha Amarnur Via Shaour High School To Pawan	2070304016	LTR no-5983 Dt.30.10.2019	Length 3.85 Amount (in Lakh) 63.74 Initial Rectification With Surface Renewal (in Lakh) 63.17588	29.14302	MBO-14/20-21	06.05.2021	06.05.2021	3.5	25 mm	5.25%	-	59.00			

Executive Engineer
RWD(W) Division, Bhagalpur
Kachhal 60

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150
Form of Utilization Certificate up to the month July "2021
MR-3054 Bihar Rural Road Maintenance Policy-2018

PIU – R.W.D. Works Division Bhagalpur.

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in Lacs Rs.)	Particulars
1.	Construction of Rural Roads under :- MR-3054 Bihar Rural Road Maintenance Policy-2018	Letter No -32 dated 28.05.2021	1,71,99,409.00	Certified that out of Rs 18,77,06,813.00 Lacs received during the years 21-22 in favor of Ex. Engineer, RWD Bihar, Bhagalpur a sum of Rs. 15,75,10,062 lacks has been utilized for the purpose of MR-3054 Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 3,01,46,751, remaining unutilized at the end of the period under.
	Total			

2. Certified that I have satisfied may self that the conditions on which the grants in aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kinds of Checks exercised-

- Works have been supervised by Executive Engineer/Superintending Engineer
- Periodical inspection has been conducted by Executive engineer/Superintending Engineer
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer
- All other codal formalities have been observed.

3. Physical Progress achieved-

- Construction of Road Works
- Construction of C.D. Works

Signature
D.A.O. 9/7/21
Works Division
Rural Work Department

Signature
Executive Engineer
Works Division
Rural Work Department

Signature
6/10/2021

Lab Job number :27

Date :28-06-2021

Name of Customer :Lal Suryapal Singh

Name of Work/ Road :Radhanagar Amarpur Via Sajaour High School To Pawai


Sr.no	Location of test(in km)	Corrected U.I value(mm/km)	Road catagory
1	0.1	3272	G
2	0.2	3756	G
3	0.3	3078	G
4	0.4	3175	G
5	0.5	3466	G
6	0.6	3078	G
7	0.7	2884	G
8	0.8	2593	G
9	0.9	2981	G
10	1	3659	G
11	1.1	3659	G
12	1.2	3175	G
13	1.3	3562	G
14	1.4	2981	G
15	1.5	3853	G
16	1.6	2400	G
17	1.7	2884	G
18	1.8	3078	G
19	1.9	3272	G
20	2	2787	G
21	2.1	3562	G
22	2.2	2884	G
23	2.3	3272	G
24	2.4	2787	G
25	2.5	3175	G
26	2.6	3853	G
27	2.7	3369	G
28	2.8	2787	G
29	2.9	3369	G
30	3	3369	G
31	3.1	3853	G
32	3.2	3853	G
33	3.3	3853	G
34	3.4	3562	G
35	3.5	3272	G
36	3.6	3853	G
37	3.7	3562	G
38	3.8	3175	G

28/06/21
ME

28/06/21

File : F:\Bhagalpur Bump\27\28061147.Xls, Section No. : 27, Eqn : $Y = 0 * X^2 + 0.969 * X + 74.60$

Name of Customer : Lal Suryopal Singh, Name of Work/ Road : Radhanagar Amarpur Via Sejaour High School To



$\frac{28106121}{28106121}$
 28/12/21
 AS

Name of Customer :	Lal Suryopal Singh
Name of Work/ Road :	Radhanagar Amarpur Via Sajao
Lab Job number :	27
Date :	28-06-2021
Section No. :	27


Test Date :	28-06-2021	Road Name :	Sajaoor High School To Pawai
Machine No :	382	Road Type :	(R) RURAL ROAD
Start S No :		Side :	
Start E No :		Interval	
Weather :		UV Range :	1400 To 5000 mm/km
Start Location :	388 86.886532	Dist Range :	0 To 39 0.1 = 1000 m
End Location :	385 86.889393	Equation :	$Y = 0 \cdot X^2 + 0.969 \cdot X + 74.60$

Print

Generate Report and Graph

Redraw Graph


Map View



✓
28/6/21

8
28/6/21
AS

File :F:\Bhagalpur Bump\27\28061147.Xls, Section No.:27, Eqn : $Y = 0 \cdot X^2 + 0.969 \cdot X + 74.80$



28/06/21
 28/06/21
 28/06/21

Name of Customer : Lal Suryapal Singh

Name of Work/ Road : Radhanagar Amarpur Via Sajaour High School To Pawai

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR		CATEGORY ROAD	IRI	Latitude	Longitude	Event
						mm/km	UIV					
28/6/21	10:25:0	27	0.1	330	0	3300	3272	G	4.35	25.12593	86.88733	Normal
28/6/21	10:25:0	27	0.1	380	10.1	3800	3756	G	4.92	25.125072	86.88702	Speed Breaker
28/6/21	10:25:34	27	0.1	310	10.1	3100	3078	G	4.12	25.124177	86.886902	Normal
28/6/21	10:26:0	27	0.1	320	20.2	3200	3175	G	4.23	25.12329	86.88678	Normal
28/6/21	10:26:9	27	0.1	350	10.1	3500	3466	G	4.58	25.122413	86.886548	Curve
28/6/21	10:26:9	27	0.1	310	20.2	3100	3078	G	4.12	25.1216	86.8867	Curve
28/6/21	10:27:0	27	0.1	290	10.1	2900	2884	G	3.88	25.12094	86.886968	Normal
28/6/21	10:27:20	27	0.1	260	10.1	2600	2593	G	3.53	25.12006	86.88673	Normal
28/6/21	10:27:20	27	0.1	300	10.1	3000	2981	G	4	25.119238	86.886532	Normal
28/6/21	10:28:0	27	0.1	370	30.3	3700	3659	G	4.8	25.118338	86.886328	Normal
28/6/21	10:28:0	27	0.1	370	20.2	3700	3659	G	4.8	25.117422	86.88606	Speed Breaker
28/6/21	10:28:30	27	0.1	320	20.2	3200	3175	G	4.23	25.116557	86.885823	Normal
28/6/21	10:28:30	27	0.1	360	20.2	3600	3562	G	4.69	25.115852	86.88616	Normal
28/6/21	10:29:0	27	0.1	300	20.2	3000	2981	G	4	25.11515	86.88638	Curve

$$Y = 0 * X^2 + 0.969 * X + 74.60$$

$$X = 3200$$

$$Y = 3175$$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

$$Y = 0 * X^2 + 0.969 * X + 74.60$$

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR		CATEGORY ROAD	IRI	Latitude	Longitude	Event
						mm/km	UIV					
28/6/21	10:29:5	27	0.1	390	20.2	3900	3853	G	5.03	25.114255	86.886178	Normal
28/6/21	10:29:5	27	0.1	240	30.3	2400	2400	G	3.3	25.113372	86.886127	Normal
28/6/21	10:29:5	27	0.1	290	30.3	2900	2884	G	3.88	25.112573	86.886515	Normal
28/6/21	10:29:41	27	0.1	310	30.3	3100	3078	G	4.12	25.11196	86.88677	Curve
28/6/21	10:29:41	27	0.1	330	30.3	3300	3272	G	4.35	25.111088	86.886532	Normal
28/6/21	10:30:0	27	0.1	280	30.3	2800	2787	G	3.77	25.110108	86.886328	Normal
28/6/21	10:30:16	27	0.1	360	30.3	3600	3562	G	4.69	25.109253	86.886143	Normal
28/6/21	10:30:16	27	0.1	290	30.3	2900	2884	G	3.88	25.108387	86.885992	Curve
28/6/21	10:30:16	27	0.1	330	20.2	3300	3272	G	4.35	25.107475	86.886228	Normal
28/6/21	10:30:51	27	0.1	280	30.3	2800	2787	G	3.77	25.106655	86.886447	Curve
28/6/21	10:31:0	27	0.1	320	20.2	3200	3175	G	4.23	25.105762	86.88638	Normal
28/6/21	10:31:26	27	0.1	390	20.2	3900	3853	G	5.03	25.1049	86.886195	Normal
28/6/21	10:31:26	27	0.1	340	20.2	3400	3369	G	4.46	25.103982	86.886093	Curve
28/6/21	10:31:26	27	0.1	280	40.4	2800	2787	G	3.77	25.103162	86.886497	Curve
28/6/21	10:32:1	27	0.1	340	30.3	3400	3369	G	4.46	25.102792	86.887288	Normal

$$Y = 0 * X^2 + 0.969 * X + 74.60$$

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR		CATEGORY ROAD	IRI	Latitude	Longitude	Event
						mm/km	UIV					
28/6/21	10:32:1	27	0.1	340	30.3	3400	3369	G	4.46	25.10229	86.888163	Curve
28/6/21	10:32:1	27	0.1	390	30.3	3900	3853	G	5.03	25.101803	86.888888	Normal
28/6/21	10:32:36	27	0.1	390	30.3	3900	3853	G	5.03	25.101137	86.889493	Normal
28/6/21	10:32:36	27	0.1	390	30.3	3900	3853	G	5.03	25.100435	86.889998	Curve
28/6/21	10:33:0	27	0.1	360	30.3	3600	3562	G	4.69	25.099855	86.890555	Normal
28/6/21	10:33:11	27	0.1	330	10.1	3300	3272	G	4.35	25.099208	86.891262	Curve
28/6/21	10:33:11	27	0.1	390	20.2	3900	3853	G	5.03	25.098272	86.891093	Curve
28/6/21	10:33:47	27	0.1	360	30.3	3600	3562	G	4.69	25.097912	86.890285	Normal
28/6/21	10:34:0	27	0.1	320	20.2	3200	3175	G	4.23	25.097885	86.889393	Normal

Total UIV 125003 Total IRI 165.88
 Average UIV 3289.55 Average IRI 4.36526

28/6/21
 10:32:1
 10:32:36
 10:32:36
 10:33:0
 10:33:11
 10:33:11
 10:33:47
 10:34:0