

पर्वत! - मन्त्रालय

Parasbani Sonthali to Bishampur  
Mangli Pola.

**Schedule XLV-Form No. 134**

Agreement No! - 25/530/20-21.

**DIVISION**

Agreement Amount: - 1,28,67,859/-

**SUB-DIVISION**

Krishnapalli Construction.

**Measurement Book**

525  
26/06/20.

MM654, ST



3rd and final bill

Abstract of cost

(1/1) (i) Providing and fixing

of Working bench

mark pillar all

Comp. job.

2.00 Nos O.V.T.M.B P- (18)

@ Rs. 4233.91/each - Rs. 8468.00

(ii) Providing and fixing

of Working Reference

pillar all Comp. job.

6.00 Nos O.V.T.M.B P- (18)

@ Rs. 1929.30/each - Rs. 11576.00

Continuation

Sch. XLV—Form No. 134

| Particulars                                                            | Details of actual measurement |    |    |    | Contents of area |
|------------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                        | No.                           | L. | B. | D. |                  |
| (2/2) Clearing and grubbing road land all comp. job.                   |                               |    |    |    |                  |
| 1.16 Hect. O.V.T.M.B.P. (18)                                           |                               |    |    |    |                  |
| @ Rs. 51133.76/Hect. = Rs. 59315.00                                    |                               |    |    |    |                  |
| (3/3) Excavation for road                                              |                               |    |    |    |                  |
| Day in soil all comp. job.                                             |                               |    |    |    |                  |
| 13.25 m <sup>3</sup> O.V.T.M.B.P. (19)                                 |                               |    |    |    |                  |
| @ Rs. 74.16/m <sup>3</sup> = Rs. 834.00                                |                               |    |    |    |                  |
| (4/4) Construction of embankment with material from road               |                               |    |    |    |                  |
| Day cutting all comp. job.                                             |                               |    |    |    |                  |
| 6.75 m <sup>3</sup> O.V.T.M.B.P. (19)                                  |                               |    |    |    |                  |
| @ Rs. 26.11/m <sup>3</sup> = Rs. 176.00                                |                               |    |    |    |                  |
| (5/5) Construction of embankment with material lead 10m all comp. job. |                               |    |    |    |                  |
| 1325.40 m <sup>3</sup> O.V.T.M.B.P. (19)                               |                               |    |    |    |                  |
| 431.61 m <sup>3</sup> O.V.T.M.B.P. (33)                                |                               |    |    |    |                  |
| 1757.01 m <sup>3</sup>                                                 |                               |    |    |    |                  |
| @ Rs. 131.03/m <sup>3</sup> = Rs. 230221.00                            |                               |    |    |    |                  |
| (6/6) Construction of embankment with                                  |                               |    |    |    |                  |

Continuation



| Particulars                                                      | Details of actual measurement |    |    |    | Contents of area |
|------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                  | No.                           | L. | B. | D. |                  |
| Material (lead 1000m)                                            |                               |    |    |    |                  |
| all comp. job.                                                   |                               |    |    |    |                  |
| 506.53 m <sup>3</sup> O.V.T. MBP- (19)                           |                               |    |    |    |                  |
| 164.94 m <sup>3</sup> " P- (24)                                  |                               |    |    |    |                  |
| 671.47 m <sup>3</sup>                                            |                               |    |    |    |                  |
| @ 174.94/m <sup>3</sup> - P.S. 117466.0                          |                               |    |    |    |                  |
| (7) Construction of                                              |                               |    |    |    |                  |
| subgrade and                                                     |                               |    |    |    |                  |
| earth shoulder                                                   |                               |    |    |    |                  |
| with material                                                    |                               |    |    |    |                  |
| all comp. job.                                                   |                               |    |    |    |                  |
| 3971.13 m <sup>3</sup> O.V.T. MBP- (20)                          |                               |    |    |    |                  |
| 439.50 m <sup>3</sup> " P- (26)                                  |                               |    |    |    |                  |
| 4410.63 m <sup>3</sup>                                           |                               |    |    |    |                  |
| @ P.S. 176.58                                                    |                               |    |    |    |                  |
| 2698.29/m <sup>3</sup> - P.S. 778829.0                           |                               |    |    |    |                  |
| (8/e) Construction of                                            |                               |    |    |    |                  |
| G.S.B with stone                                                 |                               |    |    |    |                  |
| metal all comp. job.                                             |                               |    |    |    |                  |
| 1237.49 m <sup>3</sup> O.V.T. MBP- (20)                          |                               |    |    |    |                  |
| 31.99 m <sup>3</sup> " P- (25)                                   |                               |    |    |    |                  |
| 1269.48 m <sup>3</sup>                                           |                               |    |    |    |                  |
| Limit to                                                         |                               |    |    |    |                  |
| 1257.53 m <sup>3</sup> @ 2698.29/m <sup>3</sup> - P.S. 3393180.0 |                               |    |    |    |                  |
| (9/a) Providing, laying,                                         |                               |    |    |    |                  |
| spreading and                                                    |                               |    |    |    |                  |
| compacting WBM                                                   |                               |    |    |    |                  |
| Cr-III all comp.                                                 |                               |    |    |    |                  |
| Job.                                                             |                               |    |    |    |                  |

Continuation

| Particulars                                                    | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                | No.                           | L. | B. | D. |                  |
| 459.21 m <sup>2</sup> @ U.T.M BP-(20)                          |                               |    |    |    |                  |
| 17.62 m <sup>2</sup> " P-(25)                                  |                               |    |    |    |                  |
| 476.86 m <sup>2</sup>                                          |                               |    |    |    |                  |
| Limit to                                                       |                               |    |    |    |                  |
| 473.34 m <sup>2</sup> @ 3287.38 m <sup>2</sup> - P-1556048.00  |                               |    |    |    |                  |
| (10/10) Providing and                                          |                               |    |    |    |                  |
| applying primer                                                |                               |    |    |    |                  |
| coat with bitumen                                              |                               |    |    |    |                  |
| emulsion (RS-1)                                                |                               |    |    |    |                  |
| all comp. job.                                                 |                               |    |    |    |                  |
| 2490.94 m <sup>2</sup> @ U.T.M BP-(27)                         |                               |    |    |    |                  |
| 3294.01 m <sup>2</sup> " P-(28)                                |                               |    |    |    |                  |
| 5784.95 m <sup>2</sup>                                         |                               |    |    |    |                  |
| Limit to                                                       |                               |    |    |    |                  |
| 5737.50 m <sup>2</sup> @ 18.45.59 m <sup>2</sup> - P-261572.00 |                               |    |    |    |                  |
| (11/11) Providing and                                          |                               |    |    |    |                  |
| applying tack coat                                             |                               |    |    |    |                  |
| with bitumen                                                   |                               |    |    |    |                  |
| emulsion (RS-1) all                                            |                               |    |    |    |                  |
| comp. job.                                                     |                               |    |    |    |                  |
| 2490.94 m <sup>2</sup> @ U.T.M BP-(27)                         |                               |    |    |    |                  |
| 3294.01 m <sup>2</sup> " P-(39)                                |                               |    |    |    |                  |
| 5784.95 m <sup>2</sup>                                         |                               |    |    |    |                  |
| Limit to                                                       |                               |    |    |    |                  |
| 5737.50 m <sup>2</sup> @ 15.49 m <sup>2</sup> - P-88873.00     |                               |    |    |    |                  |
| (12/12) Providing, buying                                      |                               |    |    |    |                  |
| and rolling of                                                 |                               |    |    |    |                  |
| close grade premix                                             |                               |    |    |    |                  |
| surfacing all comp.                                            |                               |    |    |    |                  |
| job.                                                           |                               |    |    |    |                  |

Continuation



| Particulars                                                             | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                         | No.                           | L. | B. | D. |                  |
| 2490.94 m <sup>2</sup> D.V.T.MBP - (27)                                 |                               |    |    |    |                  |
| 3294.01 m <sup>2</sup> " P - (29)                                       |                               |    |    |    |                  |
| 5784.95 m <sup>2</sup>                                                  |                               |    |    |    |                  |
| Limit to 5737.50 m <sup>2</sup> @ 200.46/m <sup>2</sup> - Rs. 1150139.0 |                               |    |    |    |                  |
| (13/13) Construction of                                                 |                               |    |    |    |                  |
| PCC M30 in pavement                                                     |                               |    |    |    |                  |
| all comp. job.                                                          |                               |    |    |    |                  |
| 91.33 m <sup>3</sup> D.V.T.MBP - (28)                                   |                               |    |    |    |                  |
| @ Rs. 6623.01/m <sup>3</sup> - Rs. 604879.0                             |                               |    |    |    |                  |
| (14/14) Laying brick soling                                             |                               |    |    |    |                  |
| layer on prepared                                                       |                               |    |    |    |                  |
| subgrade all                                                            |                               |    |    |    |                  |
| comp. job.                                                              |                               |    |    |    |                  |
| 150.00 m <sup>2</sup> D.V.T.MBP - (21)                                  |                               |    |    |    |                  |
| @ Rs. 54378/m <sup>2</sup> - Rs. 81567.0                                |                               |    |    |    |                  |
| (15/15) (i) ordinary Kilometers                                         |                               |    |    |    |                  |
| Stone (precast)                                                         |                               |    |    |    |                  |
| 3.00 Nos D.V.T.MBP - (30)                                               |                               |    |    |    |                  |
| @ Rs. 2145.61 each - Rs. 6436.0                                         |                               |    |    |    |                  |
| (ii) 200 m Stone (precast)                                              |                               |    |    |    |                  |
| 6.00 Nos D.V.T.MBP - (30)                                               |                               |    |    |    |                  |
| @ Rs. 580.35 each - Rs. 3482.0                                          |                               |    |    |    |                  |
| (16/16) Providing and fixing                                            |                               |    |    |    |                  |
| of typical M.M.S.S.Y                                                    |                               |    |    |    |                  |
| informational sign board.                                               |                               |    |    |    |                  |
| all comp. job.                                                          |                               |    |    |    |                  |

Continuation

| Particulars                                                                         | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                                     | No.                           | L. | B. | D. |                  |
| 2.0 Nos O.V.T.M BP-(21)                                                             |                               |    |    |    |                  |
| 2.0 Nos " P-(31)                                                                    |                               |    |    |    |                  |
| 4.0 Nos                                                                             |                               |    |    |    |                  |
| @ Rs. 9364.51/each-Ps                                                               |                               |    |    |    | 37458.00         |
| (17/18) Rec M 15 grade boundary pillar                                              |                               |    |    |    |                  |
| all comp. job.                                                                      |                               |    |    |    |                  |
| 40.0 Nos O.V.T.M BP-(31)                                                            |                               |    |    |    |                  |
| @ Rs. 476.38/each-Ps                                                                |                               |    |    |    | 19055.00         |
| (18/19) (i) 600mm x 450mm equilateral triangle board.                               |                               |    |    |    |                  |
| 6.0 Nos O.V.T.M BP-(31)                                                             |                               |    |    |    |                  |
| @ Rs. 3737.53/each-Ps                                                               |                               |    |    |    | 22425.00         |
| (ii) 600mm x 450mm rectangular board.                                               |                               |    |    |    |                  |
| 4.0 Nos O.V.T.M BP-(31)                                                             |                               |    |    |    |                  |
| @ Rs. 4879.25/each-Ps                                                               |                               |    |    |    | 19517.00         |
| (19/20) Road Marking with hot applied Thermo-plastic compound on bituminous surface |                               |    |    |    |                  |
| all comp. job.                                                                      |                               |    |    |    |                  |
| 30.0 m <sup>2</sup> O.V.T.M BP-(30)                                                 |                               |    |    |    |                  |
| @ Rs. 735.44/m <sup>2</sup> -Ps                                                     |                               |    |    |    | 220632.00        |
| (20/21) Road marking with hot applied Thermo-plastic compound                       |                               |    |    |    |                  |



Continuation



| Particulars                             | Details of actual measurement |    |    |    | Contents of area |
|-----------------------------------------|-------------------------------|----|----|----|------------------|
|                                         | No.                           | L. | B. | D. |                  |
| On concrete surface                     |                               |    |    |    |                  |
| all comp. job.                          |                               |    |    |    |                  |
| 30.0 m <sup>2</sup> O.V.T.M.B.P. (30)   |                               |    |    |    |                  |
| @ Rs. 821.79/m <sup>2</sup> - Rs.       |                               |    |    |    | 24639.0          |
| (21/19) (iii) 900 mm side               |                               |    |    |    |                  |
| Octagon board.                          |                               |    |    |    |                  |
| 2.0 Nos O.V.T.M.B.P. (31)               |                               |    |    |    |                  |
| @ Rs. 8905.32/each - Rs.                |                               |    |    |    | 17810.0          |
| (22/22) planting of tree                |                               |    |    |    |                  |
| by the roadside                         |                               |    |    |    |                  |
| all comp. job.                          |                               |    |    |    |                  |
| 150.0 Nos O.V.T.M.B.P. (31)             |                               |    |    |    |                  |
| @ Rs. 815.26/each - Rs.                 |                               |    |    |    | 122289.0         |
| (23/23) E.W in excavation               |                               |    |    |    |                  |
| for foundation all                      |                               |    |    |    |                  |
| comp. job.                              |                               |    |    |    |                  |
| 148.99 m <sup>3</sup> O.V.T.M.B.P. (21) |                               |    |    |    |                  |
| @ Rs. 269.32/m <sup>3</sup> - Rs.       |                               |    |    |    | 40125.0          |
| (24/24) providing R.C.C M15             |                               |    |    |    |                  |
| in foundation all                       |                               |    |    |    |                  |
| comp. job.                              |                               |    |    |    |                  |
| 22.98 m <sup>3</sup> O.V.T.M.B.P. (21)  |                               |    |    |    |                  |
| @ Rs. 5258.89/m <sup>3</sup> - Rs.      |                               |    |    |    | 120849.0         |
| (25/25) plr pcc m20                     |                               |    |    |    |                  |
| in sub structure                        |                               |    |    |    |                  |
| 168.70 m <sup>3</sup> O.V.T.M.B.P. (21) |                               |    |    |    |                  |
| @ Rs. 6011.42/m <sup>3</sup> - Rs.      |                               |    |    |    | 1014126.0        |

Continuation



| Particulars                                                                                                                                                                                                                                                                                                   | Details of actual measurement |    |    |    | Contents of area                                                                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----|----|----|-------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                                                                                                                                                               | No.                           | L. | B. | D. |                                                                                                       |
| (26/26) Providing RCC<br>Pipe NPS 1000mm<br>dia) all comp. job<br>37.50m O.V.T.MB P-(22)<br>@ RS. 3863.46/m - RS. 145105.00                                                                                                                                                                                   |                               |    |    |    |                                                                                                       |
| (27/27) Painting on<br>Parapet Wall all<br>comp. job<br>103.20m <sup>2</sup> O.V.T.MB P-(36)<br>@ RS. 97.19/m <sup>2</sup> - RS. 10030.00                                                                                                                                                                     |                               |    |    |    |                                                                                                       |
| (28/28) Providing RCC Pipe<br>duct 300mm dia<br>all comp. job<br>37.50m O.V.T.MB P-(7)<br>@ RS. 916.48/m - RS. 34368.00<br>RS. 10201489.00<br>Add 12% GST — RS. 1224178.00<br>Add 1% L.Cess — RS. 102014.00<br>RS. 11527681.00<br>less. Plr Payment<br>O.V.T.MB P-(13), (23) RS. 4505493.00<br>RS. 7022188.00 |                               |    |    |    |                                                                                                       |
| <br>18/6/21<br>A. E.                                                                                                                                                                                                       |                               |    |    |    | <br>18/6/21<br>JE |

Continuation