



ग्रामीण कार्य विभाग

क्षतिग्रस्त पथ का नाम :- SOSS to Mushari
कार्य प्रमण्डल :- बेनीपुर।
कार्य अंचल :- दरभंगा।
प्रखण्ड का नाम :- घनश्यामपुर।
प्राक्कलित राशि :- Rs 230000/-
Rs. 2,20,317/-


प्रतिवेदन

पथ का नाम :- SSS to Mushahi
प्राक्कलित राशि :- Rs 236052 -/-
पथ की ल0 :-


यह प्राक्कलन मो0 236052 का बनाया गया है। ज्ञातव्य है कि विगत माह जुलाई-अगस्त 2020 में अतिवृष्टि एवं बाढ़ के कारण घनश्यामपुर प्रखण्ड के बहुत से सड़क में टूटान हो गया। विभागीय आदेश -मु0 अ0-04मु0 विविध कार्य 23-40/2016-2729अनु0 दिनांक-21.08.2020 एवं कार्यपालक अभियंता महोदय के आदेश के अनुपालनार्थ यह प्राक्कलन बनाया गया है। प्राक्कलन के सड़क की अधिक गह्वी खाई में मिट्टी भरकर तदनुपरान्त ईट टुकड़ा की एक समुचित परत डाल कर यातायात सुलभ हेतु मजबूतीकरण की गई है। पलैंक में कॉंस पाइलिंग के उपरान्त सीमेंट की खाली बोडी में स्थानीय बालू भरकर सीमेंट कंक्रीट सड़क को बचाने का काम किया गया है।

प्राक्कलन वर्तमान में कार्य अचल दरभंगा की अनुसूचित दर पर तैयार किया गया है।


प्राक्कलन की POST FACIEO स्वीकृति कार्य हीत एवं जनहीत में अपेक्षित है।


22-09-2020

कनीय अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रशाखा घनश्यामपुर, कार्य अवर प्रमण्डल घनश्यामपुर,


22-9-2020

सहायक अभियंता,
ग्रामीण कार्य विभाग,


22-9-2020

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल बेनीपुर,

(1) Name of work :- Detailed estimate for F.D.R to the R.W.D.
from S.D.S. to Muzhrai for the year
2020-21 under - Chhatisgarh

(2) Price of filling the brick-bats including the cost of
brick-bats & labours all complete jobs
as per specification & direction of E.I.

$$\begin{aligned}
 & \text{1 Nos } 230.0 \times \frac{3.5 \times 4.9}{2} \times \frac{1.00 + 0.010}{2} = 100.80 \text{ m}^3 \\
 & 100.80 \text{ m}^3 @ Rs 1840.16/\text{m}^3 = Rs 1,85,488.00 \\
 & \text{Add 12\% GST (+)} = Rs 22,259.00 \\
 & \text{Add 1\% L.C (+)} = Rs 1,855.00 \\
 & \text{Add S.F. [100.80]} \\
 & 100.80 \text{ m}^3 \\
 & \text{Add S.F. 100.80 m}^3 @ Rs 1063.00 of 10/1 (+) = Rs 1,07,150.00 \\
 & \text{Total Rs } 2,20,317.00
 \end{aligned}$$

12-05-2020

09/05/2020

09/05/2020

J.E.
R.W.D.

N.E.
R.W.D.

E.E.
R.W.D.

प्रमाणित किया जाता है कि, कार्य-विधि-विषयक
दिनांक:- 908 अथवा दिनांक:- 12.05.2021 के द्वारा जारी किया गया
के अन्तर्गत।

Rs - Fecto T/A Rs 2,20,317.00
(Rupees Two lac twenty thousand three hundred and thirty seven only)
(9.05.21)

Superintending Engineer

R.W.D. Works Circle, Darbhanga

19/05/2021

FOR FDR JULY 2020.

Providing and Laying of Bricks bats with Carriage by Tractor loading with front and loader with light ramming etc. all complete job as per specification and direction of E/S.

BY TRACTOR. (without C.P.) for Departmental Work

$$\textcircled{1} \quad \left. \begin{array}{l} \text{Surface lead} = 7 \text{ K.M.} \\ \text{Katchha lead} = 1 \text{ K.M.} \end{array} \right\} 8 \text{ K.M.}$$

$$\text{Factor } [3.6/2.25] = 1.60$$

$$\text{ie Carriage Cost (with OH)} = [(1.60 \times 7 \text{ K.M.} \times 17.25) + (1.60 \times 1 \text{ K.M.} \times 26.95)] + 182.39$$

$$= \text{Rs. } 418.71$$

$$\text{Total Cost of Bricks bats P/B} = \text{Rs. } 1126.78 \text{ (Bricks bats with OH)} \\ + \text{Rs. } 418.71 \text{ [Carriage Cost with OH]} \\ + \text{Rs. } 322.27 \text{ [Labour Cost with OH]} \\ \text{Total Rs. } 1867.76 \text{ [without GST + LC + SF]} \\ \text{P/B}$$

$$\textcircled{2} \quad \text{Surface lead} = 6 \text{ K.M.} / \text{Katchha} = 1 \text{ K.M.} / \text{Factor} = 1.60$$

$$\text{Carriage Cost (with OH)} = [(1.60 \times 6 \text{ K.M.} \times 17.25) + (1.60 \times 1 \text{ K.M.} \times 26.95)] + 182.39$$

$$= \text{Rs. } 391.11$$

$$\text{Total Cost of Bricks bats P/B} = \text{Rs. } 1126.78 \\ + \text{Rs. } 391.11 \\ + \text{Rs. } 322.27$$

$$\text{Total Rs. } 1840.16 \text{ P/B [without GST + LC + SF]}$$

$$\textcircled{3} \quad \text{Surface lead} = 5 \text{ K.M.} / \text{Katchha} = 1 \text{ K.M.} / \text{Factor} = 1.60$$

$$\text{Carriage Cost (with OH)} = [(1.60 \times 5 \text{ K.M.} \times 17.25) + (1.60 \times 1 \text{ K.M.} \times 26.95)] + 182.39$$

$$= \text{Rs. } 363.51$$

$$\text{Total Cost of Bricks bats P/B} = 1126.78 \\ + 363.51 \\ + 322.27$$

$$\text{Total Rs. } 1812.56 \text{ P/B [without GST + LC + SF]}$$

$$\textcircled{4} \quad \text{Surface lead} = 4 \text{ K.M.} / \text{Katchha} = 1 \text{ K.M.} / \text{Factor} = 1.60$$

$$\text{Carriage Cost (with OH)} = [(1.60 \times 4 \text{ K.M.} \times 17.25) + (1.60 \times 1 \text{ K.M.} \times 26.95)] + 182.39$$

$$= \text{Rs. } 335.91$$

$$\text{Total Cost of Bricks bats P/B} = 1126.78 + 335.91 + 322.27 = \text{Rs. } 1784.96$$

$$\text{[without GST + LC + SF]}$$

$$\textcircled{5} \quad \text{Surface lead} = 3 \text{ K.M.} / \text{Katchha} = 1 \text{ K.M.} / \text{Factor} = 1.60$$

$$\text{Carriage Cost (with OH)} = [(1.60 \times 3 \text{ K.M.} \times 17.25) + (1.60 \times 1 \text{ K.M.} \times 26.95)] + 182.39$$

$$= \text{Rs. } 308.31$$

$$\text{Total Cost of Bricks bats P/B} = 1126.78 + 308.31 + 322.27 = \text{Rs. } 1757.36$$

$$\text{[without GST + LC + SF]}$$

नोट:- निर्देशानुसार कार्य स्वयं से भंडा/चिमनी की दुई या प्रमाणित दुई/मशीन से करना होगा। साथ ही दुई के आधार पर ही दुलाई की अंतिमता देखा जाएगा।

REF.NO.	DISCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
6.8.1 WRD Bihar	Labour for laying dry graded jhama kha or stone filter under brick pitching or boulder pitching in slope or apron including light ramming etc. all complete job as per specification and direction of E / L.				
	Unit: Per M3				
	Taking Out put:- 2.832 cum				
	Unskilled mazdoor	Nos	3	287	861
	Add 6% Overhead charges				51.66
	Rate for 2.832 Cum				912.66
	Rate for Cum (Rs)				322.27
1.4 RCD	Cost of Haulage Excluding Loading and unloading				
	Haulage of materials by tractor excluding cost of loading, unloading and stacking				
	Unit = 1 km				
	Taking output 3.60 tonnes load and lead 10 km = 36.0 t km				
	(i) Surfaced Road				
	Speed with load: 15 km / hour				
	Speed while returning empty: 25 km / hour				
	a) Machinery				
	Tractor 3.6 tonnes capacity				
	Time taken for onward haulage with load	hour	0.667	549.10	366.25
	Time taken for empty return trip	hour	0.400	549.10	219.64
	b) Overhead charges @ 0.06 on (a)				35.15
	Cost for 36 t km = a+b+c				621.04
	Rate per t km = (a+b+c)/36				17.25
	say Rs-				
	(ii) Katcha Road				
	Speed with load: 12 km / hour				
	Speed for empty return trip: 20 km / hour				
	a) Machinery				
	Tractor 3.6 tonnes capacity				
	Time taken for onward haulage with load	hour	1	549.1	549.1
	Time taken for empty return trip hour	hour	0.667	549.1	366.2497
	b) Overhead charges @ 0.06 on (a)				54.92
	Cost for 36 t km = a+b+c				970.27
	Rate per t km = (a+b+c)/36				26.95
	say Rs-				

REF.NO.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
1.1 RCD	Loading and Unloading of Stone Boulder/ Stone aggregates/Sand/ Kankar/Mortar/Brick Bats				
	Placing tractor at loading point, loading with front end loader, dumping, turning for return trip, excluding time for haulage and return trip.				
	Unit = cum				
	Taking output = 2.25 cum				
	Time required for				
	i) Positioning of tipper at loading point		1 Min		
	ii) Loading by front end loader 1 cum bucket capacity @ 25 cum per hour		5 Min		
	iii) Maneuvering, reversing, dumping and turning for		9 Min		
	iv) Waiting time, unforeseen contingencies etc. 4 Min		0 Min		
	Total		6 Min		
	a) Labour				
	Mate	day	0.03	305	9.15
	Mazdoor for loading and unloading	day	0.72	287	206.64
	a) Machinery				
	Tractor 3.60 tonnes capacity	hour	0.1	549.1	54.91
	Front end-loader 1 cum bucket capacity @ 25 cum/hour	hour	0.083	1403	116.45
	b) Overhead charges @ 0.06 on (a+b)				21.23
					410.38
	Cost for 2.25 cum = a+b+c+d				162.39
	Rate per cum = (a+b+c+d)/ 2.25				
	Note: Unloading will be done manually				
2	Supplying for Brick Bats (with OH)				
	Basic rate for Brick Bats	P/M3		1063	
	Add overhead Charges	P/M3		11.78	
	Total			1174.78	1174.78
	Surface Lead	KM	7		
	Unsurface lead	KM	1		
	Factor (3.6/2.25)		1.6		
	Carriage (with OH)				
	$(1.6 \times 7 \times 1174.78) + (1.6 \times 1 \times 26.95) + 182.39$				418.71
	Cost of Labour for pitching and light ramming as per WRD SOR 6.6.1 (with OH) with 10% cess				322.27
	Total (A+B+C)				1867.76
	Add 1% Labour Cess (A+B+C)				
	Add 12% GST (A+B+C)				
	Total Cost per Cum				
	For (7km p+1kmk)=without (Gst+Lc+Sf)	Rs			1867.76
	For (6km p+1kmk)=without (Gst+Lc+Sf)	Rs			1840.16
	For (5km p+1kmk)=without (Gst+Lc+Sf)	Rs			1812.56
	For (4km p+1kmk)=without (Gst+Lc+Sf)	Rs			1784.96
	For (3km p+1kmk)=without (Gst+Lc+Sf)	Rs			1757.36
	NOTE:				
	As per the instructions, The distance from brick factory to site will be shown in estimate. Carriage rate will also be adjusted according to distance.				

REF.NO.	DISCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
12.9 RCD	Labour for filling Sand Bag, stitching and placing etc. all complete as per specification and direction of E/I				
	unit: per bag				
	Taking output=750 Bag				
	Add 6.0% suttli	kg	3.75	22.7	83.25
	Rate for 750 Bag	Nos	15	287	4305
	Add 6% overhead Charges				263.29
	Mazdoor Rate per Bag (Rs) -				4651.24
	Rate of 1 bag				Rs=6.20
1.4 RCD	Cost of Haulage Excluding Loading and Unloading				
	Haulage of materials by tipper excluding cost of loading, unloading and stacking				
	Unit = t km				
	Taking output 10 tonnes load and lead 10 km =100 t km				
	Surfaced Road				
	Speed with load : 25 km / hour.				
	Speed while Returning empty : 35 km / hour.				
	a) Machinery.				
	Tractor 3.6 tonne capacity				
	Time taken for onward haulage with load	hour	0.667	549.1	366.25
	Time taken for empty return trip.	hour	0.4	549.1	219.64
	b) Overhead charges @ 0.06 on (a)				35.15
					621.04
	cost for 36 t km = a+b+c				17.251
	Rate per t km = (a+b+c)/36				17.25
	Say Rs-				
	Katcha Track				
	Speed with load : 12 km / hour				
	Speed while returning empty 20 km / hour				
	a) Machinery				
	Tractor 3.6 tonnes capacity				
	Time taken for onward haulage with load	hour	1	549.1	549.1
	Time taken for empty return trip	hour	0.667	549.1	366.25
	b) Overhead charges @ 0.06 on (a)				54.92
	Cost for 36 t km = a+b+c				970.27
	Rate per t km = (a+b+c)/36				26.95
	Say Rs:				26.95

REF.NO.		UNIT	QUANTITY	RATE	AMOUNT
	DISCRIPTION				
1.1 RCD	Loading and Unloading of Stone Boulder/ Stone aggregates/Sand /Kanker/Moorum				
	Placing tipper at loading point, loading with front end loader, dumping, turning for return trip excluding time for haulage and return trip.				
	Unit = cum				
	Taking output = 2.25 cum				
	Time required for				
	i) Positioning of tipper at loading point		1min		
	ii) Loading by front end loader 1 cum bucket capacity @ 25 cum per hour		5min		
	iii) Maneuvering, reversing, dumping and turning for return		0min		
	iv) Waiting time, unforeseen contingencies etc.		0min		
	Total		6min		
	a) Labour				
	Mate	day	0.03	305	9.15
	Mazdoor for loading and unloading	day	0.72	237	206.64
	Total				215.79
	a) Machinery	hour	0.1	549.1	
	Tractor 1.60 tonnes capacity	hour	0.083	1403	54.91
	Front end loader 1 cum bucket capacity @ 25 cum/hour				116.45
	ii) Overhead charges @ 0.06 on (a+b)				23.23
	Cost for 2.25 cum = a+b+c+d				410.38
	Rate per cum = (a+b+c+d)/ 2.25				182.39
	Note Unloading will be done manually				

1	Supplying of Sand Bag (with OH)				
A	Basic Rate of Sand Bag (including chf+ sand)	Per Bag	8.66	8.86	
	Add overhead Charges		6%	0.53	
	Total			9.39	
	1 No Cement Bag filled with 40 kg / 1.2 Cuft Sand ,				
	Conversion factor : 1m ³ = 35.3146667 cuft				
	1) Cubic Meter = Cubic Foot / 35.3146667				
	2) Cubic Meter = 1.2 / 35.3146667				
	3) Cubic Meter = 0.034				
	Hence 1 No. Sand Bag Filled with 0.034				
	Tractor	KM	2		
	Surface Lead	KM	1		
	Katcha Lead	Cum	1.6		
	Factor (3.6/2.25)				
B.	Carriage (with OH)				
	(1.6*2*17.25)+(1.6*1*26.95)+182.39			280.71	
	Cost of Carriage of Sand in Filling of Sad Bag				
			280.71	0.034	9.52
C	Cost of Labour for Filling Sand Bag, stitching and Placing (with OH)				
	Total (A+B+C) = 9.39 + 9.52 + 6.20			25.11	
	Total Cost per Bag (without Gst+Lc+Sf)			25.11	







Handwritten signature



Handwritten signature