

प्रमाणित किया जाता है कि इस मापीपुल
में मशीन हाई अंकित कुल 100(एक लौ)
परते हैं, जिसे M.M.G.S.Y. मादृ अन्तर्गत कैनाल
रोड से पंचगार्ड विंद टोला माया अनन्तपुर
पथ का भाषी लेते हुए श्री सुनील कुमार
सहायक उपमध्यन्ता कार्य आवृत्ति प्रभाव रमगढ़
के नाम पर लिखा विभाग जाता है

मापीपुल
कार्यपालक अधिकारी
ग्रामीण कार्य विभाग
कार्य प्रबन्ध विभाग
मापीपुल
30/11/19

Sch. XLV - Form No. 134

M.M.G.S.Y.
Executive Engineer
P.W.D. Work Division Mehania DIVISION

कार्य आवृत्ति प्रभाव रमगढ़ SUB-DIVISION
कार्य का नाम - कैनाल रोड से पंचगार्ड विंद
टोला सुनील अनन्तपुर
सहायक उपमध्यन्ता - श्री सुनील कुमार
कार्य जावृत्ति प्रभाव रमगढ़.
सेवदक का नाम - श्री तंज नारायण आडा

Measurement Book

No.

Name of officer _____

Date of first entry _____

Date of last entry _____

Name of Work—
Situation of Work—
Agency by which work is executed—
Date of Measurement—
No. and date of agreement
(These four lines should be repeated at the commencement
of the measurement relating to each work)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of work:-	Canal flood to				
Parichagai Blind Tala -					
Acreage:- Tel Nareyan ofha.					
Aggrmt No:- SBD 15/ 2019-20					
Aggrmt Date:- 09/ 09/ 2019					
Const Cost:- 51,27,456/-					

1.94 L.A. Point

Record Month Date! - 2/2/20.

(1) Cleaning and Grouting

Road Land:-

20	30.40	3.50	2100.00M ²
10	30.40	3.50	1050.00M ²

$$\text{Say: } \frac{-31.80 \cdot 10}{1000} \Rightarrow 0.32 \text{ liter}$$

5/20
cont'd
198

Continuation

44
Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(23) PIV and fixing km			136 - 53	62490 =	
200 m space etc:	-				
(By rule 74A(36) Part 24)					
(2) PIV - 2.00ms @ 2593 = 5196 =					
(3) 200m! - 4.00ms @ 71329 = 2856 =					
(24) PIV and fixing km					
200 m etc:	-				
(By rule 74B(36) Part 24)					
(i) 600 mm equilateral triangle					
2.00ms @ 3928 = 78.57 =					
(ii) 600 mm trapezoid					
2.00ms @ 5337 = 10675 =					
(iii) 800 x 600 mm rectangle					
2.00ms @ 7523 = 15047 =					
(iv) 600 mm x 470 mm rectangle					
2.00ms @ 5193 = 10387 =					
(25) PIV and edge / facing					
Both sides -					
(By rule 74C(36) Part 24)					
120 m @ 850 = 102112 =					
120 P.C.					
60.00ms @ 953 = 57239 =					
			(1) +	5573859 =	

Continuation

Continuation