

47

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
15.00 m wide T.D.B. Page 36		T.D.B.	Page 36		
C 3678.96 m					55094.00
Less 10% below 3 per agreement		below 3 per agreement		R _s ①	152,273.61.00 152,274.00 152,273.61
Less Previous Payment		Previous Payment		R _s	150,75,087.00 137,04,625
vide T.D.B. Page 36 & 37		Page 36 & 37		②	116,75,759.00
15.00 m wide T.D.B. Page 36				A	33,99,348.00 2078866=
Moredad Sal 15-04-21.					C.P.F. N/P 16/4/21
J.R. Pagdud					

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
7th on AK Bill (cost work complete)					
Abstract of cost.					
(1.) Cost of setting out B.M. pillars					
do do					
1.95 Km wide T.M. B Page 34.					
C 26473.94 K.M.					51624.00
(2.) clearing of ground for road bed					
do do					
0.68 Km wide T.M. B Page 34.					
C 49739.47 Hec					33823.00
(3.) Cost of embankment with material obtained from borrow					
Pits land 100 m - do - P/L					
2900.005 m ³ wide T.M. B Page 34.					

722.258 m ³ wide T.M. B Page 44					
3622.263 m ³ C			151.96 m ³		550,439.00
(4.) Cost of bridge & earthwork					
shoulders with approved material					
obtained from borrow pit land					
1000 m - do - P/L.					
1011.787 m ³ wide T.M. B Page 35.					
734.102 m ³ wide T.M. B Page 42.					
1745.889 m ³ C			189.39 m ³		330,654.00
(5.) Cost of G.S.B. Gr-I with well					
graded material of P.T.S. class					
402 - do - P/L.					
1267.917 m ³ wide T.M. B Page 35					
C 3198.62 m ³					4055,585.00
(6.) P.V. work Gr-III with stone					

Continuation: - 50,22,125.00

Particulars	Details of actual measurement			Contents of area
	No.	L	B	
Screening of B' 112 mm dia for				
T.S. class 405			do	E/S
566.355 m ³ vide T.M.B. Page 35				
26.678 m ³ vide T.M.B. Page 38				
593.033 m ³			4580.49 m ³	27,16,382.00
(7.) P.A. Primer coat with kerosene				
SS, C.O. BSK 1000			3 per T.S.	
class 502			do	E/S
4118.173 m ² vide T.M.B. Page 39				
C 50.33 m ²				2,07,268.00
(8.) P.A. Deck coat with emulsion				
RS, C.O. 275 kg 1000			2 per	
T.S. class 503			do	E/S
4118.173 m ² vide T.M.B. Page 40				

C 16.85 m ²				69,391.00
------------------------	--	--	--	-----------

(9.) P.V. 20 mm thick oxide seal

Surface area of 13.2 mm to 0.09 mm

(Type B) aggregate & bitumen

C 1.90 kg 1000 with 1 per 1000

3 per T.S. class 509 - do - E/S

4118.173 m² vide T.M.B. Page 39C 260.04 m²

10,70,890.00

(10.) Costing of Unreinforced a/c.

Pavement of 150 with concrete

Sine aggregate & 43 grade cement

2 per T.S. class 1501 - do - E/S

606.00 m³ vide T.M.B. Page 35C 8006.73 m³

48,52,078.00

(11.) (2.) P.F. of 100 mm dia - do - E/S

Continuation

B, 139,38,134.00

Particulars	Details of actual measurement			Contents of area
	No.	L	B	D
4 Nos vide T.M.B Page 40.				
② 2312.77 Nos				9251.00
12(i) P/F 20mm above - do - P/F				
8 Nos vide T.M.B Page 40				
② 662.92 Nos				5303.00
12(i) P/F 600mm equivalent				
Triangle - do - P/F				
14 Nos vide T.M.B Page 40				
② 3794.56 Nos				53,124.00
12(ii) P/F 600mm rectangular - do - P/F				
4 Nos vide T.M.B Page 40				
② 5059.38 Nos				20,238.00
12(ii) P/F 600mm circular - do - P/F				
4 Nos vide T.M.B Page 40.				

② 5203.61 Nos				20,814.00
(13) P/L of flat applied the roof slope				
Compound 2.5mm thick - do - P/F				
19.1 on B.T. 2nd floor				
220.00 m ² vide T.M.B Page 40.				
② 850.93 m ²				187,205.00
(b) on e.c. pavement				
199.99 m ² vide T.M.B Page 41				
② 953.99 m ²				190,788.00
(14) P/F of R.M. G.S.Y typical section -				
including 21ga bonded wire mesh 2nd floor.				
bonded wire mesh 2nd floor - do - P/F				
2 Nos vide T.M.B Page 35				
1 Nos vide T.M.B Page 41				
3 Nos ② 9982.64 Nos				29,948.00

Continued - 14454805.00

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
(15.) E/W in brickwork foundation					
of structure — do — E/P					
106.579 m ² wide T.M. 8 Pgs 35					
© 26190.73					27913.00
(16.) P/V P.C.C. 1115 28 open foundation					
— do — E/P					
9.454 m ² wide T.M. 8 Pgs 36					
© 5498.0963					51979.00
(17.) P/L R.C.C. 0 P.C. 4 P.B. 600 mm d					
— do — E/P					
22.50 m wide T.M. 8 Pgs 36					
© 1347.061m					30,309.00
(18.) B/W 24 C.B. (1:4) 20 Rein wall					
— do — E/P					

97.327 m ³ wide T.M. 8 Pgs 36					
5.904 m ³ wide T.M. 8 Pgs 41					
103.231 m ³					
108.82 m ³ © 5591.3913					574,907.00
(19.) P/L brickwork with C.B. (1:4) on					
B/W — do — E/P					
141.032 m ² wide T.M. 8 Pgs 36					
© 55.07 m ² wide T.M. 8 Pgs 41					
196.102 m ² © 151.45 m ²					29700.00
(20.) P/V 1.5 m thick cement plastering					
on plaster — do — E/P					
55.80 m ² wide T.M. 8 Pgs 36					
© 47.56 m ²					2654.00
(21.) P/V 400 mm R.C.C. pipe					
N.P. 1000 mm d —					
— do — F/L					

Continuation No. - 15172, 267.00