

2nd on the Bill

26

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
N/W -	Cust. with maintenance of				
	land from Bhawan meadows				
	Bridge p.m. by to Kharkar				
	Sine Kataru mupharin				
	gate B. K. K.				
Agcy -	H.D. Masim Ahmad.				
of no -	51/3.B.D./2018-19 (MM454-8)				
	ABSTRACT of RST				
Date of survey -					
	Selling area as M.O.D.				
	R.H.				51.000
	Cust. of reference				
	M. P. B. K. K.				

Qty 110 No	N.	4. M B P-11		
		@ 4277.68 / bah	4278.20	
2/4		Cust. of reference		
		fillars / 1300 feet		
		to 2000		
Qty 210 Nos	N.	4. M B P-11		
		@ 1971.879 / bah	3944.10	
313		ch. y. in ground		
		n. d. h. d. d. d.		
		on 1800		
Qty 0.181 ha	N.	4. M B P-11		
		@ 49174.86 / ha	8901.00	
4/4		evaluation to rule		
		work in soil		

Continuation

Q. 17123-20

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		35		4	17123.00
		do do do			
Qty 25.125 m ³ v. m. m. p. 12					
		@ 76.185/m ³			1914.00
5/56		Construction of embankment			
		with masonry			
		do do do			
		Length 1000.0 m			
Qty 420.514 m ³ v. m. m. p. 18					
		@ 179.104/m ³			75214.00
		Length 1000.0 m			
Qty 981.12 m ³ v. m. m. p. 18					
		@ 142.113/m ³			138465.00

6/6	Construction of Sub-grade of earthen shoulder do do	
	do do do	
Qty 398.63 m ³ v. m. m. p. 18		
	@ 180.81/m ³	72076.00
7/8	Construction of S.S. 6 with well graded masonry do do	
	width 10 m	
Qty 301.55 m ³ v. m. m. p. 12		
	@ 2823.407/m ³	881624.00
8/9	Paving, S.S. 6 & compacting S.S. 6	
	do do do	

Continuation

B. 11,86,516.00

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			17.6		1186.516-00
			1000		
Qty 150.427 m ² v. m. n.p. - 13					
			CB 3532.857/m ²		5,46,509-00
9/10			Proved by 27 of 11/12		
			Proved by 10/12		
			b. 10. 0. 10. (198-1)		
			1000		
Qty 1510. m ² v. m. n.p. - 20					
			CB 48. 847/m ²		73,857-00
10/11			Proved by 10/12		
			Proved by 10/12		
			Comp. 10/12		
Qty 1512.00 m ² v. m. n.p. - 20					
			CB 16. 315/m ²		24,971-00
11/12			Proved by 10/12		
			Proved by 10/12		
			Proved by 10/12		
			Proved by 10/12		
Qty 1512.00 m ² v. m. n.p. - 21					
			CB 218.875/m ²		3,30,637-00
12/12			Proved by 10/12		
			Proved by 10/12		
			Proved by 10/12		
Qty 75.127 m ² v. m. n.p. - 22					
			CB 7860.737/m ²		5,90,553-00

Continuation

CA 27,53,043-00

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		3.6			27,530.43 m ²
13/14		Long it back Salip			
		Layer on bore form			
		8.6 ft. with 10 in			
		do do same			
by 62.00 m		V-T-M B.P-22			
		@ 489.15 m ²			30,947.00
14/15		R.C.C. m-15 m			
		ordinary R.M. Stone			
		(proceed) do same			
by 2.0 m		V-T-M B.P-23			
		@ 5225.95 m ² /cm			52522.00
15/16		R.C.C. m-15 m			
		200 m Stone			
		(proceed) do same			
by 2.0 m		V-T-M B.P-23			
		@ 677.44 m ² /cm			1355.00
16/17		Pier at top of 4th floor			
		many air ports			
		5 in 2.8 m x 1.5 m			
		do do same			
by 2.0 m		V-T-M B.P-13			
by 1.0 m		V-T-M B.P-23			
7.300 m		@ 10261.87 m ² /cm			30,786.00
17/18		Pier at 7th floor			
		reple - caulked, m.d.			
		7 air ports 8 m x 2.8 m			
		600 m air & 4 m x 1.5 m			
by 4.00 m		V-T-M B.P-23			
		@ 4589.07 m ² /cm			18,276.00

Continuation

6 28,39,659.00

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			13.4	6	28,39,659.20
18/19	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
20/21	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
21/22	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
22/23	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
23/24	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
24/25	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
25/26	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
26/27	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
27/28	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
28/29	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				
29/30	Directing of road				
	reflexion road, cautions				
	4 extra 512 m 20				
	600mm 500mm				

Continuation

29,34,252.20

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			12		23,342.52
		P. 4.13 on e-c pm			
		do do for			
Qty 25.0 m ²					
		at 951.715/m ²			23,793.50
$\frac{23}{24}$		Earth work in			
		excavation for			
		area 20 x 10 m			
Qty 18.67 m ³					
		at 250.893/m ³			4822.50
$\frac{24}{25}$		1.4 m (180 cm)			
		bedding on work			
		at 1.4 m			
Qty 2.13 m ³					
		at 458.238/m ³			976.20
$\frac{25}{26}$		P. 1.4 m - 1.5 m			
		of 7.2 x 1.2 m			
		as 1.4 m			
Qty 1.67 m ³					
		at 612.398/m ³			9903.50
$\frac{26}{27}$		H/W - 1.4 m			
		measuring 1.4 m			
		1.4 m (1.4) in S			
		at 1.4 m			
Qty 13.98 m ³					
		at 620.410/m ³			86741.50

Continuation

30,60,487.200

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		13	0		3060,4872w
28		Paved layer 10cc			
		Nile NP 3 (600mm)			
		drag do do on			
Qty 2.5m		24	14		
		at 3113.155/m			23349.0
28		paved with 6m			
		(114) 10m thick			
		on brick work			
		in subsoil do			
Qty 14.02m		14	14		
		at 192.324/m			2697.0
28		Paved, concrete			

		surface 1.5m			
		epoxy bit two			
		cut asch. 1			
		prime cut do do			
		as water 0m			
Qty 14.02m		14	14		
		at 133.273/m			1868.00
		at 3088,401=00			
		As h of 1.51% below			46,635=00
		at 30,417,66=00			
		Deduct in paving layer			132,596=00
		T. 1716,170=00			
		30/4/2021			
		A.B			
		30/4/2021			

Continuation

S.C