

कार्यपालक अभियंता का कार्यालय,  
ग्रामीण कार्य विभाग, कार्य प्रमंडल,  
मुजफ्फरपुर पूर्वी-1

पत्रांक.....494

दिनांक.....04/03/2021

प्रेषक,

कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग, कार्य प्रमंडल,  
मुजफ्फरपुर पूर्वी-1

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव  
बिहार ग्रामीण पथ विकास अभिकरण,  
बिहार पटना।


विषय: नई अनुरक्षण नीति 2018 शीर्ष 3054 अंतर्गत वित्तीय वर्ष 2020-21 में व्यय हेतु आवंटन की मांग।

महाशय,

उपर्युक्त विषय के संबंध में नई अनुरक्षण नीति 2018 शीर्ष 3054 अंतर्गत वित्तीय वर्ष 2020-21 में व्यय हेतु संलग्न विवरणी के अनुसार **45.23106** (पैंतालिस लाख तेईस हजार एक सौ छह) रुपये का आवंटन उपलब्ध कराने की कृपा की जाये ताकि किये गये कार्यों का भुगतान किया जा सके।

अनुलग्नक:- यथोक्त।

विश्वासभाजन



कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग, कार्य प्रमंडल,  
मुजफ्फरपुर पूर्वी-1

# Requisition Form for Scheme Head - MIR (3054) Under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division :- Muzaffarpur East-1

| S.N. | Package No.         | Name of Road     | Project ID as per MIS | Administrative Approval (AA) Letter No. & Date | Administrative Approval (AA) |                  | Agreement Amount (in Lakh)                           |                                      | Agreement No. & Date   | Date of Completion as per Agreement | Actual Date of Completion | Value of IRI (in mm/Km) | Thickness of Bitumen Layer (in mm) | Value of Bitumen Content in Percentage | Previous Total Allowed Amount (in Lakh) | Up-to-date expenditure as per MIS (in Lakh) | Requisition against work done (in Lakh) | Remarks |
|------|---------------------|------------------|-----------------------|------------------------------------------------|------------------------------|------------------|------------------------------------------------------|--------------------------------------|------------------------|-------------------------------------|---------------------------|-------------------------|------------------------------------|----------------------------------------|-----------------------------------------|---------------------------------------------|-----------------------------------------|---------|
|      |                     |                  |                       |                                                | Length (in Km)               | Amount (in Lakh) | Initial Rectification with Surface Renewal (in Lakh) | 5 Year Routine Maintenance (in Lakh) |                        |                                     |                           |                         |                                    |                                        |                                         |                                             |                                         |         |
| 1    | 2                   | 3                | 4                     | 5                                              | 6                            | 7                | 8                                                    | 9                                    | 10                     | 11                                  | 12                        | 13                      | 14                                 | 15                                     | 16                                      | 17                                          | 18                                      | 19      |
| 1    | RM MLU/ MUZ/19/0014 | Thuhawan - Telia | 31507202282           | 2179/06.07.2019                                | 2.970                        | 86.5300          | 50.34300                                             | 24.59655                             | 08MBD/20202117.03.2020 | 16.12.2020                          |                           | 1677.00                 | 25mm                               | 5.02                                   | 0.00000                                 | 0.00000                                     | 45.23106                                |         |
|      |                     |                  |                       |                                                |                              |                  |                                                      |                                      |                        |                                     |                           |                         |                                    |                                        |                                         |                                             | 45.23106                                |         |

  
 Executive Engineer  
 RWD Works Division  
 Muzaffarpur East-1

| Time   | Section    | Length | Bumps | Speed | OR N | MM/KM | TEGORY | Latitude | ongitude | Event  |
|--------|------------|--------|-------|-------|------|-------|--------|----------|----------|--------|
| No.    | in km      | in mm  | Rate  | mm/km | UIV  | ROAD  |        |          |          |        |
| 2/1    | 11: 8: 25  | 80     | 0.1   | 260   | 0    | 2600  | 2557 G | 26.22718 | 85.33633 | Normal |
| 2/21   | 11: 8: 25  | 80     | 0.1   | 100   | 10.1 | 1000  | 975 G  | 26.23588 | 85.33618 | Normal |
| 2/3/21 | 11: 9: 0   | 80     | 0.1   | 190   | 10.1 | 1900  | 1865 G | 26.23725 | 85.33517 | Normal |
| 2/3/21 | 11: 9: 0   | 80     | 0.1   | 160   | 10.1 | 1600  | 1568 G | 26.24282 | 85.33446 | Curve  |
| 2/3/21 | 11: 9: 36  | 80     | 0.1   | 90    | 20.2 | 900   | 876 G  | 26.25162 | 85.33453 | Normal |
| 2/3/21 | 11: 10: 0  | 80     | 0.1   | 160   | 10.1 | 1600  | 1568 G | 26.25693 | 85.33392 | Normal |
| 2/3/21 | 11: 10: 11 | 80     | 0.1   | 140   | 20.2 | 1400  | 1371 G | 26.2643  | 85.33439 | Normal |
| 2/3/21 | 11: 10: 11 | 80     | 0.1   | 240   | 20.2 | 2400  | 2360 G | 26.27347 | 85.33438 | Normal |
| 2/3/21 | 11: 11: 0  | 80     | 0.1   | 180   | 20.2 | 1800  | 1766 G | 26.28228 | 85.33421 | Normal |
| 2/3/21 | 11: 11: 0  | 80     | 0.1   | 310   | 20.2 | 3100  | 3052 G | 26.28373 | 85.33325 | Normal |
| 2/3/21 | 11: 11: 21 | 80     | 0.1   | 120   | 10.1 | 1200  | 1173 G | 26.28945 | 85.33273 | Normal |
| 2/3/21 | 11: 11: 21 | 80     | 0.1   | 160   | 20.2 | 1600  | 1568 G | 26.29078 | 85.33194 | Normal |
| 2/3/21 | 11: 12: 0  | 80     | 0.1   | 110   | 20.2 | 1100  | 1074 G | 26.29223 | 85.33089 | Curve  |
| 2/3/21 | 11: 12: 0  | 80     | 0.1   | 180   | 20.2 | 1800  | 1766 G | 26.30165 | 85.33094 | Curve  |
| 2/3/21 | 11: 12: 32 | 80     | 0.1   | 80    | 20.2 | 800   | 777 G  | 26.30532 | 85.33017 | Normal |
| 2/3/21 | 11: 12: 32 | 80     | 0.1   | 60    | 20.2 | 600   | 579 G  | 26.31387 | 85.3304  | Normal |
| 2/3/21 | 11: 12: 32 | 80     | 0.1   | 160   | 20.2 | 1600  | 1568 G | 26.32323 | 85.33066 | Normal |
| 2/3/21 | 11: 13: 7  | 80     | 0.1   | 140   | 20.2 | 1400  | 1371 G | 26.32925 | 85.32963 | Normal |
| 2/3/21 | 11: 14: 53 | 80     | 0.1   | 170   | 20.2 | 1700  | 1667 G | 26.3373  | 85.32953 | Normal |
| 2/3/21 | 11: 15: 0  | 80     | 0.1   | 310   | 20.2 | 3100  | 3052 G | 26.34103 | 85.3286  | Normal |
| 2/3/21 | 11: 15: 28 | 80     | 0.1   | 150   | 10.1 | 1500  | 1469 G | 26.34682 | 85.32803 | Normal |
| 2/3/21 | 11: 15: 28 | 80     | 0.1   | 170   | 20.2 | 1700  | 1667 G | 26.356   | 85.32785 | Normal |
| 2/3/21 | 11: 16: 4  | 80     | 0.1   | 250   | 10.1 | 2500  | 2458 G | 26.36208 | 85.32736 | Normal |
| 2/3/21 | 11: 16: 4  | 80     | 0.1   | 140   | 10.1 | 1400  | 1371 G | 26.37058 | 85.32705 | Normal |
| 2/3/21 | 11: 17: 0  | 80     | 0.1   | 140   | 10.1 | 1400  | 1371 G | 26.37663 | 85.32636 | Normal |
| 2/3/21 | 11: 17: 14 | 80     | 0.1   | 120   | 0    | 1200  | 1173 G | 26.38242 | 85.32564 | Normal |
| 2/3/21 | 11: 19: 35 | 80     | 0.1   | 150   | 10.1 | 1500  | 1469 G | 26.39173 | 85.32569 | Normal |
| 2/3/21 | 11: 19: 35 | 80     | 0.1   | 160   | 10.1 | 1600  | 1568 G | 26.39907 | 85.32579 | Curve  |
| 2/3/21 | 11: 20: 11 | 80     | 0.1   | 280   | 10.1 | 2800  | 2755 G | 26.40592 | 85.32623 | Normal |
| 2/3/21 | 11: 20: 11 | 80     | 0.1   | 250   | 0    | 2500  | 2458 G | 26.40788 | 85.327   | Normal |
| 2/3/21 | 11: 21: 21 | 80     | 0.1   | 250   | 0    | 2500  | 2458 G | 26.40788 | 85.327   | Normal |

Avg

1677

1.2114 x 0.10H = 2.5711

1.2114 x 0.10H = 2.5711


1.2114 x 0.10H = 2.5711

1.2114 x 0.10H = 2.5711

1.2114 x 0.10H = 2.5711

1.2114 x 0.10H = 2.5711

File :D:\Bump Indicator Report\03.03.2021\02031121.Xls. Section No.:80. Eqn :  $Y = 0 \cdot X^2 + 0.989 \cdot X - 13.58$   
 Name of Customer :Murshid Alam. Name of Work/ Road :Thuhawan To Telia. Lab Job number :



X. Qumud  
 05/02/21  
 A.E.

CF  
 4.5.9

# 1<sup>st</sup> ON A/C Bill

1

Name of work -

Situation of work -

Agency by which work is executed -

Date of measurement -

No. and date of agreement.

(These four lines should be repeated at the commencement of the measurements relating to each work.)

| Particulars                                       | Details of actual measurement             |                    |    |            | Contents of area |
|---------------------------------------------------|-------------------------------------------|--------------------|----|------------|------------------|
|                                                   | No.                                       | L.                 | B. | D.         |                  |
| Name of work :-                                   | Thuhawan to Telig                         |                    |    |            |                  |
| Agency :-                                         | Murshid Alam                              |                    |    |            |                  |
|                                                   | Ladaura (Muz)                             |                    |    |            |                  |
| Aggr. No :-                                       | 08 MBD / 2020-21                          |                    |    |            |                  |
| Date of start :-                                  | 17.03.2020                                |                    |    |            |                  |
| Date of Completion :-                             | 16.12.2020                                |                    |    |            |                  |
| Date of Measurement :-                            | 16.01.2021 to 05.02.2021                  |                    |    |            |                  |
|                                                   | workdone                                  |                    |    |            |                  |
| <u>①</u> cleaning and grubbing of road land width |                                           |                    |    |            |                  |
|                                                   | 2 x 46 x 30.04 x 1.04 x                   | $\frac{1}{10000}$  |    | = 0.276 Ha |                  |
|                                                   | 2 x 53 x 30.04 x 1.04 x                   | $\frac{1}{10000}$  |    | = 0.318 Ha |                  |
|                                                   |                                           |                    |    | 0.594 Ha   |                  |
| <u>②</u> providing and Laying Granules            |                                           |                    |    |            |                  |
| Sub Bme with approved materials                   |                                           |                    |    |            |                  |
|                                                   | 9 x 2.30M x 1.21M x 0.10M =               | 2.50M <sup>3</sup> |    |            |                  |
|                                                   | 11 x 2.48M x 0.83M x 0.10M =              | 2.26M <sup>3</sup> |    |            |                  |
|                                                   | 14 x 1.65M x 0.87M x 0.10M =              | 2.01M <sup>3</sup> |    |            |                  |
|                                                   | 11 x 1.91M <sup>3</sup> x 1.14M x 0.10M = | 2.40M <sup>3</sup> |    |            |                  |
|                                                   | 9 x 2.40M x 1.15M x 0.10M =               | 2.48M <sup>3</sup> |    |            |                  |
|                                                   | 12 x 2.43M x 1.19M x 0.10M =              | 3.42M <sup>3</sup> |    |            |                  |
|                                                   | 11 x 2.06M x 1.06M x 0.10M =              | 2.33M <sup>3</sup> |    |            |                  |

4/3  
~~4/3~~  
43-21