

गामीण कार्य

Material Statement		
1. Earth	$= 4563.02 \text{ m}^3$	@ 28.23.78/m ³
2. Aggregate Size:-		
(i) 53 - 9.5 mm	$= 56.34 \text{ m}^3$	@ 516.42/m ³
(ii) 9.5 mm - 2.36 mm	$= 225.74 \text{ m}^3$	@ 411.32/m ³
(iii) 2.36 mm below	$= 338.61 \text{ m}^3$	@ 150.80/m ³
(iv) 53 mm - 22.4 mm	$= 431.18 \text{ m}^3$	@ 458.22/m ³
(v) 11.2 mm	$= 37.42 \text{ m}^3$	@ 345.52/m ³
(vi) Crushed Agg	$= 283.66 \text{ m}^3$	@ 528.14/m ³
(vii) 40 mm	$= 44.81 \text{ m}^3$	@ 441.08/m ³
(viii) 20 mm	$= 74.89 \text{ m}^3$	@ 550.85/m ³
(ix) 10 mm	$= 51.13 \text{ m}^3$	@ 614.17/m ³
3. C. Sand	$= 229.89 \text{ m}^3$	@ 150.80/m ³
4. Filter Media	$= 47.57 \text{ m}^3$	@ 408.83/m ³
		@ 112.85/m ³