



Continuation

| Particulars                                                                         | Details of actual measurement |             |         |      | Contents of area |
|-------------------------------------------------------------------------------------|-------------------------------|-------------|---------|------|------------------|
|                                                                                     | No.                           | L.          | B.      | D.   |                  |
| <del>Work done</del><br>S.Nr-6. Construction of Sub<br>grade and Earthen Shoulders. |                               |             |         |      |                  |
| 60 ft m x 30 m                                                                      |                               |             |         |      | = 1800.00        |
| Av Break -                                                                          |                               | 6.80 + 7.75 |         |      |                  |
|                                                                                     |                               | 2           |         |      | = 7.275          |
| 1800.00 x 7.275 x 0.30                                                              |                               |             |         |      | = 3928.5         |
| 1000 m Lead -                                                                       |                               |             | 1178.55 |      |                  |
|                                                                                     |                               |             | m3      |      |                  |
| 100 m Lead -                                                                        |                               |             | 2749.9  |      |                  |
| Earth Shoulder                                                                      |                               |             |         |      |                  |
| Adjacent to                                                                         |                               |             |         |      |                  |
| WBM 2.5m                                                                            | 2x                            | 1800.00     |         | 1.20 |                  |
| for 1000 m                                                                          |                               |             |         |      |                  |
| (both sides)                                                                        |                               |             |         |      | X 0.075 = 324.00 |
| Adjacent to                                                                         |                               |             |         |      |                  |
| G.S.B (BT)                                                                          | 2x                            | 1800.00     |         | 1.40 |                  |
|                                                                                     |                               |             |         |      | X 0.20 = 1008.00 |
| Adjacent to                                                                         |                               |             |         |      |                  |
| P.C.C                                                                               | 2x                            | 325.00      |         | 0.38 |                  |
|                                                                                     |                               |             |         |      | X 0.160 = 39.52  |
| Adjacent to                                                                         |                               |             |         |      |                  |
| WBM Gr III                                                                          | 2x                            | 325.00      |         | 0.38 |                  |
| P.C.C                                                                               |                               |             |         |      |                  |
| portion                                                                             |                               |             |         |      | X 0.075 = 18.52  |
| Adjacent to                                                                         |                               |             |         |      |                  |
| G.S.B                                                                               | 2x                            | 325.00      |         | 0.38 |                  |
|                                                                                     |                               |             |         |      | X 0.10 = 24.7    |
|                                                                                     |                               |             |         |      |                  |
|                                                                                     |                               |             |         |      | 1414.74          |
| for 1000 m Lead -                                                                   |                               |             |         |      | 420.00           |
| for 1000 m Lead -                                                                   |                               |             |         |      | 980.00           |

Continuation

| Particulars                                        | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                    | No.                           | L. | B. | D. |                  |
| S.No-7. Granular Subbase with well graded material |                               |    |    |    |                  |
| 60 ftms x 30.00                                    |                               |    |    |    | = 1800.00        |
|                                                    |                               |    |    |    | m <sup>2</sup>   |
| 1800.00 x 4.05 x 0.120                             |                               |    |    |    | = 1458.00        |
|                                                    |                               |    |    |    | m <sup>3</sup>   |
| 200.00 x 1.50 x 0.10                               |                               |    |    |    | = 30.00          |
|                                                    |                               |    |    |    |                  |
|                                                    |                               |    |    |    | 1488.00          |
|                                                    |                               |    |    |    | m <sup>3</sup>   |
| S.No-8. W.B.M. Grading                             |                               |    |    |    |                  |
| 1800.00 x 3.75 x 0.075                             |                               |    |    |    | = 506.25         |
| 100 ftms x 10.00 x 1.00 x 0.102                    |                               |    |    |    | = 102.00         |
|                                                    |                               |    |    |    |                  |
|                                                    |                               |    |    |    | 516.25           |
|                                                    |                               |    |    |    | m <sup>3</sup>   |

## C.C Pavement

(12) Granular Subbase with well Graded Material.

|                         |  |  |  |  |                |
|-------------------------|--|--|--|--|----------------|
| 2 x 325 x 0.375 x 0.110 |  |  |  |  | = 24.38        |
| 2 x 50.00 x 1.50 x 0.10 |  |  |  |  | = 15.00        |
|                         |  |  |  |  |                |
|                         |  |  |  |  | 39.38          |
|                         |  |  |  |  | m <sup>3</sup> |

S.No-13. W.B.M Grading

|                       |  |  |  |  |                |
|-----------------------|--|--|--|--|----------------|
| 325.00 x 3.75 x 0.075 |  |  |  |  | = 91.4         |
| 2.00 x 0.375 x 0.075  |  |  |  |  | = 0.105        |
| 6.5 x 1.00 x 0.075    |  |  |  |  | = 0.48         |
|                       |  |  |  |  |                |
|                       |  |  |  |  | 91.98          |
|                       |  |  |  |  | m <sup>3</sup> |

Continuation

Beh. XLV-Form No. 134

| Particulars                                                                                                                                               | Details of actual measurement |        |      |       | Contents of area         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--------|------|-------|--------------------------|
|                                                                                                                                                           | No.                           | L.     | B.   | D.    |                          |
| S.No-1. Cement Concrete<br>Pavement                                                                                                                       |                               |        |      |       |                          |
|                                                                                                                                                           |                               | 325.00 | 3.75 | 0.160 | 195.40<br>m <sup>3</sup> |
| 16. R.Yameliy Stone.                                                                                                                                      |                               |        |      |       |                          |
| i) ordinary kilometer stone - 4 no                                                                                                                        |                               |        |      |       |                          |
| ii) 200 n stone —                                                                                                                                         |                               |        |      |       | 1000                     |
| <div style="display: flex; justify-content: space-between;"> <div> <p>ASug 12/2021</p> <p>12/2021</p> </div> <div> <p>14/2021</p> <p>AB</p> </div> </div> |                               |        |      |       |                          |

Abstract of cost

|                                                                                                  |  |  |  |   |          |
|--------------------------------------------------------------------------------------------------|--|--|--|---|----------|
| S.No-1. Provision and fixing<br>of working bench Mark<br>Bench Mark Pillars<br>3 Nos @ 3923 = 86 |  |  |  |   |          |
|                                                                                                  |  |  |  | R | 11771.58 |
| Reference Pillars<br>3 Nos @ 3923 = 86                                                           |  |  |  |   |          |
|                                                                                                  |  |  |  | R | 14205.49 |
| S.No-2. clearing and Gravel<br>biting road laid<br>(vide page 2 of this B)                       |  |  |  |   |          |
| 1.487 Hect @ 51133 = 76                                                                          |  |  |  |   |          |
|                                                                                                  |  |  |  | R | 76035.90 |

Continuation

| Particulars                    | Details of actual measurement |    |    | Contents of area |
|--------------------------------|-------------------------------|----|----|------------------|
|                                | No.                           | L. | B. |                  |
| 3) Area of 1st part of road    |                               |    |    |                  |
| (Vide Page 13 of the M.R.)     |                               |    |    |                  |
| 210.38 M <sup>2</sup> (210.38) |                               |    |    |                  |
|                                |                               |    | R. | 1868.02          |
| 4) Contn of road               |                               |    |    |                  |
| with material                  |                               |    |    |                  |
| 14.63 M <sup>2</sup> (14.63)   |                               |    |    |                  |
|                                |                               |    | R. | 3412.98          |
| 5) Contn of road               |                               |    |    |                  |
| with material                  |                               |    |    |                  |
| Vide Page 15 of the M.R.       |                               |    |    |                  |
| 2207.0 M <sup>2</sup> (2207.0) |                               |    |    |                  |

|                                   |  |  |    |           |
|-----------------------------------|--|--|----|-----------|
|                                   |  |  | R. | 283183.71 |
| For 1000 m (1000)                 |  |  |    |           |
| 316.26 M <sup>2</sup> (316.26)    |  |  |    |           |
|                                   |  |  | R. | 35413.99  |
| 6) Sub grade                      |  |  |    |           |
| 1172.40 M <sup>2</sup> (1172.40)  |  |  |    |           |
|                                   |  |  | R. | 208011.24 |
| 2747.00 M <sup>2</sup> (2747.00)  |  |  |    |           |
|                                   |  |  | R. | 224193.99 |
| 7) Gravel or Subgrade             |  |  |    |           |
| with well graded material         |  |  |    |           |
| Gravel material                   |  |  |    |           |
| V.P. 18 = 14 38.00 M <sup>2</sup> |  |  |    |           |
| 39.38 M <sup>2</sup>              |  |  |    |           |
| 1527.38 M <sup>2</sup>            |  |  |    |           |
| 1527.38 M <sup>2</sup> (1527.38)  |  |  |    |           |

Continuation

R. 3458729

283

| Particulars                  | Details of actual measurement |    |    |                               | Contents of area |
|------------------------------|-------------------------------|----|----|-------------------------------|------------------|
|                              | No.                           | L. | B. | D.                            |                  |
| SERVO-8. W. B. M. Grading 3. |                               |    |    |                               |                  |
| @ vide Page 6                |                               |    |    | 566.25                        |                  |
| @ vide Page 18               |                               |    |    | 91.93                         |                  |
|                              |                               |    |    | 598.18                        |                  |
|                              |                               |    |    | m <sup>3</sup>                |                  |
| 598.18 m <sup>3</sup> @      |                               |    |    | 3105.29                       |                  |
|                              |                               |    |    | R <sub>1</sub> 1857522.37     |                  |
| SINO-17. Roadside and        |                               |    |    |                               |                  |
| fix up logo of M.M.G.S.V     |                               |    |    |                               |                  |
| 2 nos @                      |                               |    |    | 9197.79                       |                  |
|                              |                               |    |    | R <sub>1</sub> 18395.58       |                  |
| SINO-24. Irrigation pipe     |                               |    |    |                               |                  |
| (vide Page 12 of this M.B)   |                               |    |    |                               |                  |
| SOR M @                      |                               |    |    | 893.06                        |                  |
|                              |                               |    |    | R <sub>1</sub> 44653.00       |                  |
| SINO-19. Cement concrete     |                               |    |    |                               |                  |
| Pavement.                    |                               |    |    |                               |                  |
| (vide Page 19 of this M.B)   |                               |    |    |                               |                  |
| 195.00 @                     |                               |    |    | 5837.78                       |                  |
|                              |                               |    |    | R <sub>1</sub> 1155880.49     |                  |
| SINO-16. Kilometers          |                               |    |    |                               |                  |
| Stone m. p. 19 of this M.B)  |                               |    |    |                               |                  |
| 4 no @                       |                               |    |    | 1967.23                       |                  |
|                              |                               |    |    | R <sub>1</sub> 7868.92        |                  |
| 200 m Stone                  |                               |    |    |                               |                  |
| 16 no @                      |                               |    |    | 548.43 R <sub>1</sub> 5484.30 |                  |

Continuation

| Particulars                                             | Details of actual measurement |    |    |    | Contents of area |
|---------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                         | No.                           | L. | B. | D. |                  |
| Home pipe.                                              |                               |    |    |    |                  |
| 1) Earth work in excavation of foundation of structures |                               |    |    |    |                  |
| 10. P. Qty of concrete                                  |                               |    |    |    | 40128.68         |
| 149.00 m <sup>3</sup> @ 267.32/m <sup>3</sup>           |                               |    |    |    | 149.00           |
| 2) Providing M15 R.C.C. 112.57.5                        |                               |    |    |    |                  |
| as leveling course in foundation                        |                               |    |    |    |                  |
| vide page 12 of this M.B.                               |                               |    |    |    |                  |
| 23.00 m <sup>3</sup> @ 4597 = 30                        |                               |    |    |    |                  |
|                                                         |                               |    |    |    |                  |
|                                                         |                               |    |    |    | Rs 105737 = 9    |
| 3) Plain/reinforced concrete in substructure            |                               |    |    |    |                  |
| (vide page 12 of this M.B.)                             |                               |    |    |    |                  |
| 168.7 m <sup>3</sup> @ 53332.40                         |                               |    |    |    |                  |
|                                                         |                               |    |    |    | Rs 899744 = 58   |
| 8.10 m <sup>3</sup> @ 28.10 providing air               |                               |    |    |    |                  |
| Laying R.C.C. pipe 100 mm                               |                               |    |    |    |                  |
| for culverts                                            |                               |    |    |    |                  |
| (vide page 13 of this M.B.)                             |                               |    |    |    |                  |
| 37.5 m <sup>3</sup> @ 3729 = 57                         |                               |    |    |    |                  |
|                                                         |                               |    |    |    | Rs 139858 = 87   |
|                                                         |                               |    |    |    |                  |
|                                                         |                               |    |    |    | Rs 877959.82     |
| As per Agreement                                        |                               |    |    |    | 877959.88        |
|                                                         |                               |    |    |    | Rs 7901638.94    |
| Add 12% —                                               |                               |    |    |    | 948196.67        |
| G.S.T                                                   |                               |    |    |    | Rs 8849835 = 61  |
| Add 1% labour                                           |                               |    |    |    | Rs 7901638       |
| cur                                                     |                               |    |    |    | Rs 8849835 = 35  |
| Continuation                                            |                               |    |    |    |                  |
|                                                         |                               |    |    |    | Rs 9026832.31    |
|                                                         |                               |    |    |    | 8928851.99       |

| Particulars     | Details of actual measurement |        |       |    | Contents of area |
|-----------------|-------------------------------|--------|-------|----|------------------|
|                 | No.                           | L.     | B.    | D. |                  |
| B.F. - R2       |                               | 90268  | 32    | 31 |                  |
| Pair as per     |                               | 89988  | 51    | 99 |                  |
| last 110. P.    |                               |        |       |    |                  |
| 13 of M.L. M.B. |                               | 76,078 | 82    | 00 |                  |
|                 |                               | 5325   | 517   |    |                  |
| Ad. R2          |                               | 14,189 | 50    | 31 |                  |
| 12              |                               |        | 1702  |    |                  |
| 12              |                               |        | 14790 |    |                  |
| 8/2/20          |                               |        | 16039 |    |                  |
|                 |                               | 36033  | 34    | 99 |                  |
| Day - 336       |                               |        |       |    |                  |
|                 |                               | 36,033 | 35    | 19 |                  |

## Material Statement

|                 |         |
|-----------------|---------|
| Eggs -          | 5346 MB |
| Stone Aggregate | 2000 MB |
| Screening       | 500 MB  |
| Sand            | 725 MB  |

Kinds  
21/21/21  
DE