

1

(These four lines should be repeated at the commencement of the measurements relating to each work.)

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		13	ff.	38679	=00
$\frac{4}{5}$ — Const. of embankment —					
with a head up to 10000					
v.m. at (1294) at (8) of					
P.N. (3) = 418.01 m ³					
cf. 135212/m ³ 56482=00					
$\frac{5}{7}$ — Const. of subgrade dd					
v.m. at (1294) at (9) of					
P.N. (3) = 361.12 m ³					
cf. 176 = 86/m ³ 152298=00					
$\frac{6}{243}$ — Const. of C.C. Road					
roadway & d.d.					
v.m. at (1294) at (10) of					
P.N. (4) = 410.59 m ³					
cf. 2140 = 44/m ³ 878822=00					
$\frac{7}{9}$ — P.M. in area 3 d.d.					
v.m. at (1294) at (11) of					
P.N. (4) = 187.88 m ³					
cf. 2764 = 41/m ³ 579377=00					
$\frac{8}{14}$ — Const. of C.C. Pavement					
v.m. at (1294) at (12) of					
P.N. (4) = 180.00 m ³					
cf. 7243 = 67/m ³ 1303861=00					
$\frac{9}{33}$ — E.P. in excavation					
in for d.d. trench d.d.					
v.m. at (1294) at (13) of P.N. (2)					
= 31.32 m ³					

Continuation

cf. 296 = 22/m³ 652 = 00

