

2nd on a/c bill

Sch. XLV-Form No. 134

14

| Particulars                                                                                     | Details of actual measurement |      |       |        | Contents of area      |
|-------------------------------------------------------------------------------------------------|-------------------------------|------|-------|--------|-----------------------|
|                                                                                                 | No.                           | L.   | B.    | D.     |                       |
| Name of work - Construction of road & CD work from Siran-Pezambrur road to Rengarden Kottai     |                               |      |       |        |                       |
| Agency - m/s Awarish Control                                                                    |                               |      |       |        |                       |
| Agreement No                                                                                    |                               |      |       |        | 28/5/20/2020-21       |
| Date of agreement                                                                               |                               |      |       |        | 19/8/20               |
| Date of measurement                                                                             |                               |      |       |        | 5/3/21                |
| <u>Work done</u>                                                                                |                               |      |       |        |                       |
| (1) Excavation of road way, in soil -- work all complete                                        |                               |      |       |        |                       |
|                                                                                                 | 2 x 26 x                      | 30 x | 0.525 | x 0.10 | = 81.9 m <sup>3</sup> |
|                                                                                                 | 2 x                           | 20 x | 0.525 | x 0.10 | = 2.1 m <sup>3</sup>  |
|                                                                                                 |                               |      |       | T.     | 84 m <sup>3</sup>     |
| (2) construction of embankment with material obtained from borrow pits with 1000 m <sup>2</sup> |                               |      |       |        |                       |
|                                                                                                 | 2 x 25 x                      | 30 x | 1.00  | x 0.10 | = 150 m <sup>3</sup>  |
| with 1000 m <sup>2</sup>                                                                        |                               |      |       |        |                       |

Continuation

| Particulars                                                   | Details of actual measurement |    |    |    | Contents of area   |
|---------------------------------------------------------------|-------------------------------|----|----|----|--------------------|
|                                                               | No.                           | L. | B. | D. |                    |
| (3/7) Construction of Subgrade                                |                               |    |    |    |                    |
| <del>2</del> <del>2x30x30x0.50x0.30 = 270 m<sup>3</sup></del> |                               |    |    |    |                    |
| <del>2x15x30x0.60x0.25 = 135 m<sup>3</sup></del>              |                               |    |    |    |                    |
|                                                               |                               |    |    |    | 405 m <sup>3</sup> |

|                                                |  |  |  |  |  |
|------------------------------------------------|--|--|--|--|--|
| (4/8) Construction of granule                  |  |  |  |  |  |
| Sub base by providing                          |  |  |  |  |  |
| well graded material                           |  |  |  |  |  |
| of grading I                                   |  |  |  |  |  |
| For box 2x26x30x0.5x0.10 = 81.9 m <sup>3</sup> |  |  |  |  |  |
| 2x1x20x0.5x0.10 = 2.1 m <sup>3</sup>           |  |  |  |  |  |

|                                                                     |  |  |  |  |  |
|---------------------------------------------------------------------|--|--|--|--|--|
| For profile concrete                                                |  |  |  |  |  |
| 20x2.50x2.40x0.10 = 10 m <sup>3</sup>                               |  |  |  |  |  |
| For roof const - 15x $\frac{7.75 + 4.05}{2} \times 0.10 = 8.85 m^3$ |  |  |  |  |  |
| 25x4.05x0.10 = 10.125 m <sup>3</sup>                                |  |  |  |  |  |
| 10x $\frac{4.05 + 4.60}{2} \times 0.10 = 4.325 m^3$                 |  |  |  |  |  |
| 10x $\frac{4.60 + 4.05}{2} \times 0.10 = 4.325 m^3$                 |  |  |  |  |  |
| 4x30x4.05x0.10 = 48.6 m <sup>3</sup>                                |  |  |  |  |  |
| 10x $\frac{4.05 + 4.85}{2} \times 0.10 = 4.45 m^3$                  |  |  |  |  |  |
| 10x $\frac{4.85 + 4.05}{2} \times 0.10 = 4.45 m^3$                  |  |  |  |  |  |

Continuation

CO. 179.125 m<sup>3</sup>

| Particulars                                                                                                   | Details of actual measurement |                  |                 |     | Contents of area             |
|---------------------------------------------------------------------------------------------------------------|-------------------------------|------------------|-----------------|-----|------------------------------|
|                                                                                                               | No.                           | L.               | B.              | D.  |                              |
|                                                                                                               |                               |                  |                 | 6/4 | 179.125m <sup>3</sup>        |
| 28 X                                                                                                          | 20 X                          | 8.05             | 0.10            |     | 226.81m <sup>3</sup>         |
| <del>10 X</del>                                                                                               | <del>4.05</del>               | <del>15.15</del> | <del>0.10</del> |     | <del>5.6m<sup>3</sup></del>  |
| <del>10 X</del>                                                                                               | <del>5.15</del>               | <del>6.05</del>  | <del>0.10</del> |     | <del>5.6m<sup>3</sup></del>  |
| 27 10 X                                                                                                       | 4.05                          |                  | 0.10            |     | 8.1 (101)                    |
| (5)<br><u>rounding long, 7.4m</u><br><u>2 corner of edge</u><br><u>aggregate from 8.14</u><br><u>with all</u> |                               |                  |                 |     |                              |
| from stud point                                                                                               | 15 X                          | 7.75 + 3.75      | 0.075           |     | 6.468m <sup>3</sup>          |
|                                                                                                               |                               | 2                |                 |     |                              |
|                                                                                                               | 25 X                          | 3.75             | 0.075           |     | 7.031m <sup>3</sup>          |
| <del>10 X</del>                                                                                               | <del>3.75 + 4.50</del>        | <del>0.075</del> |                 |     | <del>3.09m<sup>3</sup></del> |
|                                                                                                               | 2                             |                  |                 |     |                              |
| <del>10 X</del>                                                                                               | <del>4.50 + 3.75</del>        | <del>0.075</del> |                 |     | <del>3.09m<sup>3</sup></del> |
|                                                                                                               | 2                             |                  |                 |     |                              |
| 4 X 30 X                                                                                                      |                               | 3.75             | 0.075           |     | 33.75m <sup>3</sup>          |
| 10 X                                                                                                          | 3.75 + 4.80                   | 0.075            |                 |     | 3.206m <sup>3</sup>          |
|                                                                                                               | 2                             |                  |                 |     |                              |
| 10 X                                                                                                          | 4.80 + 3.75                   | 0.075            |                 |     | 3.206m <sup>3</sup>          |
|                                                                                                               | 2                             |                  |                 |     |                              |
| 28 X                                                                                                          | 20 X                          | 3.75             | 0.075           |     | 157.5m <sup>3</sup>          |
| 10 X                                                                                                          | 3.75 + 5.10                   | 0.075            |                 |     | 3.318m <sup>3</sup>          |
|                                                                                                               | 2                             |                  |                 |     |                              |

Continuation

10 X 5.10 + 3.75 X 0.075 = 3.318m<sup>3</sup>  
 20 X 3.75 X 0.075 = 5.625m<sup>3</sup>  
 T. 229.602m<sup>3</sup>

| Particulars                                                                                 | Details of actual measurement |      |        |      | Contents of area        |
|---------------------------------------------------------------------------------------------|-------------------------------|------|--------|------|-------------------------|
|                                                                                             | No.                           | L.   | B.     | D.   |                         |
| (5) Providing and applying<br>of prime coat 10th<br>Bottom even bed (SS)<br>all complete IS |                               |      |        |      |                         |
| For<br>first part -                                                                         | 157                           | 3.75 | + 3.75 |      |                         |
|                                                                                             |                               |      | 2      |      | $= 86.25 m^2$           |
|                                                                                             | 25                            | x    | 3.75   |      | $= 93.75 m^2$           |
|                                                                                             | 10 x                          | 3.75 | + 4.50 |      | $= 41.20 m^2$           |
|                                                                                             | 10 x                          | 4.50 | + 3.75 |      | $= 41.20 m^2$           |
|                                                                                             | 4                             | x    | 30     | x    | $3.75 = 450 m^2$        |
|                                                                                             | 10 x                          | 3.75 | + 4.80 |      | $= 42.75 m^2$           |
|                                                                                             | 10 x                          | 4.80 | + 3.75 |      | $= 42.75 m^2$           |
|                                                                                             | 28 x                          | 20   | x      | 3.75 | $= 2100 m^2$            |
|                                                                                             | 10 x                          | 3.75 | + 5.10 |      | $= 44.25 m^2$           |
|                                                                                             | 10 x                          | 5.10 | + 3.75 |      | $= 44.25 m^2$           |
|                                                                                             | 20                            | x    | 3.75   |      | $= 75 m^2$              |
|                                                                                             |                               |      |        |      | Int 3030 m <sup>2</sup> |

Continuation

| Particulars               | Details of actual measurement |        |        |      | Contents of area     |
|---------------------------|-------------------------------|--------|--------|------|----------------------|
|                           | No.                           | L.     | B.     | D.   |                      |
| (7/11)                    |                               |        |        |      |                      |
| bordering and laying      |                               |        |        |      |                      |
| take cost with bottom     |                               |        |        |      |                      |
| room/son (RS) all/complex |                               |        |        |      |                      |
| 25                        |                               |        |        |      |                      |
| 10 x                      | 7.75                          | + 3.75 |        |      | 57.5 m <sup>2</sup>  |
|                           |                               | 2      |        |      |                      |
| 25 x                      | 3.75                          |        | x      |      | 93.25 m <sup>2</sup> |
| 10 x                      | 3.75                          | + 4.50 |        |      | 48.20 m <sup>2</sup> |
| 10 x                      | 4.50                          | + 3.75 |        |      | 48.20 m <sup>2</sup> |
| 4 x                       | 3.0                           |        | x      | 3.75 | 45.0 m <sup>2</sup>  |
| 20 x                      | 2.0                           |        | x      | 3.75 | 15.0 m <sup>2</sup>  |
| 10 x                      |                               | 3.75   | + 4.80 |      | 42.75 m <sup>2</sup> |
| 10 x                      |                               | 4.80   | + 3.75 |      | 42.75 m <sup>2</sup> |
| 5 x                       |                               | 3.75   |        |      | 18.75 m <sup>2</sup> |
| 10 x                      | 3.0                           |        | x      | 3.75 | 112.5 m <sup>2</sup> |
| 2nd B.T.                  | 13 x                          | 2.0    |        | x    | 97.5 m <sup>2</sup>  |
| mine                      | 10 x                          | 3.75   | + 5.10 |      | 44.25 m <sup>2</sup> |
|                           |                               | 2      |        |      | 44.25 m <sup>2</sup> |
| 10 x                      |                               | 5.10   | + 3.75 |      |                      |
| 20 x                      |                               | 3.75   |        |      | 75 m <sup>2</sup>    |

Continuation

3050.90 m<sup>2</sup>  
 but 3030 m<sup>2</sup>

| Particulars                                                                                                                                                    | Details of actual measurement |                   |                 |              | Contents of area               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------|-----------------|--------------|--------------------------------|
|                                                                                                                                                                | No.                           | L.                | B.              | D.           |                                |
| (8/12)<br><del>bordering, laying and</del><br><del>setting of close grade</del><br><del>over sand surfacing 20 mm</del><br><del>thick with all completed</del> |                               |                   |                 |              |                                |
| 10 x                                                                                                                                                           | 7.75                          | + 3.75            |                 | =            | 57.5 m <sup>2</sup>            |
|                                                                                                                                                                |                               | 2                 |                 |              |                                |
| 25 x                                                                                                                                                           | 1                             | x 3.75            |                 | =            | 93.25 m <sup>2</sup>           |
| 10 x                                                                                                                                                           | 3.75                          | + 3.50            |                 | =            | 41.20 m <sup>2</sup>           |
| 10 x                                                                                                                                                           | 4.50                          | + 3.75            |                 | =            | 41.20 m <sup>2</sup>           |
| <del>4 x</del>                                                                                                                                                 | <del>30</del>                 | <del>x</del>      | <del>3.75</del> | <del>=</del> | <del>450 m<sup>2</sup></del>   |
| <del>10 x</del>                                                                                                                                                | <del>3.75</del>               | <del>+ 4.80</del> |                 | <del>=</del> | <del>42.25 m<sup>2</sup></del> |
| <del>10 x</del>                                                                                                                                                | <del>4.80</del>               | <del>+ 3.75</del> |                 | <del>=</del> | <del>42.25 m<sup>2</sup></del> |
| 5 x                                                                                                                                                            | 3.75                          |                   |                 | =            | 18.75 m <sup>2</sup>           |
| 10 x                                                                                                                                                           | 30                            | x                 | 3.75            | =            | 1125 m <sup>2</sup>            |
| 13 x                                                                                                                                                           | 20                            | x                 | 3.75            | =            | 975 m <sup>2</sup>             |
| 10 x                                                                                                                                                           | 3.75                          | + 5.10            | + 3.75          | =            | 42 m <sup>2</sup>              |
|                                                                                                                                                                |                               |                   | 3               |              |                                |
| Continuation                                                                                                                                                   |                               |                   |                 |              |                                |
| 30 x                                                                                                                                                           | 3.75                          |                   |                 | =            | 112.5 m <sup>2</sup>           |
|                                                                                                                                                                |                               |                   |                 |              | 3041.90                        |
|                                                                                                                                                                |                               |                   |                 |              | but 3030 m <sup>2</sup>        |

| Particulars                                          | Details of actual measurement |    |    |    | Contents of area |
|------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                      | No.                           | L. | B. | D. |                  |
| (17) Reinforcement concrete curb 4 1/2" c            |                               |    |    |    |                  |
| (18) (1) 200 mm c                                    |                               |    |    |    |                  |
| (19) RCC 4 1/2" c boundary pillars                   |                               |    |    |    |                  |
| (20) provision of fixing of section                  |                               |    |    |    |                  |
| reflectance boundary reflectance                     |                               |    |    |    |                  |
| Sp. but                                              |                               |    |    |    |                  |
| Li 600 mm concrete                                   |                               |    |    |    |                  |
| (21) 900 mm equidistant high                         |                               |    |    |    |                  |
| 20' 600 mm x 450 mm rectangular base                 |                               |    |    |    |                  |
| (22) provision of laying of asphalt                  |                               |    |    |    |                  |
| thermo plastic compound                              |                               |    |    |    |                  |
| 2.5 mm thick - 104 m <sup>2</sup>                    |                               |    |    |    |                  |
| 100 ft wide                                          |                               |    |    |    |                  |
| 2 x 26 x 30 x 0.10 = 156 m <sup>2</sup>              |                               |    |    |    |                  |
| 2 x 20 x 0.10 = 40 m <sup>2</sup>                    |                               |    |    |    |                  |
| 1604                                                 |                               |    |    |    |                  |
| (24) provision of laying of asphalt                  |                               |    |    |    |                  |
| thermo plastic compound                              |                               |    |    |    |                  |
| PCC path - 2 x 0.50 x 30 x 0.10 = 300 m <sup>2</sup> |                               |    |    |    |                  |
| (25) provision of laying of 300 mm                   |                               |    |    |    |                  |
| dia reinforcement concrete curb                      |                               |    |    |    |                  |
| to profile                                           |                               |    |    |    |                  |
| 2 x 2 x 3 x 2.50 = 30 M                              |                               |    |    |    |                  |
| (26) provision of erecting of direct                 |                               |    |    |    |                  |
| 2 plane identified Sp                                |                               |    |    |    |                  |
| board - 1 x 1 = 1 M                                  |                               |    |    |    |                  |
| (27) provision of fixing of typical                  |                               |    |    |    |                  |
| 1 mm c/sy 600 Lg 2 ft 1                              |                               |    |    |    |                  |
| all 1/2 ft 1                                         |                               |    |    |    |                  |
| 2 x 2 = 4 M                                          |                               |    |    |    |                  |
| Proval                                               |                               |    |    |    |                  |
| 5/10/21                                              |                               |    |    |    |                  |

Continuation

13.3.21  
SKW

2000 on A/c Book

Abstract of Cost

21

Sch. XLV-Form No. 134

| Particulars                                    | Details of actual measurement |    |    |    | Contents of area |
|------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                | No.                           | L. | B. | D. |                  |
| (1) Boundary and filling                       |                               |    |    |    |                  |
| ① working bench work                           |                               |    |    |    |                  |
| Vol. TMB page (9)                              |                               |    |    |    |                  |
| 3 mts of 5005-43/catch                         |                               |    |    |    | 12016/-          |
| (2) Construction of reference                  |                               |    |    |    |                  |
| polling - with TMB page (9)                    |                               |    |    |    |                  |
| 10 mts of 1854-75/catch                        |                               |    |    |    | 18548/-          |
| (3) Clearing & grubbing out                    |                               |    |    |    |                  |
| Land with TMB page                             |                               |    |    |    |                  |
| (9) 1'6" 146 49739-42771                       |                               |    |    |    | 80081/-          |
| (4) Excavation for road                        |                               |    |    |    |                  |
| way in soil with an                            |                               |    |    |    |                  |
| Complete 2x                                    |                               |    |    |    |                  |
| 112.5 m <sup>3</sup> with TMB page (7)         |                               |    |    |    |                  |
| 84 m <sup>3</sup> with TMB page (14)           |                               |    |    |    |                  |
| 196.5 m <sup>3</sup> of 81=20/m <sup>3</sup>   |                               |    |    |    | 15956/-          |
| (5) Construction of embankment                 |                               |    |    |    |                  |
| ment with materials                            |                               |    |    |    |                  |
| obtained from borrow pits                      |                               |    |    |    |                  |
| a) Complete and with 1/2 m <sup>3</sup>        |                               |    |    |    |                  |
| 306 m <sup>3</sup> with TMB page (9)           |                               |    |    |    |                  |
| 150 m <sup>3</sup> with TMB page (14)          |                               |    |    |    |                  |
| 456 m <sup>3</sup> of 187=51/m <sup>3</sup>    |                               |    |    |    | 85505/-          |
| (6) with 100 m <sup>3</sup> with TMB page (14) |                               |    |    |    |                  |

216 m<sup>3</sup> Continuation 151=95/m<sup>3</sup> 32821/-

244927/-

| Particulars                                     | Details of actual measurement |    |                       |      | Contents of area |
|-------------------------------------------------|-------------------------------|----|-----------------------|------|------------------|
|                                                 | No.                           | L. | B.                    | D.   |                  |
|                                                 |                               |    |                       | 6/PA | 244927/          |
| (7) Construction of subgrade & earthen shoulder |                               |    |                       |      |                  |
| 976.35 m <sup>3</sup> white p.p. (10)           |                               |    |                       |      |                  |
| 405.00 m <sup>3</sup> white p.p. (15)           |                               |    |                       |      |                  |
| 1381.55 m <sup>3</sup> of                       |                               |    | 230.78/m <sup>2</sup> |      | 319083/          |

|                                                                                    |  |  |                          |  |          |
|------------------------------------------------------------------------------------|--|--|--------------------------|--|----------|
| (8) Construction of granular sub base by properly well graded material of gradings |  |  |                          |  |          |
| white + M.S. p.p. (10)                                                             |  |  | 122.2 m <sup>3</sup>     |  |          |
| white + M.S. p.p. (16)                                                             |  |  | 423.25 m <sup>3</sup>    |  |          |
|                                                                                    |  |  | + 545.425 m <sup>3</sup> |  |          |
|                                                                                    |  |  | @ 3317 = 76/143          |  | 1809589/ |

|                                                                                        |  |  |                      |  |          |
|----------------------------------------------------------------------------------------|--|--|----------------------|--|----------|
| (9) Paving, spreading & spreading of R Comp. by the aggregate specific size of 4.75 mm |  |  |                      |  |          |
| 432.741 m <sup>3</sup> white + M.S. p.p. (10)                                          |  |  |                      |  |          |
| 229.612 m <sup>3</sup> white + M.S. p.p. (16)                                          |  |  |                      |  |          |
| 662.353 m <sup>3</sup> of                                                              |  |  | 71.67/m <sup>2</sup> |  | 2961824/ |

|                                                                             |  |  |                     |                      |         |
|-----------------------------------------------------------------------------|--|--|---------------------|----------------------|---------|
| (10) Primer coat - Paving & applying primer coat with bitumen emulsion (5%) |  |  |                     |                      |         |
| white + M.S. p.p. (17)                                                      |  |  | 3030 m <sup>2</sup> | 54.04/m <sup>2</sup> | 163741/ |

Continuation

Coh 5499164/

| Particulars                                                                                                                           | Details of actual measurement |    |    |       | Contents of area |
|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----|----|-------|------------------|
|                                                                                                                                       | No.                           | L. | B. | D.    |                  |
|                                                                                                                                       |                               |    |    | 6/1-1 | 5499/64/         |
| (11) providing and applying<br>back load work between<br>curb/curb (R.S.) work<br>all complete set vol<br>T.M.B. page (18)            |                               |    |    |       |                  |
| 3030 m <sup>2</sup> @ 18 = 18/14 = 55085/                                                                                             |                               |    |    |       |                  |
| (12) providing laying &<br>filling of close                                                                                           |                               |    |    |       |                  |
| surfacing work 20 mm                                                                                                                  |                               |    |    |       |                  |
| side - all complete<br>set vol T.M.B. page (19)                                                                                       |                               |    |    |       |                  |
| 3030 m <sup>2</sup> @ 270 = 76/42 = 820403/                                                                                           |                               |    |    |       |                  |
| (15) Construction of concrete<br>plain cement concrete<br>pavement by work 43 gach<br>cement all complete set vol<br>T.M.B. page (19) |                               |    |    |       |                  |
| 909 m <sup>3</sup> @ 8069 = 36/43 = 733505/                                                                                           |                               |    |    |       |                  |
| (23) providing & fixing of iron<br>rods by hand all complete<br>set vol T.M.B. page (11)                                              |                               |    |    |       |                  |
| 2 rods 10/10 = 55/10 = 20222/                                                                                                         |                               |    |    |       |                  |

Continuation

+ 1372924/

24  
Sch. XLV-Form No. 134

| Particulars                            | Details of actual measurement |    |      |         | Contents of area |
|----------------------------------------|-------------------------------|----|------|---------|------------------|
|                                        | No.                           | L. | B.   | D.      |                  |
|                                        |                               |    |      | 598     | 137299247        |
| (17) Reinforced concrete limit 1/5     |                               |    |      |         |                  |
| 2 km 2 m wide with TMA                 |                               |    |      |         |                  |
| per (20) km stone 4 m                  |                               |    |      |         |                  |
|                                        |                               |    | 2502 | 89/cent | 100/21           |
| (18) 200 m stone 10 m                  |                               |    |      |         |                  |
|                                        |                               |    | 685  | 68/cent | 68571            |
| (19) Reinforced concrete limit 10      |                               |    |      |         |                  |
| boardy pit/with TMA per (20)           |                               |    |      |         |                  |
| 180 m 5                                |                               |    | 536  | 33/cent | 965391           |
| (20) boundary 200 m 8 m                |                               |    |      |         |                  |
| 200 m 200 m concrete                   |                               |    |      |         |                  |
| boundary 200 m 200 m                   |                               |    |      |         |                  |
| 500 m 200 m per (20)                   |                               |    |      |         |                  |
| 60 m 200 m                             |                               |    | 16   |         |                  |
|                                        |                               |    | 5703 | 18/cent | 912511           |
| (21) 900 m 200 m equilateral triangle  |                               |    |      |         |                  |
|                                        |                               |    | 10 m | 6343    | 634351           |
| (22) 600 m 200 m 450 m 200 m rectangle |                               |    |      |         |                  |
|                                        |                               |    | 6 m  | 5549    | 03/21            |
| (23) providing 2 layers of hot         |                               |    |      |         |                  |
| applied thermoplastic compound         |                               |    |      |         |                  |
| 25 m thick with TMA per (20)           |                               |    |      |         |                  |
| BT per 160 m 2                         |                               |    | 817  | 33      | 1307231          |
| (24) providing 2 layers of hot         |                               |    |      |         |                  |
| 200 m 200 m concrete limit             |                               |    |      |         |                  |
| per with TMA per (20)                  |                               |    |      |         |                  |
| Continuation                           |                               |    |      |         |                  |
| 300 m 2                                |                               |    | 817  | 33/21   | 2451991          |
|                                        |                               |    |      |         | 144072891        |

| Particulars                   | Details of actual measurement |    |    |         | Contents of area |
|-------------------------------|-------------------------------|----|----|---------|------------------|
|                               | No.                           | L. | B. | D.      |                  |
|                               |                               |    |    | 3/4     | 144072841        |
| 25) Boundary & Casing of RCC  |                               |    |    |         |                  |
| pipe duct 300 mm dia          |                               |    |    |         |                  |
| all up to this station        |                               |    |    |         |                  |
| 704 (20) 30 m of 887.06/m     |                               |    |    |         | 26614            |
| 26) Boundary & erecting       |                               |    |    |         |                  |
| direction of plane table      |                               |    |    |         |                  |
| of each 800 m                 |                               |    |    |         |                  |
| TMD page (20)                 |                               |    |    |         |                  |
| 1 no of 3527.29/m             |                               |    |    |         | 35281            |
| 27) Boundary & erecting       |                               |    |    |         |                  |
| typical 1444.54 m             |                               |    |    |         |                  |
| 800 m of 1444.54 m            |                               |    |    |         |                  |
| page (20) 4 no of 10/10 = 85% |                               |    |    |         | 404431           |
|                               |                               |    |    | 404431  | 14477861         |
| less 10.25% as below amount   |                               |    |    |         | 1443981          |
|                               |                               |    |    | 1443981 | 129938861        |
| less previous amount          |                               |    |    |         | 90928001         |
|                               |                               |    |    | 244     | 39010861         |
| None                          |                               |    |    |         |                  |
| SP 2/21                       |                               |    |    |         |                  |
| JE                            |                               |    |    |         |                  |
| 13.3.21                       |                               |    |    |         |                  |
| AK                            |                               |    |    |         |                  |
| CTP                           |                               |    |    |         |                  |
| 15/03/21                      |                               |    |    |         |                  |

Continuation