

कार्यपालक अभियंता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल, जमुई

पत्रांक - 5423/जमुई, दिनांक - 15.3.2021

प्रेषक :- कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, जमुई।

सेवा में,
नोडल पदाधिकारी,
"नई अनुरक्षण नीति 2018"(3054-MR)
ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :- 3054 (MR) नई अनुरक्षण नीति 2018 के अन्तर्गत निर्माण कराये गये योजनाओं के विरुद्ध में आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि 3054 (MR) नई अनुरक्षण नीति 2018 के अंतर्गत संलग्न सूची में अंकित पथों में कालीकरण का कार्य पूर्ण हो चुका है। प्रमंडल के द्वारा कराये गये कार्य के भुगतान हेतु कुल 222.85 (दो करोड़ बाइस लाख पचासी हजार रुपये) मात्र आवंटन की अधियाचना विहित प्रपत्र में भर कर समर्पित की जाती है।

अतः अनुरोध है कि शीघ्र आवंटन उपलब्ध कराने की कृपा की जाय।

अनु0: यथोक्त।

विश्वासभाजन

15/3/21

कार्यपालक अभियंता
ग्रामीण कार्य विभाग, कार्य प्रमंडल,

जमुई
15.3.21

RWD Works Division, Jamui

Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road " New Manitenance Policy 2018" (Initial Rectification and Surface Renewal)

Name of Division:-Jamui

S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Allotted Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (K.M)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20 Jamui/25	Katauna - Number Road	20804102091	471, 28.01.20	4.500	172.226	116.00353	45.80292	05 MBD/ 2019-20	04.06.21	—	3051	25	5.010	0	0	116.00	BT Completed
2	MR-N/19-20 Jamui/29	Jhajha-Kohbarba Main road to kala Paswan tola.	20804101070	471, 28.01.20	0.900	44.900	34.40796	6.78556	07 MBD/ 2020-21	04.06.21	—	3174	25	5.020	0	0	34.70	BT Completed
3	MR-N/19-20 Jamui/05	Paro - Baharaut	NEA22000668	471, 28.01.20	1.350	49.821	31.19763	12.93739	05 MBD/ 2020-21	07.03.21	—	2945	25	5.023	0	0	31.19	BT Completed
4	MR-N/19-20 Jamui/05	Kharagpur PWD road to Lakra-Panpurwa Road	28411032486	471, 28.01.20	1.800	64.699	40.96515	16.80262	05 MBD/ 2020-21	07.03.21	—	3123	25	5.012	0	0	40.96	BT Completed
																	222.85	

umh 15/3/21

Executive Engineer
RWD Works Division, Jamui

Nitin 15.3.21

Name of Road- Katauna to Number Road
Sec No.-37

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI UIV	CATEGORY ROAD	IRI	Latitude	Longitude	Event
13/3/21	10:7:14	37	0.1	350	0	3500	3239	G	4.31	24.94818	86.26172	Normal
13/3/21	10:8:0	37	0.1	380	10.1	3800	3487	G	4.6	24.947903	86.26079	Normal
13/3/21	10:8:24	37	0.1	320	10.1	3200	2991	G	4.01	24.947677	86.259848	Normal
13/3/21	10:8:24	37	0.1	340	10.1	3400	3156	G	4.21	24.947545	86.258872	Normal
13/3/21	10:9:0	37	0.1	340	10.1	3400	3156	G	4.21	24.947585	86.257862	Normal
13/3/21	10:9:0	37	0.1	340	10.1	3400	3156	G	4.21	24.947585	86.257862	Normal
13/3/21	10:9:35	37	0.1	330	10.1	3300	3073	G	4.11	24.94765	86.256835	Speed Breaker
13/3/21	10:10:0	37	0.1	350	20.2	3500	3239	G	4.31	24.947675	86.255875	Normal
13/3/21	10:10:10	37	0.1	330	20.2	3300	3073	G	4.11	24.947788	86.254865	Normal
13/3/21	10:10:10	37	0.1	290	20.2	2900	2742	G	3.71	24.948058	86.253972	Normal
13/3/21	10:10:10	37	0.1	290	20.2	2900	2742	G	3.71	24.948058	86.253972	Normal
13/3/21	10:10:10	37	0.1	290	20.2	2900	2742	G	3.71	24.948058	86.253972	Normal
13/3/21	10:10:10	37	0.1	300	20.2	3000	2825	G	3.81	24.948375	86.252978	Culvert
13/3/21	10:10:46	37	0.1	290	20.2	2900	2742	G	3.71	24.948375	86.252978	Culvert
13/3/21	10:13:42	37	0.1	300	20.2	3000	2825	G	3.81	24.94856	86.252037	Normal
13/3/21	10:22:31	37	0.1	350	20.2	3500	3239	G	4.31	24.947602	86.259595	Normal
13/3/21	10:23:0	37	0.1	380	10.1	3800	3487	G	4.6	24.950368	86.262827	Normal
13/3/21	10:23:6	37	0.1	260	20.2	2600	2494	G	3.41	24.95125	86.263163	Normal
13/3/21	10:23:42	37	0.1	350	10.1	3500	3239	G	4.31	24.952153	86.263	Speed Breaker
13/3/21	10:24:0	37	0.1	380	10.1	3800	3487	G	4.6	24.953012	86.26347	Normal
13/3/21	10:24:17	37	0.1	330	20.2	3300	3073	G	4.11	24.953897	86.263737	Normal
13/3/21	10:24:17	37	0.1	370	20.2	3700	3405	G	4.5	24.954593	86.264377	Normal
13/3/21	10:25:0	37	0.1	240	10.1	2400	2328	G	3.21	24.955323	86.265	Normal
13/3/21	10:25:0	37	0.1	240	10.1	2400	2328	G	3.21	24.956195	86.264763	Normal
13/3/21	10:25:28	37	0.1	360	10.1	3600	3322	G	4.41	24.956195	86.264763	Normal
13/3/21	10:30:45	37	0.1	390	20.2	3900	3570	G	4.7	24.956607	86.263905	Normal
13/3/21	10:31:20	37	0.1	250	20.2	2500	2411	G	3.31	24.950995	86.263248	Normal
								G	3.31	24.95065	86.264057	Normal

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	IRI	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	UIV	ROAD				
13/3/21	10:32:0	37	0.1	390	10.1	3900	3570	G	4.7	24.950252	86.26503	Normal
13/3/21	10:35:0	37	0.1	320	10.1	3200	2991	G	4.01	24.951977	86.27172	Normal
13/3/21	10:35:0	37	0.1	290	10.1	2900	2742	G	3.71	24.952207	86.272575	Normal
13/3/21	10:35:27	37	0.1	390	20.2	3900	3570	G	4.7	24.952395	86.27345	Normal
13/3/21	10:35:27	37	0.1	310	20.2	3100	2908	G	3.91	24.952408	86.274057	Normal
13/3/21	10:36:1	37	0.1	350	20.2	3500	3239	G	4.31	24.952843	86.275403	Normal
13/3/21	10:36:1	37	0.1	380	20.2	3800	3487	G	4.6	24.952843	86.275403	Normal
13/3/21	10:36:1	37	0.1	320	20.2	3200	2991	G	4.01	24.95308	86.276463	Normal
13/3/21	10:36:36	37	0.1	390	20.2	3900	3570	G	4.7	24.95342	86.277255	Normal
13/3/21	10:38:0	37	0.1	320	20.2	3200	2991	G	4.01	24.95384	86.27813	Normal
13/3/21	10:38:0	37	0.1	300	20.2	3000	2825	G	3.81	24.95384	86.27813	Normal
13/3/21	10:50:9	37	0.1	250	20.2	2500	2411	G	3.31	24.953448	86.280252	Speed Breaker
13/3/21	10:54:0	37	0.1	210	20.2	2100	2080	G	2.9	24.954507	86.28101	Normal
13/3/21	10:54:16	37	0.1	320	20.2	3200	2991	G	4.01	24.954727	86.281952	Normal
13/3/21	10:54:16	37	0.1	370	20.2	3700	3405	G	4.5	24.95495	86.282928	Normal
13/3/21	10:54:52	37	0.1	370	20.2	3700	3405	G	4.5	24.955172	86.283905	Normal
13/3/21	10:55:0	37	0.1	360	20.2	3600	3322	G	4.41	24.955372	86.28483	Normal
13/3/21	10:55:27	37	0.1	350	20.2	3500	3239	G	4.31	24.955602	86.285858	Normal
			4.5									

umb 15/3/21

Executive Engineer
RWD, Works Division
Jammu

Name of Customer : ASHOK AND CO. NIWAS PVT

Name of Work/ Road : Katauna - Number Road

Lab Job number :

Date : 13-03-2021

Section No. 37

Test Date : 13-03-2021

Road Name : Katauna - Number Road

Machine No : 399

Road Type : (R) RURAL ROAD

Start S No : 37

Side :

Start E No :

Interval

Weather :

UIV Range : 1080 To 5000 1000 mm/km

Start Location :

Dist Range : 0 To 4.6 0.1 1000 m

End Location :


Equation : $Y = 0 \cdot X^2 + 0.828 \cdot X + 341.6$

Print

Generate Report and Graph

Redraw Graph

Map View



15/3/21
Executive Engineer
RMD Works Division
Jamui

Name of Road- Jhajha-Kohbarba Main road to kala Paswan tola.
Sec No.-44

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	IRI	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	UIV	ROAD				
13/3/21	12:40:8	44	0.1	350	0	3500	3239	G	4.31	24.959838	86.409073	Normal
13/3/21	12:40:8	44	0.1	360	20.2	3600	3322	G	4.41	24.959953	86.40808	Normal
13/3/21	12:40:43	44	0.1	350	20.2	3500	3239	G	4.31	24.95993	86.407172	Normal
13/3/21	12:41:0	44	0.1	350	20.2	3500	3239	G	4.31	24.95923	86.406868	Normal
13/3/21	12:41:18	44	0.1	280	20.2	2800	2659	G	3.61	24.959293	86.405892	Normal
13/3/21	12:41:18	44	0.1	390	10.1	3900	3570	G	4.7	24.959645	86.405185	Normal
13/3/21	12:41:54	44	0.1	300	10.1	3000	2825	G	3.81	24.959897	86.40441	Normal
13/3/21	12:42:0	44	0.1	320	20.2	3200	2991	G	4.01	24.960773	86.40473	Normal
13/3/21	12:42:28	44	0.1	380	10.1	3800	3487	G	4.6	24.961377	86.40547	Normal
			0.9									

and 15/3/21

Executive Engineer
RWD, Works Division
Jamui


Name of Customer : SACHCHIDA NAND JHA
 Name of Work/ Road : Main road to kala Paswan tola.
 Lab Job number :
 Date : 13-03-2021
 Section No. : 44

Test Date : 13-03-2021 Road Name : Main road to kala Paswan tola.
 Machine No : 399 Road Type : (R) RURAL ROAD
 Start S No : 44 Side :
 Start E No : Interval
 Weather : UIV Range : 1659 To 5000 1000 mm/km
 Start Location : Dist Range : 0 To 1 0.1 * 1000 m
 End Location : Equation : $Y = 0 * X^2 + 0.828 * X + 341.6$

Print Generate Report and Graph

Redraw Graph

Map View



Und 15/3/21
 Executive Engineer
 RWD, Works Division
 Jamul