

प्रमाणित किया जाता है कि  
इस मापी पुरस्कार में धरफा हुआ  
कुल 100 (एक सौ) पन्ना मात्र है-  
जिसे सहजक अभियंता, ग्रामीण कार्य  
विभाग, मथुरा के नाम से निर्गत  
किया जाता है।

29/8/20  
कार्यपालक अभियंता,  
ग्रामीण कार्य विभाग  
कार्य प्रमंडल, मथुरा  
29/8/20

Sch. XLV-Form No. 134

मथुरा DIVISION  
मथुरा SUB-DIVISION

MMGSY के अन्तर्गत मथुरा-कुदरा  
रोड से खजुरियाँ खुद पक्का।

## Measurement Book

No. 1458

Name of officer सहजक अभियंता,  
ग्रामीण कार्य विभाग, मथुरा

Date of first entry \_\_\_\_\_

Date of last entry \_\_\_\_\_

Name of work -

Situation of work -

Agency by which work is executed -

Date of measurement -

No. and date of agreement.

(These four lines should be repeated at the commencement of the measurements relating to each work.)

| Particulars                                | Details of actual measurement |    |    |    | Contents of area |
|--------------------------------------------|-------------------------------|----|----|----|------------------|
|                                            | No.                           | L. | B. | D. |                  |
| Name of work :- Const <sup>n</sup> of road |                               |    |    |    |                  |
| from Bhabhua Kudra Road                    |                               |    |    |    |                  |
| to Khajuriya Khurd.                        |                               |    |    |    |                  |
| Agency :- Sri Banjay Sharma                |                               |    |    |    |                  |
| Ag <sup>t</sup> No :- 20/580/2020-21       |                               |    |    |    |                  |
| Date of work order :- 13.5.20              |                               |    |    |    |                  |
| Date of completion :- 12.5.21              |                               |    |    |    |                  |
| Date of entry :-                           |                               |    |    |    |                  |
| Work done                                  |                               |    |    |    |                  |

|                          |  |  |  |  |                    |
|--------------------------|--|--|--|--|--------------------|
| ① setting out work with  |  |  |  |  |                    |
| reference bench mark. -- |  |  |  |  | 1.75KM             |
| ② clearing and grubbing  |  |  |  |  |                    |
| road land - - - - -      |  |  |  |  |                    |
| 4x 25x 6.0 =             |  |  |  |  | 600m <sup>2</sup>  |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| 3x 25x 6.0 =             |  |  |  |  | 450 "              |
| 1x 12x 6.0 =             |  |  |  |  | 72 "               |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| 4x 25x 6.0 =             |  |  |  |  | 600 "              |
| Continuation             |  |  |  |  | 5322m <sup>2</sup> |

| Particulars                                                                             | Details of actual measurement |       |                 |        | Contents of area       |
|-----------------------------------------------------------------------------------------|-------------------------------|-------|-----------------|--------|------------------------|
|                                                                                         | No.                           | L.    | B.              | D.     |                        |
|                                                                                         |                               |       |                 |        |                        |
|                                                                                         |                               |       |                 |        | Date of entry - 8.3.21 |
| 1. Const. of unreinforced cement concrete pavement as per specification & drawing pelli |                               |       |                 |        |                        |
|                                                                                         | 4x                            | 25'-x | 3.75' x 0.160 = | 60 mms |                        |
|                                                                                         | 4x                            | 25'-x | 3.75' x 0.160 = | 60 mms |                        |
|                                                                                         | 4x                            | 25'-x | 3.75' x 0.160 = | 60 mms |                        |
|                                                                                         | 2x                            | 25'-x | 3.75' x 0.160 = | 30 mms |                        |
|                                                                                         |                               |       |                 |        | 210 mms                |
|                                                                                         |                               |       |                 |        |                        |
|                                                                                         |                               |       |                 |        |                        |
| Suman<br>8.3.21                                                                         |                               |       |                 | C&D    | 15.3721                |

|                                                                                        |   |         |  |
|----------------------------------------------------------------------------------------|---|---------|--|
| Abstract of cost                                                                       |   |         |  |
| (Est on A/c bill)                                                                      |   |         |  |
| 1. Setting out of working bench marks<br>& reference pillars                           |   |         |  |
| 1.25 km along road turn p-1                                                            |   |         |  |
| 1.750 km @ B 6124 = 25 per km                                                          | B | 10717 = |  |
| 2. Clearing & grubbing road land<br>etc.                                               |   |         |  |
| 0.7222 hectares road turn p-2                                                          |   |         |  |
| 0.7222 hectares @ B 5499 = 03 per hect                                                 | B | 39143 = |  |
| 3/16 p/v s fixing of boundary inter-<br>matory sign board with logo &<br>citizen board |   |         |  |
| 2 km along road turn p-2                                                               |   |         |  |
| Continuation                                                                           |   |         |  |
| 2 km @ B 12545 = per km                                                                | B | 25090 = |  |
| C/O R 24950 =                                                                          |   |         |  |

## Sch. XLV-Form No. 134

| Particulars                                                               | Details of actual measurement |    |    |      | Contents of area |
|---------------------------------------------------------------------------|-------------------------------|----|----|------|------------------|
|                                                                           | No.                           | L. | B. | D.   |                  |
|                                                                           |                               |    |    | 1/18 | 74950-           |
| 4/5. Const. of embankment with materials obtained from borrow pits.       |                               |    |    |      |                  |
| (1) from 2nd up to 100m                                                   |                               |    |    |      |                  |
| 871.300m <sup>3</sup> dry wide Tuss p-4                                   |                               |    |    |      |                  |
| 871.300m <sup>3</sup> @ B 196=17/m <sup>3</sup>                           |                               |    |    | B    | 170871=-         |
| (11) from 2nd up to 100m                                                  |                               |    |    |      |                  |
| 217.825m <sup>3</sup> dry wide Tuss p-4                                   |                               |    |    |      |                  |
| 217.825m <sup>3</sup> @ B 194=89/m <sup>3</sup>                           |                               |    |    | B    | 42452=-          |
| 5/6 Const. of subgrade with materials obtained from borrow pits.          |                               |    |    |      |                  |
| 2178m <sup>3</sup> dry wide Tuss p-4                                      |                               |    |    |      |                  |
| 2178m <sup>3</sup> @ B 196=74/m <sup>3</sup>                              |                               |    |    | B    | 428500=-         |
| 6/7 Const. of B.S.B. with materials grading & ...                         |                               |    |    |      |                  |
| 1180.12m <sup>3</sup> dry wide Tuss p-5                                   |                               |    |    |      |                  |
| 1180.12m <sup>3</sup> @ B 3154=65/m <sup>3</sup>                          |                               |    |    | B    | 3722866=-        |
| 7/8 P.V. Laying & spreading & compacting concrete off 40cm thick concrete |                               |    |    |      |                  |
| 143m <sup>3</sup> grade 27 - 7.25 per specification                       |                               |    |    |      |                  |
| 3 divisions of 21m                                                        |                               |    |    |      |                  |
| 464.063m <sup>3</sup> dry wide Tuss p-6                                   |                               |    |    |      |                  |
| 464.063m <sup>3</sup> @ B 420.3/m <sup>3</sup>                            |                               |    |    | B    | 1952916=-        |
| 8/12 Const. of unreinforced cement concrete pavement                      |                               |    |    |      |                  |
| 210m <sup>3</sup> dry wide Tuss p-7                                       |                               |    |    |      |                  |
| 210m <sup>3</sup> @ B 7867=83/m <sup>3</sup>                              |                               |    |    | B    | 1652244=-        |
| Continuation                                                              |                               |    |    |      |                  |
|                                                                           |                               |    |    |      | C/B 8044799=-    |

A blank sheet of graph paper with a grid pattern. The grid consists of 10 columns and 10 rows of squares. The lines are black and evenly spaced. There is no handwriting or other markings on the page.

Scanned with CamScanner