

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, सासाराम-1

Email ID:-ee.rwd.sasaram1@gmail.com

Mob:- 8986915310

पत्रांक..... 615 8130 सासाराम/दिनांक..... 17.03.2021

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सासाराम-1

सेवामें,

नोडल पदाधिकारी (MR 3054)
ग्रामीणकार्यविभाग
पटना, बिहार

विषय :- नई अनुरक्षण नीति-2018MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महाषय,

उपरोक्त विषय के संबंध में सूचित करना है कि नई अनुरक्षण नीति-2018 MR (3054) योजना के अंतर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में भरकर आवश्यक कार्यवाही हेतु समर्पित की जाती है।

अनु० :- यथोक्त।

विष्वासभाजन

16/3/21
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सासाराम-1

EXECUTIVE ENGINEER
R.W.D. WORKS DIV. SASARAM-1

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)
Form of Utilization Certificate up to March 2021

Sl.No	Name of Scheme	Sanction No.&Date With Amount (In lace Rs.)	Amount Received (In lace Rs.)	Particulars
1	Construction of Rural roads Under MR	New Maintenance Policy-2018 MR (3054) BRRDA PATNA Letter No.82, dt. 13.11.2020 Letter No.84, dt. 26.11.2020 Letter No.86, dt. 11.12.2020 Letter No.05, dt. 12.01.2021 Letter No.17, dt. 26.02.2021	24012800.00 19457900.00 65864300.00 142175100.00 17,09,10,570.00	Certified that out of Rs. 42,24,20,670.00 lakh of grants-in-aid sanctioned during the years 2020-21 Infavor of EE,RWD works division Sasaram-1 a sum of Rs 25,39,65,337.00 lakh has been utilized for the purpose of MR (3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 16,84,55,333.00 lakh remaining unutilized at the end of the period under report.
	Total:		25,15,10,100.00	


2. Certified that I have satisfied my self that the conditions on which the grant-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was utilized for the purpose for which it was sanctioned.


Kind of Checks exercised:-

- i. Works have been supervised by Executive Engineer/ Superintending Engineer.
- ii. Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- iii. Construction materials have been tested.
- iv. Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- v. All other caudal formalities have been observed.

3. Physical Progress achieved:-

- i. Construction of Road Works.
- ii. Construction of CD works.


Divisional Accounts Officer
R.W.D, works Division
Sasaram-1


Executive Engineer
R.W.D, works Division
Sasaram-1

EXECUTIVE ENGINEER
R.W.D. WORKS DIV. SASARAM-1

Requisition Format for Scheme Head-MR(3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

22/12/19
Cand

Divisional Accounts Office
Rural Works Department,
works Division, Sasaram-1

EXECUTIVE ENGINEER
R.W.D. WOODWARD
ASARAM-4

Name of Customer :	Sharda Bhawan Infrastructure Pvt.L
Name of Work/Road :	Sheosagar - Chenari Rd-Dewad
Lab Job number :	72
Date :	12/29/2020
Section No. :	72

Test Date :	12/29/2020	Road Name :	Sheosagar - Chenari Rd-Dewa
Machine No. :	391	Road Type :	(R) RURAL ROAD
Start S No. :	6953	Side :	Chenari
Start E No. :	6985	Interval :	
Weather :	Normal	UV Range :	415 To 4000 mm/km
Start Location :	24.90923,83.84	Dist Range :	0 To 0.952 0.028 * 1000 m
End Location :	24.88861,83.84	Equation :	$Y = 0 * X^2 + 1.000 * X + 415.2$


Print

Generate Report and Graph

Redraw Graph

Map View

File : i:\Bump Reg and Report\Regquestion Nov 2020\18. Pramod singh and Sharda Bhawan\Sharda Bhawan\Graph
 Name of Customer : Sharda Bhawan Infrastructure Pvt Ltd. Name of Work/ Road : Sheosagar - Chenari Rd-Dewadli.



RECEIVED BY
 E.V.D.(V) DTY. BANGALORE

8/11/21

Name of Road : Sheesagar - Chenari Rd - Dewadih

Date	Time	Section	Length	Bumps	Speed	OR	IRI/TEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km			
29/12/20	14:4:0	72	0.1	250	12.3	2500	2915 G	24.90923	83.84012	Normal
29/12/20	14:4:0	72	0.1	240	20.2	2400	2815 G	24.90834	83.83975	Normal
29/12/20	14:4:23	72	0.1	100	20.2	1000	1415 G	24.90746	83.83981	Normal
29/12/20	14:4:23	72	0.1	220	20.2	2200	2615 G	24.90656	83.8397	Normal
29/12/20	14:4:23	72	0.1	150	22.3	2000	2315 G	24.90731	83.83973	Normal
29/12/20	14:5:0	72	0.1	220	20.2	2200	2615 G	24.90615	83.83901	Normal
29/12/20	14:5:0	72	0.1	200	30.3	2000	2415 G	24.9053	83.83879	Normal
29/12/20	14:5:0	72	0.1	280	20.2	2800	3215 G	24.90435	83.83855	Normal
29/12/20	14:5:34	72	0.1	240	29.1	2200	2215 G	24.90121	83.822	Normal
29/12/20	14:5:34	72	0.1	230	30.3	2300	2715 G	24.90354	83.838	Normal
29/12/20	14:5:34	72	0.1	250	30.3	2500	2915 G	24.90267	83.83801	Normal
29/12/20	14:6:9	72	0.1	200	20.2	2000	2415 G	24.90192	83.83815	Normal
29/12/20	14:6:9	72	0.1	100	20.2	1000	1415 G	24.90185	83.83909	Normal
29/12/20	14:6:9	72	0.1	200	30.3	2000	2415 G	24.90165	83.84008	Normal
29/12/20	14:6:9	72	0.1	260	29.3	2200	2515 G	24.90194	83.84124	Normal
29/12/20	14:6:25	72	0.1	240	31.2	1900	2315 G	24.90215	83.84215	Normal
29/12/20	14:6:25	72	0.1	210	29.1	1600	2215 G	24.9087	83.8434	Normal
29/12/20	14:6:44	72	0.1	250	30.3	2500	2915 G	24.90143	83.84101	Normal
29/12/20	14:7:0	72	0.1	290	10.1	2900	3315 G	24.90115	83.84204	Curve
29/12/20	14:7:0	72	0.1	240	12.3	2400	3215 G	24.90225	83.8513	Normal
29/12/20	14:7:0	72	0.1	260	16.4	2300	2915 G	24.91247	83.8614	Normal
29/12/20	14:7:19	72	0.1	200	10.1	2000	2415 G	24.90029	83.8418	Normal
29/12/20	14:7:19	72	0.1	100	20.2	1000	1415 G	24.89942	83.8416	Normal
29/12/20	14:7:31	72	0.1	150	22.4	2600	2515 G	24.89252	83.84525	Normal
29/12/20	14:8:0	72	0.1	230	22.5	2200	2615 G	24.89812	83.84125	Normal
29/12/20	14:8:0	72	0.1	230	20.2	2300	2715 G	24.89853	83.84148	Normal
29/12/20	14:8:0	72	0.1	150	22.3	2100	2615 G	24.89915	83.84153	Normal
29/12/20	14:8:0	72	0.1	150	23.6	1500	2215 G	24.89918	83.84156	Normal
29/12/20	14:8:30	72	0.1	270	10.1	2700	3115 G	24.8977	83.84116	Normal
29/12/20	14:8:30	72	0.1	170	20.2	1700	2115 G	24.89695	83.84059	Normal
29/12/20	14:8:52	72	0.1	190	23.1	1600	2315 G	24.89922	83.84512	Normal
29/12/20	14:9:5	72	0.1	220	10.1	2200	2615 G	24.89626	83.84044	Normal
29/12/20	14:9:5	72	0.1	180	20.2	1800	2215 G	24.89541	83.8402	Normal
29/12/20	14:9:41	72	0.1	200	20.2	2000	2415 G	24.89451	83.83983	Normal
29/12/20	14:10:0	72	0.1	220	20.2	2200	2615 G	24.8937	83.83948	Normal
29/12/20	14:10:16	72	0.1	100	20.2	1000	1415 G	24.89285	83.83909	Normal
29/12/20	14:10:16	72	0.1	290	30.3	2900	3315 G	24.89197	83.83889	Normal

$$Y = 0 * X^2 + 1.000 * X + 415.2$$

$$X = 1000$$

$$Y = 1415$$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

28/11/24

Executive Engineer

29/12/20	14:10:16	72	0.1	190	20.2	1900	2315	G	24.89105	83.83872	Normal
29/12/20	14:10:51	72	0.1	270	20.2	2700	3115	G	24.8902	83.83857	Normal
29/12/20	14:10:51	72	0.1	230	21.5	2600	2415	G	24.89841	83.83914	Normal
29/12/20	14:11:0	72	0.1	130	23.4	1400	2015	G	24.88651	83.83612	Normal
29/12/20	14:11:0	72	0.1	170	22.1	1600	2115	G	24.88785	83.83712	Normal
29/12/20	14:11:0	72	0.1	190	20.2	1900	2315	G	24.88894	83.83837	Normal
29/12/20	14:11:11	72	0.1	160	23.2	1700	2015	G	24.8899	83.83915	Normal
29/12/20	14:11:26	72	0.1	130	13.1	1400	2215	G	24.88716	83.83751	Normal
29/12/20	14:11:26	72	0.1	160	10.1	1600	2015	G	24.88869	83.83872	Normal
29/12/20	14:11:26	72	0.1	200	20.2	2000	2415	G	24.88852	83.83968	Speed Breaker
29/12/20	14:11:48	72	0.1	250	23.5	2100	2315	G	24.88971	83.83989	Normal
29/12/20	14:12:2	72	0.1	190	14.1	2400	1615	G	24.88724	83.8124	Normal
29/12/20	14:12:2	72	0.1	200	10.1	2000	2415	G	24.88842	83.84067	Curve
29/12/20	14:12:2	72	0.1	100	10.1	2500	2215	G	24.88861	83.84072	Normal
29/12/20	14:12:21	72	0.1	210	17.5	2300	2415	G	24.88923	83.84321	Normal
29/12/20	14:12:53	72	0.1	150	12.6	1900	2015	G	24.88921	83.84924	Normal
29/12/20	14:12:2	72	0.1	200	11.3	1000	1415	G	24.88861	83.84072	Normal
Total		5.4									

UB
 28/11/21
 Executive Engineer
 A.W.D.(V) Dy. Engineer