

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल-दाउदनगर।

पत्रांक:- 830

दाउदनगर/दिनांक:- 20/03/2021

प्रेषक:-

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, दाउदनगर।

सेवा में,

नोडल पदाधिकारी (MR 3054)
ग्रामीण कार्य विभाग
पटना, बिहार।

विषय:- गैर योजना मद शीर्ष MR 3054(Bihar Rural Road New Maintenance Policy-2018)
के तहत कार्यान्वित पथों में उपयोगिता प्रमाण पत्र एवं अधियाचना समर्पित करने के संबंध
में।

महाशय,

उपयुक्त विषय के संबंध में कहना है कि ग्रामीण कार्य विभाग, कार्य प्रमंडल दाउदनगर
के अंतर्गत गैर योजना मद शीर्ष MR 3054(Bihar Rural Road New Maintenance Policy-
2018) के तहत चल रहे कार्य पूर्ण हो चुका है। उपयोगिता प्रमाण पत्र एवं अधियाचना विहित प्रपत्र
में संलग्न कर समर्पित किया जाता है।

आग्रह है कि सूची के अनुसार संवेदको का नाम प्राधिकार पत्र में शामिल
करने एवं अधियाचित राशि रू0 10,96,500=00(दस लाख छेयानवे हजार पाँच सौ रुपये) मात्र
आवंटन उपलब्ध कराने की कृपा करना चाहेंगे। ताकि भुगतान किया जा सके।

अनु0:-यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता
ग्रामीण कार्य विभाग

कार्य प्रमंडल, दाउदनगर।

FORM GFR 19-A

(Government of India's Decision (I) below Rule-150)
Form of Utilisation Certificate as on 20.03.2021
MR 3054(Bihar Rural Road New Maintenance Policy-2018)

STATE-BIHAR

PIU - E.E,RWD (W), Div.- Daudnagar

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars
1	Construction of Rural Roads under MR 3054 (Bihar Rural Road New Maintenance Policy-2018)	Vide Lt.no. -20 dated-19.03.2021	578.65956 2100.38115	Certified that out of Rs 2679.04071 Lacs received during the years 2020-2021 in favour of Ex. Engineer, RWD (W), Div.- Daudnagar, Bihar, a sum of Rs 731.24032 Lacs has been utilized for the purpose of M.M.G.S.Y(SC) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 1947.80039 Lacs remaining unutilized at the end of the period under.
			2679.04071	

I Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/ Supertending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Supertending Engineer.
- Construction materials have been tested
- Measurements have been recorded in the MBs and test check conducted by the Assistant.
- All other codal formalities have been observed.

Memo No-

Dated:-

Copy forwarded to Secretary Cum- Empowered Officer(BRRADA),Patna for taking necessary action.

Div. Accounts Officer
R.W.D Works Division
Daudnagar

Executive Engineer
R.W.D Works Division
Daudnagar

with Surface Renewal)

Complete

**Executive Engineer,
Rural Works Department,
Works Division, Daudnagar**

16/02/2024

Name Of Road TENDUA ROAD - SINGHI BIJURG

Date	Time	IRI	Speed	OR	CATEGORY	IRI	Latitude	Longitude	Event		
20/12/20	14:10:15	95	0.1	150	20.2	2400	2858 G	3.85	24.843052	84.591178	Normal
20/12/20	14:10:50	95	0.1	240	20.2	3100	3654 G	3.8	24.843922	84.59143	Speed Breaker
20/12/20	14:11:0	95	0.1	250	30.3	2700	3199 G	3.26	24.844843	84.591648	Normal
20/12/20	14:11:0	95	0.1	220	30.3	2900	3426 G	3.53	24.845748	84.591868	Normal
20/12/20	14:11:25	95	0.1	210	30.3	1600	1950 G	2.74	24.846677	84.592053	Speed Breaker
20/12/20	14:11:25	95	0.1	310	10.1	1700	2063 G	2.88	24.84753	84.592238	Normal
20/12/20	14:12:0	95	0.1	200	30.3	1600	1950 G	2.74	24.848415	84.592457	Normal
20/12/20	14:12:0	95	0.1	290	10.1	900	1154 G	1.72	24.849312	84.592575	Normal
20/12/20	14:12:36	95	0.1	210	20.2	2100	2518 G	3.44	24.849603	84.591615	Normal
20/12/20	14:13:0	95	0.1	240	20.2	2400	2858 G	3.85	24.84978	84.590673	Normal
20/12/20	14:13:10	95	0.1	130	30.3	1300	1609 G	2.31	24.850542	84.590185	Normal
20/12/20	14:13:45	95	0.1	270	20.2	2700	3199 G	3.26	24.850865	84.589242	Normal
20/12/20	14:13:45	95	0.1	280	20.2	1900	2290 G	3.36	24.85102	84.588282	Normal
20/12/20	14:14:0	95	0.1	340	10.1	3200	3694 G	3.19	24.85129	84.58744	Normal
20/12/20	14:14:20	95	0.1	290	20.2	2900	3426 G	3.53	24.85162	84.586598	Speed Breaker
20/12/20	14:14:20	95	0.1	230	20.2	2300	2745 G	3.72	24.852122	84.585925	Normal
20/12/20	14:14:20	95	0.1	210	30.3	2100	2518 G	3.44	24.852318	84.584898	Normal
20/12/20	14:14:20	95	0.1	280	20.2	2800	3113 G	3.4	24.852062	84.584242	Normal
20/12/20	14:15:0	95	0.1	190	20.2	1900	2290 G	3.16	24.85218	84.583265	Normal
20/12/20	14:15:0	95	0.1	190	30.3	1900	2290 G	3.16	24.85237	84.582357	Normal
20/12/20	14:15:0	95	0.1	140	40.4	1400	1722 G	2.45	24.85269	84.581312	Normal
20/12/20	14:15:31	95	0.1	190	30.3	1900	2290 G	3.16	24.852803	84.580387	Normal
20/12/20	14:15:31	95	0.1	240	20.2	2400	2858 G	3.85	24.85263	84.579612	Normal
20/12/20	14:16:0	95	0.1	220	30.3	2200	2631 G	3.58	24.851763	84.579612	Normal
20/12/20	14:16:6	95	0.1	230	30.3	2300	2745 G	3.72	24.850832	84.579898	Normal
20/12/20	14:16:6	95	0.1	220	20.2	2200	1722 G	3.38	24.85068	84.5790122	Normal
20/12/20	14:16:6	95	0.1	220	20.2	1100	1382 G	3.38	24.850135	84.578585	Normal
20/12/20	14:17:10	95	0.1	220	20.2	1300	1609 G	3.68	24.850028	84.579562	Normal
20/12/20	14:16:12	95	0.1	220	20.2	1700	2063 G	3.88	24.850133	84.578555	Normal
20/12/20	14:16:42	95	0.1	290	10.1	2900	3426 G	3.53	24.84989	84.577777	Normal
Total Length		3.00									

AE
10/12/20
E.E

(R) RURAL ROAD
Good Average Poor
4000-5000 >5001
$$Y = 0 \cdot X^2 + 1.136 \cdot X + 132.5$$

$$X = 2100$$


$$Y = 2515$$

Name of Customer : Sharan Sunny Const Pvt.Ltd
 Name of Work/ Road : TENDUA ROAD - SINGH BUJ
 Lab Job number : 55
 Date : 20-12-2020
 Section No. : 35

Test Date : 20-12-2020
 Machine No : 377
 Start S No : 716
 Start E No : 746
 Weather : Normal
 Start Location : [24.84]052.84
 End Location : [24.84]98.845
 Road Name : TENDUA ROAD - SINGH BUJ
 Road Type : (R) RURAL ROAD
 Side : Right
 U/V Range : 154 To 5000
 Dist Range : 0 To 31
 Equation : $Y = 0.0 \cdot X^2 + 1.135 \cdot X + 132.5$

Print
 Generate Report and Graph

Redraw Graph
 Map View



K. S. E.