

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, त्रिवेणीगंज।

पत्रांक1169...../त्रिवेणीगंज, दिनांक15/04/2021.../प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, त्रिवेणीगंज।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह- सचिव,
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय :- MR-3054 (New Maintenance Policy-2018) योजनान्तर्गत राशि विमुक्ति हेतु अधियाचना समर्पित करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि MR-3054 (New Maintenance Policy-2018) योजनान्तर्गत अधियाचना इस पत्र के साथ संलग्न विहित प्रपत्र में तैयार कर समर्पित की जा रही है।

अतः अनुरोध है कि आवंटन उपलब्ध कराने की कृपा की जाय।


विश्वासभाजन



कार्यपालक अभियंता

ग्रामीण कार्य विभाग

कार्य प्रमंडल, त्रिवेणीगंज।




Requisition Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Rural Works Department

Name of Division :- Triveniganj

S. No	Package No	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (In Lacs)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRJ (In mm/km)	Thickness of Bitumen Layer (In mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (In Lakh)	Up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
					Length (In Km.)	Amount of (In Lacs)	Initial Rectification and Surface Renewal (In Lacs)	5 Years Routine Maintenance (In Lakh)										
1		Raghunathpur (Bagheli) WB road to Rajeshwari.	21004 902092		1.500	78.99600	56.27492	16.73017				3351			0.00	0.00	56.27492	On-going
2	MR-N/2020-21-Triveniganj/06	Koriyapatti Rajeshwari Pakki Sadak to West of Gangapur Miner Canal 8.5 RD to 0 RD	21005 103008	6278 02.12.2019	2.750	111.78100	74.56686	29.45787	24/MBD/ MR-3054/ 2020-21	05.01.2022	On-going	3294	25	5.01	0.00	0.00	74.56686	On-going
3		Rajeshwari OP to tamua.	21004 903058		5.100	218.67800	146.98915	55.96777				3134			0.00	0.00	146.98915	On-going
Total					9.350	409.45500	277.83093	102.15581							0.00000	0.00000	277.83093	


Executive Engineer
R.W.D. (W.D.) Triveniganj

FORM GER - 19 - A
(See Government of India's Decision (i) below Rule - 150)
Form of Utilization Certificate up to 15.04.2021

(Programming Fund)

Sl. N.	Name of Scheme	Sanction No. & Date with Amount (in Lac.)	Total Amount Received (in Lac.)	Particulars
1	2	3	4	5
1.	Construction of Rural Road under MR-3054 (Bihar Rural Road Maintenance Policy)	Total Allotment received vide Secretary-cum-Empowered Officer BRRDA, Additional CEO, Patna. Letter No-05 Dated-12.01.2021 Letter No-17 Dated-26.02.2021 Letter No-20 Dated-19.03.2021 Letter No-22 Dated-24.03.2021	Rs- 1736.38181	Certified that out of Rs- 1736.38181 lac deposited in sum of Rs.-583.39553 lac has been utilized for the purpose of schemes for which it was sanctioned, Balance Rs. 1155.98628
2.	Certified that I have satisfied myself that the condition on which the grants in aid sanctioned have been duly fulfilled / are being fulfilled and that I have Exercised the following Checks to see that the money was actually utilized for the purpose for which it was sanctioned . i) Works have been supervised by Executive Engineer / Superintending Engineer. ii) Periodical inspection has been conducted by A.E. / Executive Engineer / Superintending Engineer. iii) Construction materials have been tested. iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer. v) All other Codal formalities have been observed.			

8/5
15.04.21


Executive Engineer
 BWD, Works Division, Triveniganj


 15.04.21

ROAD NAME - Raghunathpur (Bagheli) WB Road To Rajeshwari, Contractor Name:- M/S Vinod Kumar Mishra

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
19/3/21	12:3:1	48	0.1	240	0	2400	2872	G	26.09343	87.008224	Normal
19/3/21	12:3:1	48	0.1	310	30.3	3100	3561	G	26.09511	87.098838	Normal
19/3/21	12:3:1	48	0.1	300	31.2	3000	3462	G	26.09447	87.079443	Normal
19/3/21	12:3:36	48	0.1	200	30.3	2000	2478	G	26.09368	87.06002	Normal
19/3/21	12:4:0	48	0.1	290	32.5	2900	3364	G	26.09283	87.05008	Normal
19/3/21	12:4:11	48	0.1	320	30.3	3200	3659	G	26.09196	87.040353	Normal
19/3/21	12:4:11	48	0.1	310	31.2	3100	3561	G	26.08119	87.04074	Normal
19/3/21	12:4:11	48	0.1	290	30.3	2900	3364	G	26.08967	87.022913	Normal
19/3/21	12:4:46	48	0.1	330	32.5	3300	3757	G	26.08947	87.021632	Normal
19/3/21	12:4:46	48	0.1	300	31.2	3000	3462	G	26.08867	87.02202	Normal
19/3/21	12:5:0	48	0.1	290	32.5	2900	3364	G	26.08858	87.022777	Normal
19/3/21	12:5:22	48	0.1	330	31.2	3300	3757	G	26.08913	87.023535	Curve
19/3/21	12:5:22	48	0.1	300	32.5	3000	3462	G	26.09868	87.024275	Normal
19/3/21	12:5:57	48	0.1	270	31.2	2700	3167	G	26.10781	87.02441	Normal
19/3/21	12:6:32	48	0.1	250	32.5	2500	2970	G	26.10659	87.0201	Normal

1/12/14/21
2

13/4/21
AL

AN
15/4/21

Geo Analyzer

Name of Customer: M/S Vinod Kumar

Name of Work/Road: Raghunathpur (Ba)

Lab Job number:

Date: 13 March 21


Section No: 48

Test Date: 13 March 21	Road Name: Raghunathpur (Baghe)
Machine No:	Road Type: (R) RURAL ROAD
Start S No:	Side: Chhatapur Interval
Start E No:	
Weather: Normal	UV Range: 1478 To 5100 mm/km
Start Location: Raghunat	Dist Range: 0 To 13.01 * 1000 m
End Location: Rajeshwar	Equation: $Y = 0.0002 * X^2 + 0.004 * X + 510.70$

Print Generate Report and Graph

Redraw Graph

Map View





Handwritten signature and date: 13/03/21

Handwritten signature and date: 14/03/21

Handwritten note: Am To 4/24

ROAD NAME:- Koriyapatti Rajeshwari Pakki Sadak To West of Gangapur Miner Canal 8.5 Road to 0 Road

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	in km	in mm	Rate	mm/km	mm/km	ROAD			
19/3/21	08:10:22	47	0.1	300	0	3000	3415	G	26.13589	87.00512	Normal
19/3/21	08:10:22	47	0.1	200	20.2	2000	2415	G	26.13865	87.11512	Normal
19/3/21	08:10:22	47	0.1	290	30.3	2900	3315	G	26.13959	87.11545	Normal
19/3/21	08:10:22	47	0.1	300	30.3	3000	3415	G	26.13984	87.10838	Normal
19/3/21	08:10:22	47	0.1	310	30.3	3100	3515	G	26.13984	87.10838	Normal
19/3/21	08:11:0	47	0.1	330	30.3	3300	3715	G	26.13991	87.09727	Speed Breaker
19/3/21	08:11:0	47	0.1	260	10.1	2600	3015	G	26.13986	87.0982	Normal
19/3/21	08:11:0	47	0.1	340	10.1	3400	3815	G	26.1398	87.10842	Normal
19/3/21	08:11:0	47	0.1	320	30.3	3200	3615	G	26.13984	87.0973	Normal
19/3/21	08:11:0	47	0.1	350	20.2	3500	3915	G	26.13984	87.0973	Normal
19/3/21	08:11:33	47	0.1	290	30.3	2900	3315	G	26.13991	87.0872	Normal
19/3/21	08:11:33	47	0.1	270	30.3	2700	3115	G	26.14	87.07743	Normal
19/3/21	08:11:33	47	0.1	260	30.3	2600	3015	G	26.14014	87.078	Normal
19/3/21	08:12:0	47	0.1	280	30.3	2800	3215	G	26.14034	87.06757	Normal
19/3/21	08:12:8	47	0.1	270	30.3	2700	3115	G	26.14055	87.05747	Normal
19/3/21	08:12:8	47	0.1	200	30.3	2000	2415	G	26.14077	87.0572	Normal
19/3/21	08:12:8	47	0.1	240	30.3	2400	2815	G	26.14077	87.0572	Normal
19/3/21	08:12:8	47	0.1	270	30.3	2700	3115	G	26.14081	87.04777	Normal
19/3/21	08:12:8	47	0.1	270	30.3	2700	3115	G	26.14082	87.0373	Normal
19/3/21	08:12:8	47	0.1	310	30.3	3100	3515	G	26.14082	87.0373	Normal
19/3/21	08:12:8	47	0.1	330	30.3	3300	3715	G	26.14082	87.0373	Normal
19/3/21	08:12:8	47	0.1	320	30.3	3200	3615	G	26.13744	87.0273	Normal
19/3/21	08:15:0	47	0.1	270	40.4	2700	3115	G	26.13739	87.04673	Curve
19/3/21	08:15:29	47	0.1	280	40.4	2800	3215	G	26.13694	87.07598	Normal
19/3/21	08:15:29	47	0.1	260	40.4	2600	3015	G	26.13643	87.08373	Normal
19/3/21	08:15:29	47	0.1	300	40.4	3000	3415	G	26.13643	87.08373	Normal
19/3/21	08:16:0	47	0.1	330	40.4	3300	3715	G	26.13589	87.09215	Normal
19/3/21	08:16:6	47	0.1	310	40.4	3100	3515	G	26.13532	87.10073	Normal



 13/4/21
 AB


 13/4/21

Name of Customer: M/S Vinod Kumar

Name of Work/Road: Koyaripatti Rajeshwar

Lab Job number:

Date: 19 March 2017

Section No: 4

Test Date: 19 March 2017 Road Name: Koyaripatti Rajeshwar

Machine No: Road Type: (R) RURAL ROAD

Start S No: Side: Chhatupur Interval

Start E No: Weather: Normal UV Range: 1165 To 5000 mm/km


Start Location: Koyaripatti Dist Range: 0 To 2.01 * 1000 m

End Location: Gangapur Equation: $Y = 0.0002 \cdot X^2 + 0.004 \cdot X + 510.70$

Print Generate Report and Graph

Redraw Graph

Map View



Handwritten signature

Handwritten signature
13/4/17
AB

Handwritten signature
13/4/17

ROAD NAME - Rajeshwari OP to Tamua, CONTRACTOR NAME - M/S Vinod Kumar Mishra

Date	Time	Section	No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	TEGORY ROAD	Latitude	Longitude	Ev nt
19/3/21	14:18:30		51	0.1	270	0	2700	3167 G		26.11507	87.03791	Normal
19/3/21	14:19:6		51	0.1	220	31.2	2200	2675 G		26.13157	87.07727	Normal
19/3/21	14:19:41		51	0.1	290	32.5	2900	3364 G		26.13078	87.07677	Normal
19/3/21	14:20:0		51	0.1	310	31.2	3100	3561 G		26.12989	87.07592	Normal
19/3/21	14:20:16		51	0.1	210	32.5	2100	2577 G		26.12914	87.07322	Normal
19/3/21	14:20:16		51	0.1	320	30.3	3200	3659 G		26.12927	87.06363	Normal
19/3/21	14:20:51		51	0.1	270	30.3	2700	3167 G		26.12936	87.05235	Normal
19/3/21	14:21:0		51	0.1	230	31.2	2300	2773 G		26.12944	87.0436	Normal
19/3/21	14:21:0		51	0.1	240	30.3	2400	2872 G		26.12957	87.0335	Normal
19/3/21	14:21:0		51	0.1	230	30.3	2300	2773 G		26.12976	87.02373	Normal
19/3/21	14:21:27		51	0.1	250	30.3	2500	2970 G		26.1299	87.0138	Normal
19/3/21	14:21:27		51	0.1	230	32.5	2300	2773 G		26.12933	87.00807	Normal
19/3/21	14:22:0		51	0.1	250	30.3	2500	2970 G		26.12846	87.00572	Normal
19/3/21	14:22:2		51	0.1	280	30.3	2800	3265 G		26.12753	87.00252	Normal
19/3/21	14:22:2		51	0.1	320	31.2	3200	3659 G		26.12758	87.09377	Normal
19/3/21	14:22:37		51	0.1	280	31.2	2800	3265 G		26.1277	87.08	Speed Break
19/3/21	14:23:13		51	0.1	310	32.5	3100	3561 G		26.12788	87.07473	Normal
19/3/21	14:23:48		51	0.1	300	31.5	3000	3462 G		26.12733	87.06985	Normal
19/3/21	14:24:0		51	0.1	330	32.5	3300	3757 G		26.12685	87.06463	Normal
19/3/21	14:24:0		51	0.1	310	30.3	3100	3561 G		26.1272	87.05572	Normal
19/3/21	14:24:23		51	0.1	290	30.3	2900	3364 G		26.12738	87.04562	Normal
19/3/21	14:24:23		51	0.1	260	32.5	2600	3069 G		26.12818	87.02677	Normal
19/3/21	14:25:0		51	0.1	310	31.2	3100	3561 G		26.14287	87.01868	Normal
19/3/21	14:25:33		51	0.1	300	32.5	3000	3462 G		26.1429	87.00958	Normal
19/3/21	14:26:8		51	0.1	310	31.2	3100	3561 G		26.1292	87.0003	Normal
19/3/21	14:26:8		51	0.1	280	32.5	2800	3265 G		26.12906	87.09057	Normal
19/3/21	14:26:8		51	0.1	260	30.3	2600	3069 G		26.12874	87.08063	Normal
19/3/21	14:26:43		51	0.1	220	31.2	2200	2675 G		26.1281	87.0749	Normal
19/3/21	14:27:0		51	0.1	220	32.5	2200	2675 G		26.1282	87.06548	Normal
19/3/21	14:27:0		51	0.1	260	31.2	2600	3069 G		26.12833	87.05522	Normal
19/3/21	14:29:4		51	0.1	210	32.5	2100	2577 G		26.12847	87.04512	Normal

$$Y = 0 * X^2 + 0.984 * X + 510.70$$

$$X = 2700$$

$$Y = 3167$$

(R) RURAL ROAD
Good Average Poor
<4000 4001-5000 >5001

19/04/2021
15/04/2021

19/3/21	14:30:0	51	0.1
19/3/21	14:30:15	51	0.1
19/3/21	14:30:15	51	0.1
19/3/21	14:31:0	51	0.1
19/3/21	14:31:0	51	0.1
19/3/21	14:31:25	51	0.1
19/3/21	14:31:25	51	0.1
19/3/21	14:32:1	51	0.1
19/3/21	14:32:1	51	0.1
19/3/21	14:32:36	51	0.1
19/3/21	14:32:36	51	0.1
19/3/21	14:33:0	51	0.1
19/3/21	14:33:11	51	0.1
19/3/21	14:33:11	51	0.1
19/3/21	14:33:11	51	0.1
19/3/21	14:34:0	51	0.1
19/3/21	14:43:2	51	0.1
19/3/21	14:43:2	51	0.1
19/3/21	14:43:37	51	0.1

240	31.2	2400	2872	G	26.13293	87.04512	Normal
250	32.5	2500	2970	G	26.13026	87.04628	Normal
310	32.4	3100	3561	G	26.13112	87.0478	Normal
270	31.2	2700	3167	G	26.13204	87.04915	Normal
280	31.2	2800	3265	G	26.13296	87.04982	Normal
250	32.5	2500	2970	G	26.13386	87.0513	Culvert
280	31.2	2800	3265	G	26.13468	87.0542	Normal
290	32.5	2900	3364	G	26.13532	87.06027	Curve
290	32.5	2900	3364	G	26.13617	87.06312	Normal
300	31.2	3000	3462	G	26.13652	87.05707	Normal
200	30.3	2000	2478	G	26.13657	87.04713	Normal
190	30.3	1900	2380	G	26.13685	87.03737	Normal
170	30.3	1700	2183	G	26.13707	87.0276	Curve
300	32.5	3000	3462	G	26.1379	87.02305	Normal
310	31.2	3100	3561	G	26.13879	87.0212	Normal
290	32.5	2900	3364	G	26.13947	87.0178	Normal
210	31.2	2100	2577	G	26.12985	87.04645	Normal
260	32.5	2600	3069	G	26.12894	87.04562	Normal
240	31.2	2400	2872	G	26.12831	87.04998	Normal

ad
12/4/21

ad
13/4/21
AR

ad
16/4/21

Geo Analyst

Name of Customer: M/S Vinod Kumar

Name of Work/ Road: Rajeshwari OP to

Lab Job number

Date: 14 March 21

Section No: 51


Test Date: 14 March 21	Road Name: Rajeshwari OP to Tamua
Machine No:	Road Type: (R) RURAL ROAD
Start S No:	Side: Chhatapur Interval
Start E No:	
Weather: Normal	UV Range: 1183 To 5000 1000 mm/km
Start Location: Rajeshwari	Dist Range: 0 To 55 01 * 1000 m
End Location: Tamua	Equation: $Y = 0 \cdot X^2 + 0.004 \cdot X + 510.70$

Print

Generate Report and Graph

Redraw Graph

Map View



13/4/21

13/4/21

13/4/21