

कार्यपालक अभियंता का कार्यालय  
ग्रामीण कार्य विभाग कार्य प्रमंडल अररिया

क्रमांक 607 अनु0 / अररिया,

दिनांक 24-03-21

प्रेषक,

कार्यपालक अभियंता  
ग्रामीण कार्य विभाग  
कार्य प्रमंडल, अररिया।

सेवा में,

सचिव सह शक्ति प्रदत्त पदाधिकारी  
ब्राडा (BRRDA)  
बिहार पटना।

विषय:- M/R (3054) Bihar Rural Road Maintenance Policy - 2018 में कराए गए  
कार्य का भुगतान हेतु अध्याचना के संबंध में।

महाशय

उपर्युक्त विषय के संबंध में कहना है कि इस प्रमंडल के कार्य क्षेत्रान्तर्गत कार्यान्वित  
हो रहे M/R (3054) Bihar Rural Road Maintenance Policy - 2018 में संवेदक के विपत्र का  
भुगतान हेतु संलग्न विवरणीनुसार आवंटन उपलब्ध कराने की कृपा की जाय।

अनु0-

1. विवरणी

विश्वासभाजन

कार्यपालक अभियंता  
ग्रामीण कार्य विभाग  
कार्य प्रमंडल, अररिया।

24.3.21

**Requisition Format for Scheme Head MR (3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)**

| Package no.          | Name of Road               | Project ID as per MIS | Administrative Approval (AA) No. & Date | Administrative Approval (AA) |                  | Agreement Amount (in Lakh)                |                            | Agreement No. & Date          | Date of Completion as per Agreement | Value of IRI (In mm/km) | Thickness of Bitumen Layer (in mm) | Value of Bitumen Content in percentage | Previous Total Allocated Amount (in Lakh) | Up to date expenditure as per MIS (in Lakh) | Requisition against work done (in Lakh) | Remarks     |
|----------------------|----------------------------|-----------------------|-----------------------------------------|------------------------------|------------------|-------------------------------------------|----------------------------|-------------------------------|-------------------------------------|-------------------------|------------------------------------|----------------------------------------|-------------------------------------------|---------------------------------------------|-----------------------------------------|-------------|
|                      |                            |                       |                                         | Length (in Km.               | Amount (in Lakh) | Initial Rectification and Surface Renewal | 5 Year Routine Maintenance |                               |                                     |                         |                                    |                                        |                                           |                                             |                                         |             |
|                      |                            |                       |                                         |                              |                  |                                           |                            |                               |                                     |                         |                                    |                                        |                                           |                                             |                                         |             |
| 2                    | 3                          | 4                     | 5                                       | 6                            | 7                | 8                                         | 9                          | 10                            | 11                                  | 12                      | 13                                 | 14                                     | 15                                        | 16                                          | 17                                      | 18          |
| MR-N/19-00/ARARIA/01 | REO Road Rampur Kodarkatti | NEA2200018            | 2763<br>18.08.20                        | 6.4                          | 217.36532        | 186.3571                                  | 57.22471                   | 128 MBD<br>MR 3054<br>2020-21 | 08.12.2021                          | 3070                    | 25mm                               | 5.00%                                  | 55.77948                                  | 55.77948                                    | 68.17492                                | In Progress |


Signed Hard Copy and Soft Copy (In excel) of Recorde IRI is enclosed.  
 p - to date Physical Progress has been uploaded in MIS

*[Signature]*  
 Executive Engineer  
 W.D Araria Works Division, Araria

*[Signature]*  
 24/3/21

*[Signature]*  
 23.3.21

Name of Customer :Gray stone inf.pvt., Name of Work/ Road :REO ROAD RAMPUR KUDARKATTI, Lab Job



$\frac{1}{\sqrt{2}}$

ABZ  
22/01/21  
ABZ

201.21



| Time             | Section No. | Length in km | Bumps in mm | Speed Rate | OR mm/km | IRI CATEGORY mm/km ROAD | Latitude | Longitude | Event      |
|------------------|-------------|--------------|-------------|------------|----------|-------------------------|----------|-----------|------------|
| 22/1/21 13:18:34 | 37          | 0.1          | 330         | 0          | 3300     | 3272 G                  | 26.7826  | 87.48276  | Normal     |
| 22/1/21 13:19:0  | 37          | 0.1          | 300         | 30.3       | 3000     | 2981 G                  | 26.7802  | 87.48187  | Normal     |
| 22/1/21 13:19:11 | 37          | 0.1          | 340         | 20.2       | 3400     | 3369 G                  | 26.77752 | 87.48084  | Normal     |
| 22/1/21 13:19:11 | 37          | 0.1          | 240         | 20.2       | 2400     | 2400 G                  | 26.777   | 87.47988  | Normal     |
| 22/1/21 13:19:11 | 37          | 0.1          | 410         | 20.2       | 3400     | 3874 G                  | 26.77438 | 87.47886  | Normal     |
| 22/1/21 13:19:46 | 37          | 0.1          | 280         | 30.3       | 2800     | 2787 G                  | 26.77493 | 87.47788  | Normal     |
| 22/1/21 13:20:0  | 37          | 0.1          | 220         | 30.3       | 2200     | 2206 G                  | 26.77627 | 87.47692  | Normal     |
| 22/1/21 13:20:0  | 37          | 0.1          | 340         | 20.2       | 3400     | 3369 G                  | 26.77748 | 87.47591  | Curve      |
| 22/1/21 13:20:22 | 37          | 0.1          | 330         | 20.2       | 3300     | 3272 G                  | 26.76878 | 87.47594  | Normal     |
| 22/1/21 13:21:0  | 37          | 0.1          | 450         | 20.2       | 4100     | 4135 A                  | 26.75987 | 87.47599  | Curve      |
| 22/1/21 13:21:0  | 37          | 0.1          | 340         | 20.2       | 3400     | 3369 G                  | 26.75613 | 87.47508  | Normal     |
| 22/1/21 13:21:0  | 37          | 0.1          | 270         | 30.3       | 2700     | 2690 G                  | 26.75473 | 87.47406  | Normal     |
| 22/1/21 13:21:0  | 37          | 0.1          | 300         | 20.2       | 3000     | 2981 G                  | 26.75377 | 87.47308  | Normal     |
| 22/1/21 13:21:31 | 37          | 0.1          | 200         | 20.2       | 2000     | 2012 G                  | 26.74595 | 87.47269  | Normal     |
| 22/1/21 13:22:0  | 37          | 0.1          | 310         | 10.1       | 3100     | 3078 G                  | 26.74102 | 87.47194  | Curve      |
| 22/1/21 13:22:6  | 37          | 0.1          | 340         | 10.1       | 3400     | 3369 G                  | 26.73377 | 87.47148  | Normal     |
| 22/1/21 13:22:42 | 37          | 0.1          | 570         | 10.1       | 4300     | 4397 A                  | 26.72653 | 87.47101  | Speed Brea |
| 22/1/21 13:23:17 | 37          | 0.1          | 280         | 10.1       | 2800     | 2787 G                  | 26.72107 | 87.47032  | Normal     |
| 22/1/21 13:23:17 | 37          | 0.1          | 170         | 20.2       | 1700     | 1721 G                  | 26.7209  | 87.46931  | Normal     |
| 22/1/21 13:23:17 | 37          | 0.1          | 210         | 20.2       | 2100     | 2109 G                  | 26.722   | 87.46835  | Normal     |
| 22/1/21 13:24:0  | 37          | 0.1          | 270         | 20.2       | 2700     | 2690 G                  | 26.72262 | 87.46732  | Normal     |
| 22/1/21 13:24:0  | 37          | 0.1          | 240         | 20.2       | 2400     | 2400 G                  | 26.72378 | 87.46631  | Normal     |
| 22/1/21 13:24:28 | 37          | 0.1          | 340         | 20.2       | 3400     | 3369 G                  | 26.72318 | 87.4653   | Normal     |
| 22/1/21 13:26:13 | 37          | 0.1          | 280         | 0          | 2800     | 2787 G                  | 26.72322 | 87.46535  | Normal     |
| 22/1/21 13:26:13 | 37          | 0.1          | 360         | 20.2       | 3600     | 3562 G                  | 26.72375 | 87.46638  | Normal     |
| 22/1/21 13:26:13 | 37          | 0.1          | 250         | 20.2       | 2500     | 2497 G                  | 26.72252 | 87.46736  | Normal     |
| 22/1/21 13:26:49 | 37          | 0.1          | 250         | 30.3       | 2500     | 2497 G                  | 26.72162 | 87.46833  | Normal     |
| 22/1/21 13:27:0  | 37          | 0.1          | 210         | 30.3       | 2100     | 2109 G                  | 26.72085 | 87.46938  | Normal     |
| 22/1/21 13:27:0  | 37          | 0.1          | 160         | 20.2       | 1600     | 1624 G                  | 26.72118 | 87.47039  | Normal     |
| 22/1/21 13:29:45 | 37          | 0.1          | 340         | 10.1       | 3400     | 3369 G                  | 26.75197 | 87.47631  | Normal     |
| 22/1/21 13:30:0  | 37          | 0.1          | 220         | 20.2       | 2200     | 2206 G                  | 26.74313 | 87.47662  | Normal     |
| 22/1/21 13:30:0  | 37          | 0.1          | 290         | 20.2       | 2900     | 2884 G                  | 26.7346  | 87.47695  | Normal     |
| 22/1/21 13:30:20 | 37          | 0.1          | 460         | 10.1       | 3600     | 3874 C                  | 26.72672 | 87.47739  | Normal     |
| 22/1/21 13:30:20 | 37          | 0.1          | 310         | 20.2       | 3100     | 3078 C                  | 26.71825 | 87.47722  | Normal     |
| 22/1/21 13:31:0  | 37          | 0.1          | 340         | 20.2       | 3400     | 3369 G                  | 26.71048 | 87.47722  | Normal     |
| 22/1/21 13:31:41 | 37          | 0.1          | 460         | 10.1       | 3800     | 4157 A                  | 26.7014  | 87.47859  | Normal     |
| 22/1/21 13:32:6  | 37          | 0.1          | 360         | 10.1       | 3600     | 3562 G                  | 26.693   | 87.47882  | Normal     |
| 22/1/21 13:32:41 | 37          | 0.1          | 290         | 10.1       | 2900     | 2884 G                  | 26.68427 | 87.47916  | Normal     |
| 22/1/21 13:33:0  | 37          | 0.1          | 320         | 10.1       | 3200     | 3175 G                  | 26.67613 | 87.47958  | Normal     |
| 22/1/21 13:33:17 | 37          | 0.1          | 390         | 20.2       | 3900     | 3853 C                  | 26.6675  | 87.47993  | Normal     |
| 22/1/21 13:33:17 | 37          | 0.1          | 350         | 20.2       | 3500     | 3466 G                  | 26.65878 | 87.4802   | Normal     |
| 22/1/21 13:34:0  | 37          | 0.1          | 500         | 10.1       | 3600     | 3789 G                  | 26.65023 | 87.48047  | Normal     |
| 22/1/21 13:34:27 | 37          | 0.1          | 300         | 10.1       | 3000     | 2981 G                  | 26.64137 | 87.48079  | Normal     |
| 22/1/21 13:34:27 | 37          | 0.1          | 350         | 20.2       | 3500     | 3466 G                  | 26.63328 | 87.48116  | Speed Brea |
| 22/1/21 13:35:2  | 37          | 0.1          | 380         | 20.2       | 3800     | 3756 G                  | 26.62492 | 87.48153  | Normal     |
| 22/1/21 13:35:3  | 37          | 0.1          | 340         | 20.2       | 3400     | 3369 G                  | 26.6162  | 87.48185  | Normal     |
| 22/1/21 13:35:38 | 37          | 0.1          | 350         | 10.1       | 3500     | 3466 G                  | 26.60753 | 87.48212  | Normal     |
| 22/1/21 13:35:38 | 37          | 0.1          | 330         | 20.2       | 3300     | 3272 G                  | 26.59873 | 87.48234  | Normal     |
| 22/1/21 13:36:0  | 37          | 0.1          | 360         | 20.2       | 3600     | 3562 G                  | 26.58953 | 87.48253  | Normal     |
| 22/1/21 13:36:13 | 37          | 0.1          | 220         | 20.2       | 2200     | 2206 G                  | 26.58028 | 87.48268  | Normal     |
| 22/1/21 13:37:0  | 37          | 0.1          | 330         | 0          | 3300     | 3272 G                  | 26.57165 | 87.48291  | Normal     |
| 22/1/21 13:37:24 | 37          | 0.1          | 370         | 10.1       | 3700     | 3659 G                  | 26.56355 | 87.48322  | Normal     |
| 22/1/21 13:37:24 | 37          | 0.1          | 350         | 20.2       | 3500     | 3466 G                  | 26.55518 | 87.48359  | Normal     |
| 22/1/21 13:38:0  | 37          | 0.1          | 230         | 20.2       | 2800     | 2787 G                  | 26.54642 | 87.48391  | Normal     |
| 22/1/21 13:38:0  | 37          | 0.1          | 340         | 10.1       | 3400     | 3369 G                  | 26.53797 | 87.48426  | Normal     |
| 22/1/21 13:38:34 | 37          | 0.1          | 260         | 20.2       | 2600     | 2593 G                  | 26.52973 | 87.48461  | Normal     |
| 22/1/21 13:38:34 | 37          | 0.1          | 280         | 20.2       | 2800     | 2787 G                  | 26.52105 | 87.48498  | Normal     |
| 22/1/21 13:39:10 | 37          | 0.1          | 270         | 20.2       | 2700     | 2690 G                  | 26.5124  | 87.48535  | Normal     |

Rev  
22.01.21  
BT

AR  
22/01/21  
AR

22/01/21

Lab Job number :37

Date :22-01-2021

Customer :Gray stone Inf.pvt

Work/ Road :REO ROAD RAMPUR KUDARKATTI

Road category

Location of Corrected U.I  
test(in km) value(mm/km)

|     |     |        |
|-----|-----|--------|
| 76  | 0.1 | 3272 G |
| 77  | 0.2 | 2981 G |
| 78  | 0.3 | 3369 G |
| 79  | 0.4 | 2400 G |
| 80  | 0.5 | 3874 G |
| 81  | 0.6 | 2787 G |
| 82  | 0.7 | 2206 G |
| 83  | 0.8 | 3369 G |
| 84  | 0.9 | 3272 G |
| 85  | 1   | 4135 A |
| 86  | 1.1 | 3369 G |
| 87  | 1.2 | 2690 G |
| 88  | 1.3 | 2981 G |
| 89  | 1.4 | 2012 G |
| 90  | 1.5 | 3078 G |
| 91  | 1.6 | 3369 G |
| 92  | 1.7 | 4397 A |
| 93  | 1.8 | 2787 G |
| 94  | 1.9 | 1721 G |
| 95  | 2   | 2109 G |
| 96  | 2.1 | 2690 G |
| 97  | 2.2 | 2400 G |
| 98  | 2.3 | 3369 G |
| 99  | 2.4 | 2787 G |
| 100 | 2.5 | 3562 G |
| 101 | 2.6 | 2497 G |
| 102 | 2.7 | 2497 G |
| 103 | 2.8 | 2109 G |
| 104 | 2.9 | 1624 G |
| 105 | 3   | 3369 G |
| 106 | 3.1 | 2206 G |
| 107 | 3.2 | 2884 G |
| 108 | 3.3 | 3874 G |
| 109 | 3.4 | 3078 G |
| 110 | 3.5 | 3369 G |
| 111 | 3.6 | 4157 A |
| 112 | 3.7 | 3562 G |
| 113 | 3.8 | 2884 G |
| 114 | 3.9 | 3175 G |
| 115 | 4   | 3853 G |

*Handwritten signature*  
22-01-21

*Handwritten signature*  
22-01-21  
AZ

*Handwritten signature*  
22-01-21

|     |     |        |
|-----|-----|--------|
| 116 | 4.1 | 3466 G |
| 117 | 4.2 | 3789 G |
| 118 | 4.3 | 2981 G |
| 119 | 4.4 | 3466 G |
| 120 | 4.5 | 3756 G |
| 121 | 4.6 | 3369 G |
| 122 | 4.7 | 3466 G |
| 123 | 4.8 | 3272 G |
| 124 | 4.9 | 3562 G |
| 125 | 5   | 2206 G |
| 126 | 5.1 | 3272 G |
| 127 | 5.2 | 3659 G |
| 128 | 5.3 | 3466 G |
| 129 | 5.4 | 2787 G |
| 130 | 5.5 | 3369 G |
| 131 | 5.6 | 2593 G |
| 132 | 5.7 | 2787 G |
| 133 | 5.8 | 2690 G |

for  
21.01.21  
N

AB  
22.01.21  
AZ

01  
22.01.21



MR-3054 અનાર્જિત Const of Road from 111  
REO Road Rarobur Kadarkatti in NH-57 Paikola

Schedule XLY-Form No. 134  
To khushiyagagan Bt.

Agreement No-128/MBD/MR-3054/2020-2021

Agency - Geyston Infrastructure Pvt Ltd

DIVISION  
ARARJA

Const. Cost - 27354611=

Maint. Cost - 11827244=0

Total 39181855=

SUB-DIVISION

ARARJA

Date of Commence - 04-12-2020  
Date of Completion - 03-12-2021

MEASUREMENT BOOK

2089



60:

17

Sch. XLV-Form No. 134

| Particulars                                                    | Details of actual measurement |    |    | Contents of area |
|----------------------------------------------------------------|-------------------------------|----|----|------------------|
|                                                                | No.                           | L. | B. |                  |
| 2nd on A/C Box                                                 |                               |    |    |                  |
| Abstraction of cost                                            |                               |    |    |                  |
| vide TMS page 14 to 15                                         |                               |    |    |                  |
| Further measurement - real P. <u>13.3.4</u>                    |                               |    |    |                  |
| D. entry. 23.03.2021                                           |                               |    |    |                  |
| 1/1 clearing & grubbing soil                                   |                               |    |    |                  |
| vide TMS P(14) 1.28 Hect                                       |                               |    |    |                  |
| e P. 49496.70/Hect                                             |                               |    |    | 63356            |
| 2/2 Const. Subgrade. obj vide                                  |                               |    |    |                  |
| TMS page (14) 2688 m <sup>2</sup> e P. 176.94/m <sup>2</sup>   |                               |    |    | 475668           |
| 3/3 Const. C.S.B. 4r D. obj                                    |                               |    |    |                  |
| vide TMS page (14)                                             |                               |    |    |                  |
| 233.64 m <sup>2</sup> e P. 2410 = 17/m <sup>2</sup> = H        |                               |    |    | 563127           |
| 4/4 Plv w.B.m. 4r D. obj                                       |                               |    |    |                  |
| vide TMS page (14) 217.24 m <sup>2</sup>                       |                               |    |    |                  |
| e P. 4314.69/m <sup>2</sup> = P.                               |                               |    |    | 937362           |
| 5/5 Plv w.B.m. 4r D. 17                                        |                               |    |    |                  |
| obj vide TMS page (14) -                                       |                               |    |    |                  |
| 350.21 m <sup>2</sup> e P. 4035.79/m <sup>2</sup> = P.         |                               |    |    | 1413374          |
| 6/6 Port. mer. coal. vide TMS                                  |                               |    |    |                  |
| P. (14) 4669.47 m <sup>2</sup> e P. 4372/m <sup>2</sup>        |                               |    |    | 204149           |
| 7/7 Tack coat. vide TMS P(14)                                  |                               |    |    |                  |
| 4669.47 m <sup>2</sup> e P. 14 = 79/m <sup>2</sup> = P.        |                               |    |    | 69061            |
| 8/8 Plv H/S/S. vide TMS                                        |                               |    |    |                  |
| P. (15) 4669.47 m <sup>2</sup> e P. 211.50/m <sup>2</sup> = P. |                               |    |    | 987593           |
| 9/9 Tack coat. vide TMS P(15)                                  |                               |    |    |                  |
| 24000 m <sup>2</sup> e P. 12 = 82/m <sup>2</sup> = P.          |                               |    |    | 307680           |

Continuation Lot 5021370



6

| Particulars                    | Details of actual measurement |    |       |          | Contents of area |
|--------------------------------|-------------------------------|----|-------|----------|------------------|
|                                | No.                           | L. | B.    | D.       |                  |
|                                |                               |    | BF    | R        | 5021370:         |
| 10/10 plus, Long SDNK obj vide |                               |    |       |          |                  |
| TMS P(15) 600 H 2 R            |                               |    | 10502 | 19/11/18 | 6301314-         |
|                                |                               |    | T     | R        | 11322684:        |
| Add C.S.T 12%                  |                               |    |       | R        | 1358722:         |
| Add L/Cess 1%                  |                               |    |       | R        | 113227:          |
|                                |                               |    | T     | R        | 12794633         |
| Less below 3.12% = 0-j R       |                               |    |       |          | 399193:          |
|                                |                               |    | T     | R        | 12395440         |
| Less previous payment made     |                               |    |       |          |                  |
| TMS page (15)                  |                               |    | (-) R |          | 5577948-         |
|                                |                               |    | T     | R        | 6817492-         |

Received  
23.3.21

M. Aravind