

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, हथुआ।

पत्रांक- 612

दिनांक- 24-05-2021

प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

सेवा में,

सचिव,
बिहार, ग्रामीण पथ विकास अभिरण,
बिहार, पटना।

विषय :- बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि उपलब्ध कराने के संबंध में।


महाशय,

उपरोक्त विषयक बिहार ग्रामीण पथ नई अनुरक्षण नीति-2018 के तहत क्रियान्वित पथ मरम्मत कार्य हेतु राशि की अधियाचना विहित प्रपत्र में की जा रही है।

अतः भवदीय से अनुरोध है कि कॉलम 18 में अंकित राशि उपलब्ध कराने की कृपा की जाय।

अनु०- यथोक्त।

विश्वासभाजन,


कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, हथुआ।

Requisition Format for Scheme Head- MR (3054) under Bihar Rural Road Maintenance Policy- 2018 (Initial Rectification and Surface Renewal)

Name of Works Division :- Rural Works Department, Works Division Hathua.																			
Sl No.	Package No.	Name of Road	Project ID as Per MIS	Administrative Approval (AA) Letter No & Date.	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No & Date	Date & Completion as per Agreement.	Actual Date of Completion	Value of IRI (in MM/KM)	Thickness of Bitumen layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in Lakh)	Up-to date expenditure as per MIS (in Lakh)	Requisition against work done. (in Lakh)	Remarks	
					Length (in Lakh)	Amount (in Lakh)	Initial Rectification with surface Renewal (in Lakh)	5 Year Routine Maintenance (in Lakh)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
1	MR-N-19-20/Hathua-19	Maranghat to UP Border via Nowka tola.	31406902017	Letter No-1843 & Dt- 17.07.2019	8.000	251.880	176.14252	74.33796	37/M.B.D/2020-21	03.07.2021	-	Good	25	5.00	0.00000	0.00000	176.01585	Completed.	
					8.000	251.880	176.14252	74.33796									176.01585		

A.E
R.W.D Works Division, Hathua.

R.W.D Works Division, Hathua.

Executive Engineer,
R.W.D Works Division, Hathua.

FORM GFR 19 - A

(See Government of India's Decision (1) below Rule - 150)

Form utilisation Certificate up to the month of Up to 31.03.2021

MR-3054 (New Maintenance Policy-2018)

RWD Works Division - HATHUA

1	Head	Amount Received		Expenditure		Balance	
	MR-3054 (New Maintenance Policy-2018)	IN A/C-	0.00	IN A/C-	0.00	IN A/C-	0.00
		By CFMS-	396929543.00	By CFMS-	382440826.00	By CFMS-	14488717.00
		Total-	396929543.00	Total-	382440826.00	Total-	14488717.00
						Certified that sum of Rs 3969.30 Lac has been utilized for the purpose of MR-3054 (New Maintenance Policy-2018) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 144.88 Lac Lacs remaining utilized at the end of the period under.	

2. Certified that I have satisfied myself that the conditions on which the grants-in aid was sanctioned have been duly

Kind of Checks exercised :-

- (i) Works have been supervised by Executive Engineer/Superintending Engineer.
- (ii) Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- (iii) Construction material have been tested.
- (iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/Executive Engineer.
- (v) All other codal formalities have been observed.

3. Physical Progress achieved :-

- (i) Construction of Road Works.
- (ii) Construction of CD Works


24.05.21

D.A.O
Rural Works Department
Works Division Hathua


24/05/21

Executive Engineer
Rural Works Department
Works Division Hathua

Date	Time	Section	Length	Bumps	Speed	OR	IRI	ORRY	Latitude	Longitude	Event
4/5/21	18:39:00	86	0.1	370	0	3700	3637	G	26.52141	83.99939	Normal
4/5/21	18:39:22	86	0.1	330	0	3300	3293	G	26.52054	83.99914	Speed Breaker
4/5/21	18:40:00	86	0.1	370	10.1	3700	3637	G	26.51964	83.99899	Curve
4/5/21	18:40:33	86	0.1	300	10.1	3000	3034	G	26.51884	83.99852	Normal
4/5/21	18:41:08	86	0.1	270	10.1	2700	2775	G	26.51795	83.99818	Normal
4/5/21	18:41:43	86	0.1	280	10.1	2800	2862	G	26.51714	83.99771	Curve
4/5/21	18:42:00	86	0.1	310	10.1	3100	3120	G	26.51663	83.99697	Curve
4/5/21	18:42:19	86	0.1	290	10.1	2900	2948	G	26.51574	83.997	Normal
4/5/21	18:43:00	86	0.1	340	10.1	3400	3379	G	26.51484	83.99638	Normal
4/5/21	18:43:29	86	0.1	190	10.1	1900	2086	G	26.51397	83.99606	Normal
4/5/21	18:43:40	86	0.1	220	10.1	2200	2344	G	26.51227	83.99529	Normal
4/5/21	18:44:15	86	0.1	290	0	2900	2948	G	26.51139	83.99498	Normal
4/5/21	18:45:15	86	0.1	280	10.1	2800	2862	G	26.51068	83.99443	Curve
4/5/21	18:46:00	86	0.1	270	20.2	2700	2775	G	26.51015	83.99249	Curve
4/5/21	18:46:25	86	0.1	320	10.1	3200	3206	G	26.50954	83.99182	Curve
4/5/21	18:47:11	86	0.1	280	10.1	2800	2862	G	26.5092	83.99098	Curve
4/5/21	18:47:36	86	0.1	320	20.2	3200	3206	G	26.50724	83.98897	Curve
4/5/21	18:48:00	86	0.1	360	30.3	3600	3551	G	26.50592	83.98759	Culvert
4/5/21	18:48:11	86	0.1	270	30.3	2700	2775	G	26.50514	83.98699	Normal
4/5/21	18:48:47	86	0.1	360	20.2	3600	3551	G	26.5041	83.98551	Curve
4/5/21	18:49:00	86	0.1	260	20.2	2600	2689	G	26.50234	83.9852	Normal
4/5/21	18:49:22	86	0.1	300	30.3	3000	3034	G	26.50139	83.9851	Curve
4/5/21	18:49:22	86	0.1	300	20.2	3000	3034	G	26.50067	83.98444	Normal
4/5/21	18:49:22	86	0.1	350	20.2	3500	3465	G	26.49999	83.98375	Curve
4/5/21	18:50:00	86	0.1	310	10.1	3100	3120	G	26.49932	83.98362	Curve
4/5/21	18:50:32	86	0.1	300	20.2	3000	3034	G	26.49766	83.98436	Normal
4/5/21	18:51:00	86	0.1	390	20.2	3900	3810	G	26.49617	83.98343	Culvert
4/5/21	18:51:43	86	0.1	250	10.1	2500	2603	G	26.49453	83.98	Curve

(R) RURAL ROAD

Good Average Poor
<4000 4001-5000 >5001

$$Y = 0 * X^2 + 0.862 * X + 448.5$$

$$X = 3206$$

$$Y = 3206$$

4/5/21	18:52:18	86	0.1	360	20.2	3600	3551	G	26.49286	83.98342	Curve
4/5/21	18:52:18	86	0.1	350	20.2	3500	3465	G	26.49205	83.98328	Normal
4/5/21	18:52:54	86	0.1	360	20.2	3600	3551	G	26.49122	83.98274	Normal
4/5/21	18:53:0	86	0.1	360	20.2	3600	3551	G	26.49045	83.98219	Normal
4/5/21	18:53:0	86	0.1	300	20.2	3000	3034	G	26.48963	83.98192	Curve
4/5/21	18:53:0	86	0.1	290	20.2	2900	2948	G	26.4888	83.9821	Culvert
4/5/21	18:53:29	86	0.1	260	30.3	2600	2689	G	26.4879	83.98177	Normal
4/5/21	18:54:0	86	0.1	270	30.3	2700	2775	G	26.48697	83.98152	Normal
4/5/21	18:54:4	86	0.1	310	30.3	3100	3120	G	26.48613	83.9813	Culvert
4/5/21	18:54:4	86	0.1	370	20.2	3700	3637	G	26.48521	83.98111	Normal
4/5/21	18:54:39	86	0.1	300	20.2	3000	3034	G	26.48431	83.98084	Normal
4/5/21	18:54:39	86	0.1	260	20.2	2600	2689	G	26.48343	83.98044	Normal
4/5/21	18:55:0	86	0.1	310	20.2	3100	3120	G	26.48262	83.9801	Normal
4/5/21	18:55:15	86	0.1	300	20.2	3000	3034	G	26.48167	83.98015	Culvert
4/5/21	18:55:15	86	0.1	310	20.2	3100	3120	G	26.48089	83.98066	Normal
4/5/21	18:55:15	86	0.1	290	30.3	2900	2948	G	26.48016	83.98121	Normal
4/5/21	18:55:50	86	0.1	310	30.3	3100	3120	G	26.47944	83.98194	Normal
4/5/21	18:56:0	86	0.1	370	20.2	3700	3637	G	26.47858	83.9818	Normal
4/5/21	18:56:25	86	0.1	340	20.2	3400	3379	G	26.47802	83.98244	Curve
4/5/21	18:56:25	86	0.1	310	20.2	3100	3120	G	26.47725	83.98296	Culvert
4/5/21	18:56:25	86	0.1	300	30.3	3000	3034	G	26.4763	83.983	Normal
4/5/21	18:57:1	86	0.1	290	30.3	2900	2948	G	26.47541	83.98305	Normal
4/5/21	18:57:1	86	0.1	280	30.3	2800	2862	G	26.47456	83.98	Normal
4/5/21	18:57:1	86	0.1	320	30.3	3200	3206	G	26.47361	83.98322	Normal
4/5/21	18:57:36	86	0.1	320	20.2	3200	3206	G	26.47311	83.98254	Normal
4/5/21	18:58:11	86	0.1	270	10.1	2700	2775	G	26.47274	83.9818	Curve
4/5/21	18:58:11	86	0.1	360	10.1	3600	3551	G	26.47183	83.98175	Normal
4/5/21	18:58:46	86	0.1	330	20.2	3300	3293	G	26.47099	83.9814	Normal
4/5/21	18:59:0	86	0.1	320	20.2	3200	3206	G	26.47014	83.98096	Curve
4/5/21	18:59:22	86	0.1	310	10.1	3100	3120	G	26.46991	83.98192	Curve
4/5/21	18:59:22	86	0.1	350	20.2	3500	3465	G	26.46969	83.9829	Normal
4/5/21	19:0:0	86	0.1	390	10.1	3900	3810	G	26.46957	83.98386	Normal
4/5/21	19:6:0	87	0.1	230	0	2300	2431	G	26.46929	83.98487	Normal
4/5/21	19:6:0	87	0.1	380	10.1	3800	3724	G	26.46899	83.98581	Curve
4/5/21	19:6:35	87	0.1	310	20.2	3100	3120	G	26.4689	83.9868	Normal
4/5/21	19:6:35	87	0.1	310	20.2	3100	3120	G	26.46866	83.98781	Culvert
4/5/21	19:7:10	87	0.1	370	20.2	3700	3637	G	26.46853	83.98882	Culvert
4/5/21	19:7:45	87	0.1	320	10.1	3200	3206	G	26.46857	83.98987	Normal


Name of Customer : Anand Mishra Construction . **Name of Work/ Road :** Mararghat to UP Bardar bhaya Nauka Tola ,



Executive Engineer
R.W.D. Works Division
Hathua

File: C:\Users\UR Computer\Desktop\04051909.Xls. Section No.: 07. Eqn: $Y = 0 + X^2 + 0.862 \cdot X + 448.5$

Name of Customer: Anand Mishra Construction. Name of Work/ Road: Morarghat to UP Bardar bhaya Nauka Tola.



[Signature]
Executive Engineer
R.W.D. Works Division
Hathua

1

No. and date of agreement

[illegible]

Scanned with CamScanner

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				B.F. Rs 142	6 1334 =
Qty. vide TMB page no (8)					
160.00 m ² @ Rs 735.40/m ²					1176640 =
22 providing for finding					
85 Log of Main fence					
do					
Qty. vide TMB page no (8)					
4.00 m ² @ Rs 9495.83/m ²					37983 =
23 Brick masonry					
86 in C.M. (1:3) in					
10 parapet					
do					
Qty. vide TMB page no (6)					
23.04 m ² @ Rs 5014.92/m ²					115544 =
24 plastering with C.M. (1:4)					
87 do do all comp					
Qty. vide TMB page no (6)					
161.28 m ² @ Rs 164.19/m ²					26481 =
25 painting two coats on					
88 new Concrete surface.					
do do all comp					
Qty. vide TMB page no (7)					
468.34 m ² @ Rs 95.63/m ²					44787 =
					Rs 15662769 =
Less as per agreement Rs					86145 =
0.55% below Rs					15576624 =
add Cess @ 1%					155766 =
add GST 12%					Rs 1869195 =
					Rs 17601585 =

Continuation

18-5-2021
J.E.

18-5-2021
J.E.