

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, बाढ़

पत्रांक1351 अनु0 / बाढ़ / दिनांक23/11/2021.....
प्रेषक,

कार्यपालक अभियन्ता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल बाढ़।

सेवा मे,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव,
बिहार ग्रामीण पथ विकास अभिकरण, पटना।


विषय :- नई अनुरक्षण नीति-2018 योजना अन्तर्गत आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है, कि नई अनुरक्षण नीति-2018 योजना अन्तर्गत आवंटन उपलब्ध कराने हेतु विहित प्रपत्र में मॉग पत्र तैयार कर आवश्यक कार्रवाई हेतु संलग्न कर समर्पित की जा रही हैं।

अनु0-यथोक्त।

विश्वासभाजन


कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बाढ़।


23/11/21

RWD Works Division, BARH

Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road " New Maintenance Policy 2018" (Initial Rectification and Surface Renewal)

Name of Division:- BARH

Name of Division:- BARH																		
S.N	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (A.A) Letter No. & Date	Administrative Approval (A.A)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI in MM/KM	Thickness of Bitumen Layer (in MM)	Value of Bitumen Content (in %)	Previous Total Allotted Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (K.M)	Amount (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Year Routine Maintenance										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20/BARH/01	Special repair of road from gram Bahadurpur (Yadav Tola) to gram Surjapura Mandir via Karjan Hospital	10100308032	6286 & 02-12-2019	1.9	73.0314	50.181	20.1178	04/MBD/20-21 & 31-07-2020	31-07-2020	25-07-2021	3515.15	25	5.01	0.00000	0.00000	44.17253	Completed

Executive Engineer
RWD Works Division, BARH

23/11/24
23/11/24

FORM GFR 19- A

(See Government of India's Decision (1) below Rule-150)
Form of Utilization Certificate up to the month of **November 2021**

New Maintenance Policy 2018

State – Bihar

PIU – E.E., R.W.D., Works Div, Barh

Sl. No.	Sanction No. & Date with Amount (in Rs. lacs)	Amount Received (in Rs. lacs)	Particulars
1	Lt. No. 05 Dt. 12.01.2021 Lt. No. 20 Dt. 19.03.2021 Lt. No. 23 Dt. 26.03.2021 Lt. No. 27 Dt. 04.05.2021 Lt. No. 30 Dt. 21.05.2021	30.25000 26.56520 39.06801 6.92496 189.09607	Certified that out of Rs. 291.90424 lacs received during the year 2020-21 to 2021-22 in favour of E-in-C, RWD, Bihar Patna a sum of 287.27772 lacs has been utilized for the purpose of New Maintenance Policy 2018 Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 4.62652 Lacs remaining unutilized at the end of the period under.
	Total	291.90424	

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks Exercised:-

- Works have been supervised by Executive Engineer/Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant.
- All other codal formalities have been observed.

Memo No. /Barh,

Date

Copy Forwarded to Secretary-Cum-Empowered Officer (BRRDA), Patna taking necessary action.

Executive Engineer
Rural Works Department
Works Division, Barh

23/11/21
23/11/21

MR 3054 Grain Bakharyun yadav toh to
Gruam Surajpura mandir via Kanjan hospital
tak path **Schedule XLV-Form No. 134**

MR-3054

E.E., R.W.D. works.

DIVISION Bank

A.E., R.W.D. works Atkmal Gola

SUB-DIVISION

Abhijaynath Construction At. Ltd.

Measurement Book

454

Scanned with CamScanner

NAME OF THE ROAD :- Gram Bahadurpur (Yadav Tola) To
Gram Suryapura Mandir Path Via Karjan Hospital Tak
DIVISION :- BARH

LENGTH OF THE ROAD :- 1.900 KM
BLOCK :- ATHMALGOLA

PACKAGE NO :- MR-N/19-20/Barh/01
AGENCY :- Avipriyansh Const. Pvt. Ltd.

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	CATEGORY ROAD	Latitude	Longitude	Event			
7/8/21	10:46:50	72	0.1	340	28.1	3400	3468	G	25.445925	85.61909	Speed Breaker	Y = 0 * X ^ 2 + 0.920 * X + 216.7		
7/8/21	10:47:10	72	0.1	350	30.2	3500	3528	G	25.445612	85.620622	Speed Breaker	X = 8475		
7/8/21	10:47:25	72	0.1	300	30.2	3000	3076	G	25.445642	85.62143	Normal	Y = 8013		
7/8/21	10:47:45	72	0.1	390	27.1	3900	3904	G	25.445253	85.62212	Curve			
7/8/21	10:48:05	72	0.1	330	30.2	3300	3332	G	25.443928	85.623147	Curve			
7/8/21	10:48:21	72	0.1	340	25.2	3400	3424	G	25.443427	85.623635	Curve	(R) RURAL ROAD		
7/8/21	10:48:37	72	0.1	310	26.5	3100	3168	G	25.442872	85.624007	Speed Breaker	Good		
7/8/21	10:48:55	72	0.1	320	22.2	3200	3260	G	25.441975	85.623635	Speed Breaker	<4000	Average	Poor
7/8/21	10:49:11	72	0.1	350	24.4	3500	3576	G	25.44127	85.62313	Curve			
7/8/21	10:49:26	72	0.1	390	28.2	3900	3904	G	25.440813	85.623787	Curve			
7/8/21	10:49:42	72	0.1	360	30.2	3600	3679	G	25.440703	85.624242	Normal			
7/8/21	10:49:59	72	0.1	340	22.5	3400	3444	G	25.446955	85.618753	Speed Breaker			
7/8/21	10:50:16	72	0.1	320	30.2	3200	3250	G	25.447837	85.619007	Speed Breaker			
7/8/21	10:50:32	72	0.05	370	25.2	3700	3780	G	25.448588	85.619528	Normal			
7/8/21	11:05:03	73	0.1	340	26.5	3400	3484	G	25.449415	85.619848	Speed Breaker			
7/8/21	11:05:20	73	0.1	350	22.2	3500	3596	G	25.45028	85.62003	Speed Breaker			
7/8/21	11:05:37	73	0.1	380	24.4	3800	3806	G	25.450863	85.620437	Speed Breaker			
7/8/21	11:05:51	73	0.1	350	25.2	3500	3536	G	25.451837	85.621007	Normal			
7/8/21	11:06:06	73	0.1	370	26.5	3700	3796	G	25.452588	85.622528	Speed Breaker			
7/8/21	11:06:19	73	0.05	320	30.2	3200	3292	G	25.453415	85.622848	Normal			
TOTAL		1.900	6920			69200	70303							
AVERAGE						3460	3515.15							

7/8/21
J.E.

7/8/21
A.E.

Executive Engineer
R.W.D. Works Division
BARH

Name of Customer :	Ampiyansh Cornt. Pvt. Ltd
Name of Work/Road :	Gram Bahadurpur (Yadav Tola)
Lab Job number :	
Date :	8/7/2021
Section No.	72

Test Date :	8/7/2021	Road Name :	Gram Bahadurpur (Yadav Tola)
Machine No :		Road Type :	(R) RURAL ROAD
Start S No :	0000	Side :	
Start E No :	1350	Interval	
Weather :		U/V Range :	2076 To 5000
Start Location :	Gram Bahadu	Dist Range :	0 To 1.5
End Location :	Gram Suryap	Equation :	$Y = 0 - X^2 + 0.920 \cdot X + 216.7$


Print

Generate Report and Graph

Redraw Graph

Map View

File : D:\Bump Text\Sonu Nigam - Actual\Gram Bahadurpur (Yadav Tola) To Gram Suryapura Mandir Via Karjan
 Name of Customer : Name of Work/Road : Lab Job number :



Signature
 7/8/2021
 J.C

Signature
 07/8/21
 A.E

Signature
 07/08/21
 Executive Engineer
 R.W.D. Works Division
 BARRH

Name of Customer :	Ayiyarath Const. Pvt. Ltd.
Name of Work/ Road :	Gram Bahadurpur (Yadav Tola)
Lab Job number :	
Date :	8/7/2021
Section No.	73


Test Date :	8/7/2021	Road Name :	Gram Bahadurpur (Yadav Tola)
Machine No :		Road Type :	(R) RURAL ROAD
Start S No :	0.000	Side :	
Start E No :	0.550	Interval	
Weather :		UV Range :	2292 To 5000
Start Location :	Gram Bahadu	Dist Range :	0 To 0.7
End Location :	Gram Suryapu	Equation :	$Y = 0 \cdot X^2 + 0.920 \cdot X + 216.7$

Print Generate Report and Graph

Redraw Graph

Map View

File : D:\Bump Text\Sonu Nigam - Actual\Gram Bahadurpur (Yadav Tola) To Gram Suryapura Mandir Via Karjan .
 Name of Customer : Name of Work/ Road : Lab Job number :



Handwritten notes:
 07/08/2021
 07/18/21
 A.B.

Signature: 07/08/21
Executive Engineer
R.W.D. Works Division
BARRH

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, क्षेत्रीय प्रयोगशाला, गुलजारबाग
पटना 800007

पटना/दिनांक : 16.08.2021....

पत्रांक - 993 अनु०

प्रेषक,
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला
गुलजारबाग, पटना -7
सेवा में,
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल

विषय :- जाँचफल प्रतिवेदन के संबंध में।
प्रसंग :- AE, Athmalgola vide letter no-06 dt 5.5.2021

महाशय,
उपर्युक्त विषयक के संबंध में जाँचफल प्रतिवेदन इस पत्र के साथ संलग्न कर
आवश्यक कारवाई हेतु भेजा जा रहा है जो निम्न प्रकार है:-
Gram Badalpur (yadav Tola) to Gram Surajpur
Mandir via Patna
Bifurmen Center for SDR

13/11/21

अनु० :- यथोक्त

विश्वासभाजन

[Signature]
12/8/21

कार्यपालक अभियंता
ग्रामीण कार्य विभाग

क्षेत्रीय प्रयोगशाला, गुलजारबाग, पटना -7

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R. W. D., GULZARBAGH, PATNA - 7

PHYSICAL AND GRADATION TEST OF COARSE AGGREGATE

Name of Project/Road :- Gram Badadur (yadav toll) to Gram Surajpur Mandir via Patna

Name of Scheme :- MR. 3034

Name of Agency :- Aji Prayansh Const

Nature of sample : Semi Dense Bituminous Concrete Date of Collection/Received :- 7/8/2021

Location :- 200m

Date of Test :- 12/8/2021

Ref :- Material sent by E.E./A.E. R.W.D. WORKS Division/Sub Division

vide letter No. 05 Dt. 25/4/2021

Agreement No / Package No. : 04/MR30/2020-21

Sl.No	A.I.V.	
	Average Test Value	Required Value(Max)
1.		30%

Sl. No	Sieve Size in (mm)	Weight of Sample Taken Kgs 17.650					Remarks
		Weight Retd.	% of Wt. Retained	% of Cumm. Retained	% of Passing	Required Value	
1	13.2	0.000	0.00	0.00	100	100	
2	9.5	0.635	3.60	3.60	96.40	90-100	
3	4.75	8.446	47.85	51.45	48.55	35-51	
4	2.36	2.815	15.95	67.40	32.60	24-39	
5	1.18	0.680	3.85	71.25	28.75	15-30	
6	0.300	2.039	11.55	82.80	17.20	9-19	
7	0.075	1.756	9.95	92.75	7.25	3-8	

Prakash
L.A. 12/8/2021
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

Prakash
A.E. 12/8/2021
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

Prakash
E. E. 12/8/21
Regional Laboratory
R.W.D. Guljarbagh
patna - 7

Letter No. _____

Date ____/____/____

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R. W. D., GULZARBAGH, PATNA - 7

Name of Project/Road :- Gram Badadua (yadav Tola) to Gram Surestpur Mandir
 Bituminous mix
 Name of Scheme:- MR-3554
 Name of Agency:- A.V. Prayagsh Const.
 Nature of sample: Bitumen Content for SDRC
 Location :- 280M
 Date of Collection/Received :- 27/8/2021
 Date of Test :- 12/8/2021
 Ref :- Material sent by E.E./A.E. R.W.D. WORKS Division/H.H. Malgola vide letter No. 26 Dt. 25/7/2021
 Agreement No / Package No. : 24/MR30/2020-21

SL. NO.	SAMPLE NO.	1	2	3	REMARKS
1	Wt. of mix taken before extraction (a)	506.00	510.00	500.00	
2	Wt. of Dry chips after extraction (b)	480.30	484.50	474.90	
3	Percentage of bitumen (in the mix) [(a-b)*100/a] (%)	5.00	5.00	5.02	
4	Average % bitumen	5.01			

Regional Laboratory
 R. W. D. Guljarbagh patna - 7

Regional Laboratory
 R. W. D. Guljarbagh patna - 7

Regional Laboratory
 R. W. D. Guljarbagh patna - 7