

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, गोपालगंज-1

पत्रांक:- 1918 अक्र

/ गोपालगंज

दिनांक:- 30/09/2021

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, गोपालगंज-1

सेवा में,

सचिव,
बिहार ग्रामीण पथ विकास अभिकरण,
बिहार, पटना।

विषय:- 3054 बिहार ग्रामीण पथ नई अनुरक्षण नीति 2018 के योजना अन्तर्गत में
अधियाचित राशि का आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषयक प्रासंगिक पत्र के अनुपालन में 3054 बिहार ग्रामीण पथ नई
अनुरक्षण नीति 2018 के योजना अन्तर्गत राशि की माँग संलग्न विहित प्रपत्र में पथवार की
गई है।

अतः भवदीय से अनुरोध है कि विहित प्रपत्र के कॉलम 18 में अंकित कुल राशि
का आवंटन उपलब्ध कराने की कृपा की जाय। अधियाचित राशि के संदर्भ में C & P किये
मापी पुस्तिका एवं Bump Intrigater Report की छाया प्रति संलग्न कर समर्पित किया जा
रहा है।

अनु० यथोक्त।

विश्वासभाजन




कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, गोपालगंज-1


Requisition Format for Scheme Head- MR (3054) Under Bihar Rural Road Maintenance Policy 2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- R.W.D. Works Division Gopalganj-1

SL. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (in Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Amount Alloted (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition work done against (in lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20 Gopalganj-1/13	Raipur to Sahpur	31406902092	5517 dt. 21.10.2019	3.140	67.543	67.54330	30.81568	32-MBD-- NMP- 2018/2020- 21/dt	06.05.2021	05.09.2021	Good	0.025	5.03%	0.00000	0.00000	67.18647	
2	MR-N/19-20 Gopalganj-1/12	Sirsia to Mahua	31406902104	5517 dt. 21.10.2019	5.830	207.843	128.45927	59.58007	23-MBD-- NMP- 2018/2020- 21/dt	06.05.2021	23.09.2021	Good	0.025	5.020%	49.30692	49.30692	73.96038	
3	MR-N/19-20 Gopalganj-1/12	Ahiyapur to Swanthi Jagdish	31406902027	5517 dt. 21.10.2019	3.160	125.973	82.71664	32.78367	23-MBD-- NMP- 2018/2020- 21/dt	06.05.2021	16.06.2021	Good	0.025	5.060%	32.57415	32.57415	49.68602	
4	MR-N/19-20 Gopalganj-1/12	Tiwari Khareya to Kharwana	31406902112	5517 dt. 21.10.2019	4.370	166.745	106.58989	44.06219	23-MBD-- NMP- 2018/2020- 21/dt	06.05.2021	12.07.2021	Good	0.025	5.100%	39.27592	39.27592	59.88122	

- Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.
- Up-to-date Physical Progress has been uploaded in MIS


 B.A.O.
 R.W.D. Works Division
 Gopalganj-1


 Executive Engineer
 R.W.D. Works Division
 Gopalganj-1


FORM CER 19
(See government of India's Decision) Below Rule-150
Form of utilisation certificate up to Month of August 2021
3054 New Maintenance Policy 2018

Sl No.	Name of Scheme	Allotment Received		Expenditure		Balance	
		By Bank A/C		By Bank A/C		In Bank A/C	
1	3054 New Maintenance Policy 2018		0.00		0.00		0.00
		By CFMS	134168273.00	By CFMS	114577126.00	In CFMS	19591147.00
		Total	134168273.00	Total	114577126.00	Total	19591147.00
						Certified that sum of Rs. 114577126.00 of has been utilized for the purpose of 3054 New Maintenance Policy 2018 as given in the margin for which it was sanction as that the balance of Rs. 19591147.00 remaining unutilized at the end of the period under report.	

2. Certified that I have satisfied my self the condition in which the grants aid was sanctioned have been duly full filled are beign fulfilled and that have exercised the following checks to see that the kind of checks exercised:-

- i. Work have been supervised by executive engineer/Super intending Engineer..... Yes
 - ii. Periodical inspection has been conducted by E.E./S.E/E.E. Weekly S.E. quarterly
 - iii. Construction materials have been tested-Yes
 - iv. Measurement have been recorded in MB as test Check Conducted by Assistant Engineer/ Executive
 - v. All other coda formalities have been observed- Yes
- 3 Physical Progress achieved:-
- i. Construction of Road work 11 Nos.
 - ii. Construction of CD work 77/2 Nos (77HP CUI/2 No RCC)


 Divisional Accounts Officer
 R.W.D. Works Division
 Gopalganj-1


 Executive Engineer,
 R.W.D. Works Division
 Gopalganj-1

Third & Final Const bill

Sch. XLV—Form No. 134

31

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
N/W= Tiwari Khareya to Khutwaria under NMP-2018 Package-MR-N-19-20 Gopalgarh-1-12 Agency-M/S Durga Construction. At Rajwara Gopalgarh Agreement N-23/MR/NMP/2018/ 2020-2021 Agreement Value Rs. 50,65,208/- Date of commencement of Work — 7-8-2020 Date of Completion of work 6-5-2021 Date of actual completion 12-7-21					

Further measurement
Nil

Booooo
28/9/21
AS

25/9/21
J.D

Abstract of cost

(46) Clearing and grubbing


road land (By manual
means) in clearing & grubbing
wild vegetation grass
bushes — 1 — 11

Qty v. T MRP (23) 0.50 Hed

Continuation
@ Rs 51133 = 76/ Hed @ 25567 =

Rs 25567 = 6

File : C:\Users\UR Computer\Desktop\19051505.Xls. Section No. : 90, Eqn : $Y = 0 + X^2 + 0.862 * X + 448.5$
 Name of Customer : Durga Construction, Name of Work/ Road : Tiwari Khareya to Kutwaniya, Lab Job number :



19/5/2021
 19/5/2021

19/5/21
 19/5/21

19/5/21
 19/5/21

19/5/21
 19/5/21

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATE GOR	Latitude	Longitude	Event
19/5/21	14:50:17	90	0.1	360	0	3600	3551	G	26.52665	84.27833	Normal
19/5/21	14:50:17	90	0.1	250	20.2	2500	2603	G	26.52702	84.27827	Normal
19/5/21	14:50:52	90	0.1	250	20.2	2500	2603	G	26.52702	84.27827	Normal
19/5/21	14:51:5	90	0.1	300	10.1	3000	3034	G	26.52885	84.27682	Speed Breaker
19/5/21	14:51:5	90	0.1	280	20.2	2800	2862	G	26.52885	84.27682	Normal
19/5/21	14:51:40	90	0.1	280	10.1	2800	2862	G	26.52885	84.27682	Bridge
19/5/21	14:51:40	90	0.1	270	20.2	2700	2775	G	26.52885	84.27682	Normal
19/5/21	14:52:16	90	0.1	240	0	2400	2517	G	26.52885	84.27682	Speed Breaker
19/5/21	14:52:51	90	0.1	220	20.2	2200	2344	G	26.52885	84.27682	Normal
19/5/21	14:52:51	90	0.1	220	30.3	2200	2344	G	26.52885	84.27682	Normal
19/5/21	14:53:26	90	0.1	180	30.3	1800	2000	G	26.52885	84.27682	Curve
19/5/21	14:53:26	90	0.1	240	20.2	2400	2517	G	26.52885	84.27682	Curve
19/5/21	14:53:26	90	0.1	290	20.2	2900	2948	G	26.52885	84.27682	Normal
19/5/21	14:54:2	90	0.1	330	20.2	3300	3293	G	26.52885	84.27682	Curve
19/5/21	14:54:2	90	0.1	260	20.2	2600	2689	G	26.52885	84.27682	Normal
19/5/21	14:54:37	90	0.1	200	30.3	2000	2172	G	26.52885	84.27682	Normal
19/5/21	14:54:37	90	0.1	160	30.3	1600	1827	G	26.52885	84.27682	Curve
19/5/21	14:54:37	90	0.1	230	20.2	2300	2431	G	26.52885	84.27682	Curve
19/5/21	14:55:47	90	0.1	290	0	2900	2948	G	26.52885	84.27682	Normal
19/5/21	14:56:23	90	0.1	270	10.1	2700	2775	G	26.52885	84.27682	Speed Breaker
19/5/21	14:56:23	90	0.1	230	20.2	2300	2431	G	26.52885	84.27682	Curve
19/5/21	14:56:23	90	0.1	270	20.2	2700	2775	G	26.52885	84.27682	Normal
19/5/21	14:56:58	90	0.1	300	20.2	3000	3034	G	26.52885	84.27682	Normal
19/5/21	14:57:33	90	0.1	250	10.1	2500	2603	G	26.52885	84.27682	Speed Breaker
19/5/21	14:57:33	90	0.1	240	10.1	2400	2517	G	26.52885	84.27682	Curve
19/5/21	14:58:9	90	0.1	210	10.1	2100	2258	G	26.52885	84.27682	Normal
19/5/21	14:58:9	90	0.1	260	20.2	2600	2689	G	26.52885	84.27682	Normal
19/5/21	14:58:44	90	0.1	260	10.1	2600	2689	G	26.52885	84.27682	Curve
19/5/21	14:58:44	90	0.1	300	10.1	3000	3034	G	26.52885	84.27682	Curve
19/5/21	14:59:19	90	0.057	170	20.2	2982	3018	G	26.52885	84.27682	Normal
19/5/21	14:59:19	90	0	0	363.6	0	448	G	26.52885	84.27682	Normal
19/5/21	15:0:30	90	0.1	320	0	3200	3206	G	26.52885	84.27682	Normal

$$Y = 0 * X^2 + 0.862 * X + 448.5$$

$$X = 3158$$

$$Y = 3170$$

(R) RURAL ROAD
 Good Average Poor
 <4000 4001-5000 >5001

19/5/21

19/5/21

19/5/21	15:1:5	90	0.1	220	20.2	2200	2344	G	26.52885	84.27682	Curve
19/5/21	15:1:5	90	0.1	230	20.2	2300	2431	G	26.52885	84.27682	Normal
19/5/21	15:1:5	90	0.1	320	20.2	3200	3206	G	26.52885	84.27682	Curve
19/5/21	15:1:40	90	0.1	240	20.2	2400	2517	G	26.52885	84.27682	Curve
19/5/21	15:2:16	90	0.1	260	10.1	2600	2689	G	26.52885	84.27682	Curve
19/5/21	15:2:51	90	0.1	250	10.1	2500	2603	G	26.52885	84.27682	Curve
19/5/21	15:3:26	90	0.1	140	0	1400	1655	G	26.52885	84.27682	Normal
19/5/21	15:4:1	90	0.1	300	10.1	3000	3034	G	26.52885	84.27682	Normal
19/5/21	15:4:1	90	0.1	340	10.1	3400	3379	G	26.52885	84.27682	Curve
19/5/21	15:4:37	90	0.1	350	10.1	3500	3465	G	26.52885	84.27682	Speed Breaker
19/5/21	15:4:37	90	0.057	180	20.2	3158	3170	G	26.52885	84.27682	Normal

Recd
19/5/21

Recd
19/5/21

Recd
19/5/21

Recd
19/5/21