

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
(5) providing & applying ^{laying} 20mm thick Mix Seal surface etc.					
					$1 \times 32.0 \times 3.75 = 120.0 \text{ m}^2$
(6) Const. of subgrade & shoulder with app. material etc.					
					$2 \times 32.0 \times 1.425 \times 0.3 \text{ m}$
					$= 27.36 \text{ m}^3$
2.8 2.8					
2.8 2.8					

Abstract

(1) Const. of subgrade & shoulder with app. material etc.

Qty vide T.M.B.P. No. (7)

$$= 27.36 \text{ m}^3 \text{ @ } 237 = 43/\text{m}^3$$

$$\text{Rs } 6496 = \infty$$

(2) Const. of G.S.B. grading materials etc.

Qty vide T.M.B.P. No. (6)

$$= 4.725 \text{ m}^3 \text{ @ } 3272 = 17/\text{m}^3$$

$$\text{Rs } 15461 = \infty$$

(3) providing & laying W.B.M. grade III etc.

Qty vide T.M.B.P. No. (6)

$$= 9.0 \text{ m}^3 \text{ @ } 4128 = 78/\text{m}^3 \text{ Rs } 371592$$

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	

④ providing and applying
primer coat SS-I etc.

Qty vide T.M.B.P. No. ⑥

= $120.0 \text{ M}^2 \times R 49 = 40 / \text{M}^2 \text{ R } 5928 =$

⑤ providing and applying
tack coat Rst etc.

Qty vide T.M.B.P. No. ⑥

= $120.0 \text{ M}^2 \times R 16 = 78 / \text{M}^2$

R 2014 = 00

⑥ providing & laying 20mm
thick Mix seal surface
etc.

Qty vide T.M.B.P. No. ⑥

= $120.0 \text{ M}^2 \times R 232 = 06 / \text{M}^2$

R 27847 =

R 94,905 =

Add 12% GST R 11,389 =

Add 1% L/CSS R 949 = 00

Add 10% Seinsorage

fee on Material cost R 1157 =

R 1,08,400 =

Grandly

218121

d.E.

Accepted
218121
d.E.