



# ग्रामीण कार्य विभाग

Rural Works Department, Govt of Bihar

2021-22

## FLOOD DAMAGED REPORT



## MJDR T03 to Mahathi

|                       |    |                |     |
|-----------------------|----|----------------|-----|
| DISTRICT              | :- | Samastipur     |     |
| DIVISION              | :- | Dalsingh Sarai |     |
| BLOCK                 | :- | Bibhutipur     |     |
| TOTAL LENGTH OF ROAD  | :- | 4.39           | KM  |
| TOTAL COST OF PROJECT | :- | 0.94           | Lac |



# Site Photograph

Name of Road:- MDR t03 to Mahathi  
 Block- Bibhutipur

Dist- Samastipur



*[Handwritten signature]*  
 28/10/21

*[Handwritten signature]*  
 28/10/21  
 AD

SUMMARY OF COST ESTIMAT FOR THE PROJECT

NAME OF ROAD :- Repair of Road in M|DR T03 to Mahathi

STRICT SAMASTIPUR

LOCK BIBHUTIPUR

| S.NO | DESCRIPTION                               | AMOUNT LAKH |
|------|---|-------------|
| 1    | Hume Pipe                                 | 15644.250   |
|      | BRICK BAT                                 | 64867.824   |
|      | GSB                                       | 3159.000    |
|      | SUB TOTAL:-                               | 83671.074   |
|      | 12% GST on Total Amount:-                 | 10040.529   |
|      | 1% lab cess                               | 836.711     |
|      | Total Cost (including GST and Labour Cess | 94548.314   |

  
28/10/21

J.E

  
28/11/21

A.E

EE




Figure -3

**Quarry Map**

Name of Road :- MDR T03 to Mahathi  
 Block :- Bibhutipur  
 District :- Samastipur

Length of the Road:- 4.39 KM



\* Subjected to Verification of Lead

*[Signature]*  
28/10/21

J.E

*[Signature]*  
28/10/21

A.E.

E.E

S.E.

| SI No | Item with Source                                      | Unit     | Source Up to | Carrriage Cost & Lead in Km          |                                      | Katcha   | Loading & Unloading Cost | Carriage Cost by Rail Head | Total ₹     | Total ₹ Minimum |
|-------|---|----------|--------------|--------------------------------------|--------------------------------------|----------|--------------------------|----------------------------|-------------|-----------------|
|       |   |          |              | Puckla / Surface                     | Lead in Km                           |          |                          |                            |             |                 |
| 1     | Stone Metal Gr-I & Gr-II (Sheikhpura by Rail 121 Km)  | Cum      | Sheikhpura   | 8.00 x 10.10 x 38.00 Km = Rs 668.93  | 8.00 x 24.30 x 0.00 Km = Rs 0.00     | Rs 0.00  | 105.12                   | 1025.87                    | Rs. 1799.92 | Rs. 1799.92     |
|       |   |          |              | 4.59                                 | 8.00 x 7.94 x 137.00 Km = Rs 1895.91 | Rs 0.00  | 210.19                   | Rs. 2106.10                | Rs. 2106.10 |                 |
| 2     | Stone Metal Gr-III (Sheikhpura by Rail 121 Km)        | Cum      | Sheikhpura   | 8.00 x 10.10 x 38.00 Km = Rs 615.31  | 8.00 x 24.30 x 0.00 Km = Rs 0.00     | Rs 0.00  | 105.12                   | 1128.34                    | Rs. 1848.77 | Rs. 1848.77     |
|       |   |          |              | 4.99                                 | 8.00 x 7.94 x 137.00 Km = Rs 1743.94 | Rs 0.00  | 210.19                   | Rs. 3082.47                | Rs. 3082.47 |                 |
| 3     | Stone Aggregate / Chips (Mirza Chowki by Rail 230 Km) | Cum      | Sheikhpura   | 8.00 x 10.10 x 38.00 Km = Rs 615.31  | 8.00 x 24.30 x 0.00 Km = Rs 0.00     | Rs 0.00  | 105.12                   | 1588.15                    | Rs. 2308.58 | Rs. 2308.58     |
|       |   |          |              | 4.99                                 | 8.00 x 7.94 x 137.00 Km = Rs 1743.94 | Rs 0.00  | 210.19                   | Rs. 3542.28                | Rs. 3542.28 |                 |
| 4     | Stone Boulder (Sheikhpura by Rail 121 Km)             | Cum      | Sheikhpura   | 8.00 x 10.10 x 38.00 Km = Rs 639.67  | 8.00 x 24.30 x 0.00 Km = Rs 0.00     | Rs 0.00  | 105.12                   | 1159.81                    | Rs. 1904.60 | Rs. 1904.60     |
|       |   |          |              | 4.80                                 | 8.00 x 7.94 x 137.00 Km = Rs 1812.97 | Rs 0.00  | 210.19                   | Rs. 3182.97                | Rs. 3182.97 |                 |
| 5     | Course Sand   | Cum      | Ktul         | 8.00 x 7.94 x 208.00 Km = Rs 2647.73 | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 113.67                   |                            | Rs. 2761.40 | Rs. 2761.40     |
|       |   |          |              | 4.99                                 | 8.00 x 10.10 x 38.00 Km = Rs 511.73  | Rs 0.00  | 113.67                   | Rs. 1476.89                | Rs. 1476.89 |                 |
| 6     | Binding Material/Moorum (Sheikhpura by Rail 121 Km)   | Cum      | Sheikhpura   | 8.00 x 7.94 x 137.00 Km = Rs 1450.37 | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 66.31                    | 851.49                     | Rs. 2368.17 | Rs. 2368.17     |
|       |   |          |              | 6.00                                 | 8.00 x 10.10 x 2.00 Km = Rs 32.38    | Rs 0.00  | 113.67                   | Rs. 185.01                 | Rs. 185.01  |                 |
| 7     | Local Sand  | Cum      | Local        | 8.00 x 7.94 x 7.00 Km = Rs 222.32    | 8.00 x 19.22 x 1.00 Km = Rs 76.88    | Rs 38.96 | 477.44                   |                            | Rs. 776.64  | Rs. 776.64      |
|       |   |          |              | 2.00                                 | 8.00 x 7.94 x 10.00 Km = Rs 79.40    | Rs 0.00  | 347.32                   | Rs. 426.72                 | Rs. 426.72  |                 |
| 8     | Brick   | 1000 Nos | Local        | 8.00 x 7.94 x 10.00 Km = Rs 79.40    | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 370.58                   |                            | Rs. 449.98  | Rs. 449.98      |
|       |   |          |              | 8.00                                 | 8.00 x 7.94 x 82.00 Km = Rs 651.08   | Rs 0.00  | 396.98                   | Rs. 1048.06                | Rs. 1048.06 |                 |
| 9     | Cement  | MT       | Local        | 8.00 x 7.94 x 91.00 Km = Rs 722.54   | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 396.98                   |                            | Rs. 1119.52 | Rs. 1119.52     |
|       |   |          |              | 8.00                                 | 8.00 x 7.94 x 36.00 Km = Rs 228.67   | Rs 0.00  | 70.84                    | Rs. 299.51                 | Rs. 299.51  |                 |
| 10    | Steel   | MT       | Local        | 8.00 x 7.94 x 36.00 Km = Rs 91.47    | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 30.36                    |                            | Rs. 121.83  | Rs. 121.83      |
|       |   |          |              | 25.00                                | 8.00 x 7.94 x 36.00 Km = Rs 38.11    | Rs 0.00  | 30.36                    | Rs. 68.47                  | Rs. 68.47   |                 |
| 11    | Bitumen Emulsion                                      | MT       | Barauni      | 8.00 x 7.94 x 36.00 Km = Rs 38.11    | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 30.36                    |                            | Rs. 68.47   | Rs. 68.47       |
|       |   |          |              | 60.00                                |                                      | Rs 0.00  | 30.36                    | Rs. 68.47                  | Rs. 68.47   |                 |
| 12    | Bitumen   | MT       | Muzaffarpur  | 8.00 x 7.94 x 36.00 Km = Rs 38.11    | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 30.36                    |                            | Rs. 68.47   | Rs. 68.47       |
|       |   |          |              | 60.00                                |                                      | Rs 0.00  | 30.36                    | Rs. 68.47                  | Rs. 68.47   |                 |
| 13    | Hume Pipe (1000 mm)                                   | m        | Samastipur   | 8.00 x 7.94 x 36.00 Km = Rs 38.11    | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 30.36                    |                            | Rs. 68.47   | Rs. 68.47       |
|       |   |          |              | 25.00                                |                                      | Rs 0.00  | 30.36                    | Rs. 68.47                  | Rs. 68.47   |                 |
| 14    | Hume Pipe (600 mm)                                    | m        | Samastipur   | 8.00 x 7.94 x 36.00 Km = Rs 38.11    | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 30.36                    |                            | Rs. 68.47   | Rs. 68.47       |
|       |   |          |              | 25.00                                |                                      | Rs 0.00  | 30.36                    | Rs. 68.47                  | Rs. 68.47   |                 |
| 15    | Hume Pipe (300 mm)                                    | m        | Samastipur   | 8.00 x 7.94 x 36.00 Km = Rs 38.11    | 8.00 x 19.22 x 0.00 Km = Rs 0.00     | Rs 0.00  | 30.36                    |                            | Rs. 68.47   | Rs. 68.47       |
|       |   |          |              | 60.00                                |                                      | Rs 0.00  | 30.36                    | Rs. 68.47                  | Rs. 68.47   |                 |

FORM F8

\* Subjected to Verification of Lead

Handwritten signature and initials: *AE*, *PWD*, *EE*, *RWD*

Handwritten signature and initials: *JE*, *RWD*

Cost of Haulage Excluding Loading &amp; Unloading as per MOM as

| Type of Road          | ₹ Per Ton. Km by Tipper | ₹ Per Ton. Km by Truck |
|-----------------------|-------------------------|------------------------|
| For Surface Road      | 10.10                   | 7.94                   |
| Unsurface Gravel Road | 12.10                   | 9.55                   |
| Kachha Road           | 24.30                   | 19.22                  |

## Analysis for Carrige Through Railway from Quarry Site to Work Site

### Sheikhpura to Karpurigram

#### Material -Stone Metal Gr-I & Gr-II

Quarry Site to Sheikhpura Railway Yard (By Road)

| Pucka / Surface     |         | Carriage Cost & Lead In Km         |   |                     | Katcha            | Loading & Unloading | Total                   |
|---------------------|---------|------------------------------------|---|---------------------|-------------------|---------------------|-------------------------|
| $\frac{8.00}{4.59}$ | x 10.10 | x 4.00 Km = Rs 70.41               | + | $\frac{8.00}{4.59}$ | x 24.30           | x 0.00 Km = Rs 0.00 | + Rs 105.12 = Rs 175.53 |
| <b>UnSurface</b>    |         |                                    |   | $\frac{8.00}{4.59}$ | x 12.10           | x 1.00 Km           | = Rs 21.09              |
|                     |         | Loading & Unloading Cost by manual |   | =                   |                   | =                   | Rs 210.19 = Rs 210.19   |
|                     |         |                                    |   |                     |                   | Total               | = Rs 406.81             |
|                     |         | Less for O.H. & C.P.               |   | =                   | Rs 406.81 / 1.166 | =                   | Rs 348.89               |
|                     |         |                                    |   |                     |                   | Total 'A'           | = Rs 348.89             |

Sheikhpura Railway Yard to Karpurigram

Railway Yard = 121.00 Km

|   |                |                  |           |                 |                  |   |                  |
|---|----------------|------------------|-----------|-----------------|------------------|---|------------------|
| Railway freight charge from Sheikhpura Railway station to Karpurigram Railway station | =              | For 1 MT         | 121.00 Km | =               | Rs 231.30        | = | Rs 231.30        |
| Busy Season charge 15% of Railway freight charge                                      | =              | For 1 MT         |           | =               | 15%              | = | Rs 34.70         |
| Railway Development Charge to 5% of Railway freight Charge                            |                | For 1 MT         |           | =               | 5%               | = | Rs 11.57         |
| Terminal charge @Rs.40.00 per Terminal per MT   |                | For 1 MT         |           | x               | Rs 40.00         | = | Rs 0.00          |
| GST 0% *(4% included in Overhead Charges)   | =              | Rs 277.57        | x         | 0%              |                  | = | Rs 0.00          |
| <b>Total</b>  | =              | <b>For 1 MT</b>  |           | =               | <b>Rs 277.57</b> | = | <b>Rs 277.57</b> |
| <b>Rail Freight =</b>   | <b>1.743 x</b> | <b>Rs 277.57</b> |           | <b>For 1 MT</b> | <b>'B'</b>       | = | <b>Rs 483.80</b> |

**Gross Cost for Railway freight charge 'A' + 'B'** Rs 862.69

Add 12% Overhead Charge = 12% = Rs 99.92

Add 10% Contractor Profit = 10% = Rs 93.26

**Carriage Cost from Quarry to Karpurigram Railway Yard For 1 Cum = Rs 1025.87**

## Analysis for Carrige Through Railway from Quarry Site to Work Site

### Sheikhpura to Karpurigram

#### Material -Stone Metal Gr-III / GSB

Quarry Site to Sheikhpura Railway Yard (By Road)

| Pucka / Surface     |         | Carriage Cost & Lead In Km         |   |                     | Katcha            | Loading & Unloading | Total                   |
|---------------------|---------|------------------------------------|---|---------------------|-------------------|---------------------|-------------------------|
| $\frac{8.00}{4.99}$ | x 10.10 | x 4.00 Km = Rs 64.77               | + | $\frac{8.00}{4.99}$ | x 24.30           | x 0.00 Km = Rs 0.00 | + Rs 105.12 = Rs 169.89 |
| <b>UnSurface</b>    |         |                                    |   | $\frac{8.00}{4.99}$ | x 12.10           | x 1.00 Km           | = Rs 19.40              |
|                     |         | Loading & Unloading Cost by manual |   | =                   |                   | =                   | Rs 210.19 = Rs 210.19   |
|                     |         |                                    |   |                     |                   | Total               | = Rs 399.48             |
|                     |         | Less for O.H. & C.P.               |   | =                   | Rs 399.48 / 1.166 | =                   | Rs 342.61               |
|                     |         |                                    |   |                     |                   | Total 'A'           | = Rs 342.61             |

| Sheikhpura Railway Yard to Karpurigram  |                   | Railway Yard = 121.00 Km  |                   |
|---|-------------------|---------------------------|-------------------|
| Railway freight charge from Sheikhpura Railway station to Karpurigram Railway station | = For 1 MT        | 121.00 Km                 | = Rs 231.30 =     |
| Busy Season charge 15% of Railway freight charge                                      | = For 1 MT        |                           | = 15% =           |
| Railway Development Charge to 5% of Railway freight Charge                            | For 1 MT          |                           | = 5% =            |
| Terminal charge @Rs.40.00 per Terminal per MT   | For 1 MT          | 2                         | x Rs 40.00 =      |
| GST 0% *(4% included in Overhead Charges)   | = Rs 357.57 x     | 0%                        | =                 |
| <b>Total</b>  | =                 | <b>For 1 MT</b>           | =                 |
| Rail Freight =  | 1.603 x Rs 357.57 | For 1 MT                  | = Rs 573.25       |
| <b>Carriage cost from Quarry to Karpurigram Railway Yard For 1 Cum</b>                |                   |                           |                   |
|   |                   | Add 12% Overhead Charge   | = 12% = Rs 109.90 |
|   |                   | Add 10% Contractor Profit | = 10% = Rs 102.58 |
| <b>Carriage cost from Quarry to Karpurigram Railway Yard For 1 Cum</b>                |                   |                           |                   |

### Analysis for Carriage Through Railway from Quarry Site to Work Site

#### Mirza Chowki to Karpurigram

#### Material -Stone Aggregate / Chips

Quarry Site to Mirza Chowki Railway Yard (By Road)

| Pucka / Surface                              |               | Carriage Cost & Lead In Km       |                     | Katcha |  | Loading & Unloading |                | Total              |
|--|---------------|----------------------------------|---------------------|--------|--|---------------------|----------------|--------------------|
| $\frac{8.00}{4.99} \times 10.10 \times 4.00$ | Km = Rs 64.77 | $\frac{8.00}{4.99} \times 24.30$ | x 0.00 Km = Rs 0.00 |        |  |                     | + Rs 105.12    | = Rs 169.89        |
| <b>UnSurface</b>                             |               | $\frac{8.00}{4.99} \times 12.10$ | x 1.00 Km           |        |  |                     |                | = Rs 19.40         |
| Loading & Unloading Cost by manual           |               |                                  |                     |        |  |                     |                | = Rs 210.19        |
|  |               |                                  |                     |        |  |                     | <b>Total</b>   | <b>= Rs 399.48</b> |
|  |               |                                  |                     |        |  |                     | <b>Total A</b> | <b>= Rs 342.61</b> |

Mirza Chowki Railway Yard to Karpurigram

Railway Yard = 230.00 Km

|   |                   |                           |               |                  |
|---|-------------------|---------------------------|---------------|------------------|
| Railway freight charge from Mirza Chowki Railway station to Karpurigram Railway station | = For 1 MT        | 230.00 Km                 | = Rs 425.30 = | Rs 425.30        |
| Busy Season charge 15% of Railway freight charge  | = For 1 MT        |                           | = 15% =       | Rs 63.80         |
| Railway Development Charge to 5% of Railway freight Charge                              | For 1 MT          |                           | = 5% =        | Rs 21.27         |
| Terminal charge @Rs.40.00 per Terminal per MT   | For 1 MT          | 2                         | x Rs 40.00 =  | Rs 80.00         |
| GST 0% *(4% included in Overhead Charges)   | = Rs 590.37 x     | 0%                        | =             | Rs 0.00          |
| <b>Total</b>  | =                 | <b>For 1 MT</b>           | =             | <b>Rs 590.37</b> |
| Rail Freight =  | 1.603 x Rs 590.37 | For 1 MT                  | =             | <b>Rs 946.48</b> |
| <b>Carriage cost from Quarry to Karpurigram Railway Yard For 1 Cum</b>                  |                   |                           |               |                  |
|   |                   | Add 12% Overhead Charge   | = 12% =       | Rs 154.69        |
|   |                   | Add 10% Contractor Profit | = 10% =       | Rs 144.38        |
| <b>Carriage cost from Quarry to Karpurigram Railway Yard For 1 Cum</b>                  |                   |                           |               |                  |

## Analysis for Carrige Through Railway from Quarry Site to Work Site

### Sheikhpura to Karpurigram

#### Material - Stone Boulder

Quarry Site to Sheikhpura Railway Yard (By Road)

| Pucka / Surface                    |                          | Carriage Cost & Lead in Km       |                          | Katcha                           |                          | Loading & Unloading | Total                   |
|------------------------------------|--------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|---------------------|-------------------------|
| $\frac{8.00}{4.80} \times 10.10$   | $\times 4.00 \text{ Km}$ | = Rs 67.33                       | +                        | $\frac{8.00}{4.80} \times 24.30$ | $\times 0.00 \text{ Km}$ | = Rs 0.00           | + Rs 105.12 = Rs 172.45 |
| <b>UnSurface</b>                   |                          | $\frac{8.00}{4.80} \times 12.10$ | $\times 1.00 \text{ Km}$ |                                  |                          |                     | = Rs 20.17              |
| Loading & Unloading Cost by manual |                          |                                  |                          |                                  |                          |                     | = Rs 210.19             |
|                                    |                          |                                  |                          |                                  |                          | Total               | = Rs 402.81             |
| Less for O.H & C.P.                |                          | = Rs 402.81 / 1.166              |                          |                                  |                          |                     | = Rs 345.46             |
|                                    |                          |                                  |                          |                                  |                          | Total A             | = Rs 345.46             |

Sheikhpura Railway Yard to Karpurigram

Railway Yard = 121.00 Km

|   |                                  |                 |                           |                    |
|---|----------------------------------|-----------------|---------------------------|--------------------|
| Railway freight charge from Sheikhpura Railway station to Karpurigram Railway station | = For 1 MT                       | 121.00 Km       | = Rs 231.30               | = Rs 231.30        |
| Busy Season charge 15% of Railway freight charge                                      | = For 1 MT                       |                 | = 15%                     | = Rs 34.70         |
| Railway Development Charge to 5% of Railway freight Charge                            | = For 1 MT                       |                 | = 5%                      | = Rs 11.57         |
| Terminal charge @Rs.40.00 per Terminal per MT   | = For 1 MT                       | 2               | $\times \text{Rs } 40.00$ | = Rs 80.00         |
| GST 0% *(4% included in Overhead Charges)   | = Rs 357.57                      | $\times 0\%$    |                           | = Rs 0.00          |
| <b>Total</b>  | =                                | <b>For 1 MT</b> | =                         | <b>Rs 357.57</b>   |
| Rail Freight =  | $1.667 \times \text{Rs } 357.57$ | <b>For 1 MT</b> | <b>"B"</b>                | = <b>Rs 595.94</b> |

|  |       |  |  |             |
|--|-------|--|--|-------------|
| Less Cost for Railway freight charge A - B |       |  |  | = Rs 238.37 |
| Add 12% Overhead Charge                    | = 12% |  |  | = Rs 112.97 |
| Add 10% Contractor Profit                  | = 10% |  |  | = Rs 105.44 |

Carriage Cost from Quarry to Karpurigram Railway Yard For 1 Cum = Rs 1159.81

## Analysis for Carrige Through Railway from Quarry Site to Work Site

### Sheikhpura to Karpurigram

#### Binding Material /Moorum

Quarry Site to Sheikhpura Railway Yard (By Road)

| Pucka / Surface                    |                          | Carriage Cost & Lead in Km       |                          | Katcha                           |                          | Loading & Unloading | Total                  |
|------------------------------------|--------------------------|----------------------------------|--------------------------|----------------------------------|--------------------------|---------------------|------------------------|
| $\frac{8.00}{6.00} \times 10.10$   | $\times 4.00 \text{ Km}$ | = Rs 53.87                       | +                        | $\frac{8.00}{6.00} \times 24.30$ | $\times 0.00 \text{ Km}$ | = Rs 0.00           | + Rs 66.31 = Rs 120.18 |
| <b>UnSurface</b>                   |                          | $\frac{8.00}{6.00} \times 12.10$ | $\times 1.00 \text{ Km}$ |                                  |                          |                     | = Rs 16.13             |
| Loading & Unloading Cost by manual |                          |                                  |                          |                                  |                          |                     | = Rs 113.67            |
|                                    |                          |                                  |                          |                                  |                          | Total               | = Rs 249.98            |
| Less for O.H & C.P.                |                          | = Rs 249.98 / 1.166              |                          |                                  |                          |                     | = Rs 214.39            |
|                                    |                          |                                  |                          |                                  |                          | Total A             | = Rs 214.39            |

| Sheikhpura Railway Yard to Karpurigram  |                                  | Railway Yard = 121.00 Km |          |
|---|----------------------------------|--------------------------|----------|
| Railway freight charge from Sheikhpura Railway station to Karpurigram Railway station | = For 1 MT 121.00 Km             | = Rs 231.30              | =        |
| Busy Season charge 15% of Railway freight charge                                      | = For 1 MT                       | = 15%                    | =        |
| Railway Development Charge to 5% of Railway freight Charge                            | For 1 MT                         | = 5%                     | =        |
| Terminal charge @Rs.40.00 per Terminal per MT   | For 1 MT                         | 2 x Rs 40.00             | =        |
| GST 0 % *(4% Included In Overhead Charges) = Rs 357.57 x                              | 0%                               |                          | =        |
| <b>Total</b>  | <b>= For 1 MT</b>                |                          | <b>=</b> |
| <b>Railway freight = 1333 x Rs 357.57</b>   | <b>For 1 MT</b>                  | <b>B'</b>                | <b>=</b> |
| <b>Overhead Charge</b>  |                                  |                          |          |
|   | <b>Add 12% Overhead Charge</b>   | <b>= 12%</b>             | <b>=</b> |
|   | <b>Add 10% Contractor Profit</b> | <b>= 10%</b>             | <b>=</b> |
| <b>Charge @ 00.00 from Quarry to Karpurigram Railway Yard</b>                         | <b>For 1 Cum</b>                 |                          | <b>=</b> |

## Analysis of Rates ( FORMAT F8 )

| Sl. No. | SDB Sl. No. | MORD R. No. | DESCRIPTION   | Unit | Quantity | Rate    | Amount in Rs |
|---------|-------------|-------------|---|------|----------|---------|--------------|
| 1       | 1.10        | (i)         | <b>Haulage excluding Loading &amp; Unloading</b><br><b>Haulage BY TIPPER</b><br>Haulage of materials by tipper excluding cost of loading, unloading and stacking.<br>Unit = t.km<br>Taking output 10 t load and lead 10 km = 100 t.km<br><b>Case-I : Surfaced Road</b><br>Speed with load: 25 km per hour<br>Speed while returning empty: 35 km per hour                      |      |          |         |              |
|         |             | a)          | <b>Machinery</b><br><b>Tipper 10 t capacity</b><br>Haulage with load  | hour | 0.40     | 1183.00 | 473.20       |
|         |             | b)          | Empty return trip   | hour | 0.29     | 1183.00 | 343.07       |
|         |             | c)          | Overheads @ 12%   |      |          |         | 97.95        |
|         |             |             | Contractor's profit @ 10% on (a+b)  |      |          |         | 91.42        |
|         |             |             | Cost for 100 t-km = a+b+c   |      |          |         | 1005.64      |
|         |             |             | Rate per cum = (a+b+c) / 100  |      |          |         | 10.06        |
|         |             |             | Rate Per Km.  | Cum  |          |         | 10.10        |
| 2       | 1.10        | (ii)        | <b>Haulage excluding Loading &amp; Unloading</b><br>Haulage of materials by tipper excluding cost of loading, unloading and stacking.<br>Unit = t.km<br>Taking output 10 t load and lead 10 km = 100 t.km<br><b>Case-II: Unsurfaced Gravel Road.</b><br>Speed with load: 20 km/hour<br>Speed for empty return trip: 30 km/hour  |      |          |         |              |
|         |             | a)          | <b>Machinery</b><br><b>Tipper 10 t capacity</b><br>Haulage with load  | hour | 0.50     | 1183.00 | 591.50       |
|         |             | b)          | Empty return trip   | hour | 0.33     | 1183.00 | 390.39       |
|         |             | c)          | Overheads @ 12%   |      |          |         | 117.83       |
|         |             |             | Contractor's profit @ 10% on (a+b)  |      |          |         | 109.97       |
|         |             |             | Cost for 100 t-km = a+b+c   |      |          |         | 1209.69      |
|         |             |             | Rate per cum = (a+b+c) / 100  |      |          |         | 12.10        |
|         |             |             | Rate Per Km.  | Cum  |          |         | 12.10        |
| 3       | 1.10        | (iii)       | <b>Haulage excluding Loading &amp; Unloading</b><br>Haulage of materials by tipper excluding cost of loading, unloading and stacking.<br>Unit = t.km<br>Taking output 10 t load and lead 10 km = 100 t.km<br><b>Case-III : Katcha Track and Track in River Bed/Nallah Bed and Choe Bed.</b><br>Speed with load: 10 km per hour<br>Speed while returning empty: 15 km per hour |      |          |         |              |
|         |             | a)          | <b>Machinery</b><br><b>Tipper 10 t capacity</b><br>Haulage with load  | hour | 1.00     | 1183.00 | 1183.00      |
|         |             | b)          | Empty return trip   | hour | 0.67     | 1183.00 | 792.61       |
|         |             | c)          | Overheads @ 12%   |      |          |         | 237.07       |
|         |             |             | Contractor's profit @ 10% on (a+b)  |      |          |         | 221.27       |
|         |             |             | Cost for 100 t-km = a+b+c   |      |          |         | 2433.95      |
|         |             |             | Rate per cum = (a+b+c) / 100  |      |          |         | 24.34        |
|         |             |             | Rate Per Km.  | Cum  |          |         | 24.30        |
|         |             |             | <b>Haulage BY TRUCK</b>   |      |          |         |              |
| 4       | 1.10        | (i)         | <b>Haulage excluding Loading &amp; Unloading</b><br>Haulage of materials by tipper excluding cost of loading, unloading and stacking.   |      |          |         |              |

### Analysis of Rates (FORMAT F8)

| Sl. No. | SDB Sl. No. | MORD Ref. No. | DESCRIPTION  | Unit         | Quantity                                    | Rate             | Amount   |
|---------|-------------|---------------|--|--------------|---|------------------|--|
|         |             |               | Unit = t.km<br>Taking output 10 t load and lead 10 km = 100 t.km<br><b>Case-I : Surfaced Road</b><br>Speed with load: 25 km per hour<br>Speed while returning empty: 35 km per hour<br>a) <b>Machinery</b><br><b>Truck 10 t capacity</b><br>Haulage with load<br>Empty return trip<br>b) Overheads @ 12%<br>c) Contractor's profit @ 10% on (a+b)<br>Cost for 100 t-km = a+b+c<br><b>Rate per cum = (a+b+c) / 100</b>  | hour<br>hour | 0.40<br>0.29                                | 934.30<br>934.30 | 373.7<br>270.9<br>77.3<br>72.2<br>794.2<br>7.9     |
|         |             |               |  | Rate Per Km. | Cum   |                  | 7.9  |
| 5       | 1.10        | (II)          | <b>Haulage excluding Loading &amp; Unloading</b><br>Haulage of materials by tipper excluding cost of loading, unloading and stacking.<br>Unit = t.km<br>Taking output 10 t load and lead 10 km = 100 t.km<br><b>Case-II: Unsurfaced Gravel Road.</b><br>Speed with load: 20 km/hour<br>Speed for empty return trip: 30 km/hour<br>a) <b>Machinery</b><br><b>Truck 10 t capacity</b><br>Haulage with load<br>Empty return trip<br>b) Overheads @ 12%<br>c) Contractor's profit @ 10% on (a+b)<br>Cost for 100 t-km = a+b+c<br><b>Rate per cum = (a+b+c) / 100</b>   | hour<br>hour | 0.50<br>0.33                                | 934.30<br>934.30 | 467.1<br>308.1<br>93.1<br>86.1<br>955.1<br>9.1     |
|         |             |               |  | Rate Per Km. | Cum   |                  | 9.1  |
| 6       | 1.10        | (III)         | <b>Haulage excluding Loading &amp; Unloading</b><br>Haulage of materials by tipper excluding cost of loading, unloading and stacking.<br>Unit = t.km<br>Taking output 10 t load and lead 10 km = 100 t.km<br><b>Case-III : Katcha Track and Track in River Bed/Nallah Bed and Choe Bed.</b><br>Speed with load: 10 km per hour<br>Speed while returning empty: 15 km per hour<br>a) <b>Machinery</b><br><b>Truck 10 t capacity</b><br>Haulage with load<br>Empty return trip<br>b) Overheads @ 12%<br>c) Contractor's profit @ 10% on (a+b)<br>Cost for 100 t-km = a+b+c<br><b>Rate per cum = (a+b+c) / 100</b>  | hour<br>hour | 1.00<br>0.67                                | 934.30<br>934.30 | 934.3<br>625.3<br>187.3<br>174.3<br>1922.3<br>19.3 |
|         |             |               |  | Rate Per Km. | Cum   |                  | 19.3   |
| 7       | 1.10        | RCD           | Loading and Unloading of Stone Boulder/Stone aggregates/Sand/Kanker/Moorum.<br>Placing tipper at loading point, loading with front end loader, dumping, turning for return trip, excluding time for haulage and<br><b>Unit = cum</b><br><b>Taking output = 5.5 cum</b><br><b>Time required for</b><br>i) Positioning of tipper at loading point<br>ii) Loading by front end loader 1 cum bucket capacity @ 25 cum per hour<br>iii) Maneuvering, reversing, dumping and turning for return<br>iv) Waiting time, unforeseen contingencies etc<br>Total<br>a) <b>Machinery</b><br>Tipper 5.5 tonnes capacity<br>Front end-loader 1 cum bucket capacity @ 25 cum/hour<br>Overheads @ 12% | hour<br>hour |   |                  |  |
|         |             |               |  | Rate Per Km. | Cum   |                  | 19.3   |
|         |             |               |  |              | 1 Min<br>13 Min<br>2 Min<br>4 Min<br>20 Min |                  | 394<br>46<br>10                                    |
|         |             |               |  | Rate Per Km. | Cum   |                  | 19.3   |

## Analysis of Rates (FORMAT F8)

| Sl. No. | SDB No. | MORD Ref No. | DESCRIPTION  | Unit | Quantity | Rate    | Rs            |
|---------|---------|--------------|--|------|----------|---------|---------------|
|         |         |              | <b>c) Contractor's profit @ 10% on (a+b)</b>   |      |          |         | 95.58         |
|         |         |              | Cost for 5.5 cum = a+b+c   |      |          |         | 1051.36       |
|         |         |              | <b>Rate per cum = (a+b+c) / 5.5</b>  |      |          |         | 191.16        |
| 8       | 1.20    | RCD          | <b>Loading and Unloading of Boulders by Manual Means</b>   |      |          | say     | <b>191.20</b> |
|         |         |              | Unit = cum   |      |          |         |               |
|         |         |              | Taking output = 5.5 cum  |      |          |         |               |
|         |         |              | <b>a) Labour</b>   |      |          |         |               |
|         |         |              | Mate   | day  | 0.11     | 321.00  | 35.31         |
|         |         |              | Mazdoor for loading and unloading  | day  | 0.75     | 304.00  | 228.00        |
|         |         |              | <b>b) Machinery</b>  |      |          |         |               |
|         |         |              | Tipper 5.5 tonne capacity  | hour | 0.75     | 1183.00 | 887.25        |
|         |         |              | Overheads @ 12%  |      |          |         | 138.07        |
|         |         |              | <b>d) Contractor's profit @ 10% on (a+b+c)</b>   |      |          |         | 128.86        |
|         |         |              | Cost for 5.5 cum = a+b+c+d   |      |          |         | 1417.49       |
|         |         |              | <b>Rate per cum = (a+b+c+d) / 5.5</b>  |      |          |         | 257.73        |
|         |         |              | <b>Unloading will be by tipping.</b>   |      |          | say     | <b>257.73</b> |
| 9       | 1.30    | RCD          | <b>Loading and Unloading of Cement or Steel by Manual Means and</b>  |      |          |         |               |
|         |         |              | Unit = tonne   |      |          |         |               |
|         |         |              | Taking output = 10 tonnes  |      |          |         |               |
|         |         |              | <b>a) Labour</b>   |      |          |         |               |
|         |         |              | Mate   | day  | 0.08     | 321.00  | 25.68         |
|         |         |              | Mazdoor for loading and unloading  | day  | 2.00     | 304.00  | 608.00        |
|         |         |              | <b>b) Machinery</b>  |      |          |         |               |
|         |         |              | Truck 10 tonne capacity  | hour | 2.00     | 934.30  | 1868.60       |
|         |         |              | Overheads @ 12%  |      |          |         | 300.27        |
|         |         |              | <b>d) Contractor's profit @ 10% on (a+b+c)</b>   |      |          |         | 280.26        |
|         |         |              | Cost for 10 tonnes = a+b+c+d   |      |          |         | 3082.81       |
|         |         |              | <b>Rate per tonnes = (a+b+c+d) / 10</b>  |      |          |         | 308.28        |
|         |         |              | <b>Unloading will be by tipping.</b>   |      |          | say     | <b>308.30</b> |
| 10      | 1.1     | (i)          | <b>Loading of Lime, Aggregate, Stone Boulder, Brick Aggregate, Kankar, Building Rubbish, Crushed Slag, Stone for Masonry Work by manual means including a lead upto 30 m</b>       |      |          |         |               |
|         |         |              | Unit = cum   |      |          |         |               |
|         |         |              | Taking output = 5.5 cum  |      |          |         |               |
|         |         |              | <b>a) Labour</b>   |      |          |         |               |
|         |         |              | Mate   | day  | 0.02     | 321.00  | 6.42          |
|         |         |              | Mazdoor (Unskilled)  | day  | 0.50     | 304.00  | 152.00        |
|         |         |              | <b>b) Machinery</b>  |      |          |         |               |
|         |         |              | Truck  | hour | 0.50     | 934.30  | 467.15        |
|         |         |              | <b>c) Overheads @ 12%</b>  |      |          |         | 75.07         |
|         |         |              | <b>d) Contractor's profit @ 10% on (a+b+c)</b>   |      |          |         | 70.06         |
|         |         |              | Cost for 5.5 cum = a+b+c+d   |      |          |         | 770.70        |
|         |         |              | <b>Rate per cum = (a+b+c+d) / 5.5</b>  |      |          |         | 140.13        |
|         |         |              | <b>Total Cost</b>  | Cum  |          |         | <b>140.13</b> |
| 11      |         | (ii)         | <b>Loading of Earth, Sand, Moorum, Manure, Flyash by manual means including a lead upto 30 m.</b>  |      |          |         |               |
|         |         |              | Unit = cum   |      |          |         |               |
|         |         |              | Taking output = 5.5 cum  |      |          |         |               |
|         |         |              | <b>a) Labour</b>   |      |          |         |               |
|         |         |              | Mate   | day  | 0.01     | 321.00  | 3.21          |
|         |         |              | Mazdoor (Unskilled)  | day  | 0.25     | 304.00  | 76.00         |
|         |         |              | <b>b) Machinery</b>  |      |          |         |               |
|         |         |              | Truck  | hour | 0.25     | 934.30  | 233.58        |
|         |         |              | <b>c) Overheads @ 12%</b>  |      |          |         | 37.53         |
|         |         |              | <b>d) Contractor's profit @ 10% on (a+b+c)</b>   |      |          |         | 35.03         |
|         |         |              | Cost for 5.5 cum = a+b+c+d   |      |          |         | 385.35        |
|         |         |              | <b>Rate per cum = (a+b+c+d) / 5.5</b>  |      |          |         | 70.06         |
|         |         |              | <b>Total Cost</b>  | Cum  |          |         | <b>70.06</b>  |
| 12      |         | (iii)        | <b>Unloading of Lime, Aggregate, Stone Boulder, Brick Aggregate, Kankar, Building Rubbish, Crushed Slag, Stone for Masonry Work by mechanical means including a lead upto 30 m</b> |      |          |         |               |
|         |         |              | Unit = cum   |      |          |         |               |
|         |         |              | Taking output = 5.5 cum  |      |          |         |               |
|         |         |              | <b>a) Labour</b>   |      |          |         |               |
|         |         |              | Mate   | day  | 0.01     | 321.00  | 3.21          |

### Analysis of Rates (FORMAT F8)

| Sl. No.  | SDB Sl. No. | MORD RES. No. | DESCRIPTION   | Unit       | Quantity                   | Rate   | Amount        |
|--|-------------|---------------|---|------------|----------------------------|--------|---------------|
|  |             | b)            | Mazdoor (Unskilled)   | day        | 0.25                       | 304.00 | 76.0          |
|  |             | b)            | Machinery   |            |                            |        |               |
|  |             |               | Truck   | hour       | 0.25                       | 934.30 | 233.5         |
|  |             | c)            | Overheads @ 12%   |            |                            |        | 37.5          |
|  |             | d)            | Contractor's profit @ 10% on (a+b+c)  |            |                            |        | 35.0          |
|  |             |               | Cost for 5.5 cum = a+b+c+d  |            |                            |        | 385.3         |
|  |             |               | Rate per cum = (a+b+c+d) / 5.5  |            |                            |        | 70.0          |
| <b>Total Cost</b>                                      |             |               |   | <b>Cum</b> |                            |        | 70.0          |
| <i>Total Loding &amp; Unloading of Stone Aggregate</i> |             |               |   | <i>Cum</i> | <i>= 140.13 + 70.06 =</i>  |        | <i>210.19</i> |
| 13   |             | (iv)          | Unloading of Earth, Sand, Moorum, Manure, Flyash by manual means including a lead upto 30 m.<br>Unit = cum<br>Taking output = 5.5 cum |            |                            |        |               |
|  |             | a)            | Labour  |            |                            |        |               |
|  |             |               | Mate  | day        | 0.01                       | 321.00 | 1.61          |
|  |             |               | Mazdoor (Unskilled)   | day        | 0.13                       | 304.00 | 38.00         |
|  |             | b)            | Machinery   |            |                            |        |               |
|  |             |               | Truck   | hour       | 0.17                       | 934.30 | 155.09        |
|  |             | c)            | Overheads @ 12%   |            |                            |        | 23.36         |
|  |             | d)            | Contractor's profit @ 10% on (a+b+c)  |            |                            |        | 21.81         |
|  |             |               | Cost for 5.5 cum = a+b+c+d  |            |                            |        | 239.87        |
|  |             |               | Rate per cum = (a+b+c+d) / 5.5  |            |                            |        | 43.61         |
| <b>Total Cost</b>                                      |             |               |   | <b>Cum</b> |                            |        | 43.6          |
| <i>Total Loding &amp; Unloading of Sand / Moorum</i>   |             |               |   | <i>Cum</i> | <i>= 70.06 + 43.61 =</i>   |        | <i>113.67</i> |
| 14   | 1.3         | (i)           | Loading, Unloading and Stacking of Bricks by Manual Means   |            |                            |        |               |
|  |             | (i)           | Loading of Bricks by manual means including a lead upto 30 m<br>Unit = 1000 Nos.<br>Taking output = 2000 Nos.                         |            |                            |        |               |
|  |             | a)            | Labour  |            |                            |        |               |
|  |             |               | Mate  | day        | 0.01                       | 321.00 | 3.2           |
|  |             |               | Mazdoor (Unskilled)   | day        | 0.25                       | 304.00 | 76.0          |
|  |             | b)            | Machinery   |            |                            |        |               |
|  |             |               | Truck   | hour       | 0.33                       | 934.30 | 308.3         |
|  |             | c)            | Overheads @ 12%   |            |                            |        | 46.5          |
|  |             | d)            | Contractor's profit @ 10% on (a+b+c)  |            |                            |        | 43.4          |
|  |             |               | Cost for 2000 Nos. = a+b+c+d  |            |                            |        | 477.4         |
|  |             |               | Rate for 1000 bricks = (a+b+c+d)/2.   |            |                            |        | 238.7         |
| <b>Total Cost</b>                                      |             |               |   | <b>no.</b> |                            |        | 238.7         |
| 15   |             | (ii)          | Unloading and Stacking of Bricks by manual means including a lead upto 30 m<br>Unit = 1000 Nos.<br>Taking output = 2000 Nos.          |            |                            |        |               |
|  |             | a)            | Labour  |            |                            |        |               |
|  |             |               | Mate  | day        | 0.01                       | 321.00 | 3             |
|  |             |               | Mazdoor (Unskilled)   | day        | 0.25                       | 304.00 | 76            |
|  |             | b)            | Machinery   |            |                            |        |               |
|  |             |               | Truck   | hour       | 0.33                       | 934.30 | 308           |
|  |             | c)            | Overheads @ 12%   |            |                            |        | 46            |
|  |             | d)            | Contractor's profit @ 10% on (a+b+c)  |            |                            |        | 43            |
|  |             |               | Cost for 2000 Nos. = a+b+c+d  |            |                            |        | 477           |
|  |             |               | Rate for 1000 bricks = (a+b+c+d)/2  |            |                            |        | 238.7         |
| <b>Total Cost</b>                                      |             |               |   | <b>no.</b> |                            |        | 238.7         |
| <i>Total Loding &amp; Unloading of Brick Per 1000</i>  |             |               |   | <i>no.</i> | <i>= 238.72 + 238.72 =</i> |        | <i>477.44</i> |
| 16   |             | (i)           | Loading and Unloading of Cement by Manual Means   |            |                            |        |               |
|  |             | (i)           | Loading of Cement by manual means including a lead upto 30 m<br>Unit = t<br>Taking output = 10 t                                      |            |                            |        |               |
|  |             | a)            | Labour  |            |                            |        |               |
|  |             |               | Mate  | day        | 0.06                       | 321.00 | 19.26         |
|  |             |               | Mazdoor (Unskilled)   | day        | 1.50                       | 304.00 | 456           |

## Analysis of Rates (FORMAT F8)

| Sl. No. | SDB Sl. No. | MORD Ref. No. | DESCRIPTION  | Unit | Quantity | Rate   | Amount in Rs      |
|---------|-------------|---------------|--|------|----------|--------|-------------------|
|         |             |               | b) Machinery<br>Truck  |      |          |        |                   |
|         |             |               | c) Overheads @ 12%   | hour | 1.00     | 934.30 | 934.30            |
|         |             |               | d) Contractor's profit @ 10% on (a+b+c)  |      |          |        | 169.15            |
|         |             |               | Cost for 10 t = a+b+c+d  |      |          |        | 157.87            |
|         |             |               | Rate per tonnes = (a+b+c+d)/10   |      |          |        | 1736.58           |
|         |             |               | <b>Total Cost including</b>  | t    |          |        | 173.66            |
| 17      |             | (ii)          | Unloading of Cement by manual means including a lead upto 30 m<br>Unit = t   |      |          |        |                   |
|         |             |               | Taking output = 10 t   |      |          |        |                   |
|         |             | a)            | Labour   |      |          |        |                   |
|         |             |               | Mate   | day  | 0.06     | 321.00 | 19.26             |
|         |             |               | Mazdoor (Unskilled)  | day  | 1.50     | 304.00 | 456.00            |
|         |             | b)            | Machinery  |      |          |        |                   |
|         |             |               | Truck  | hour | 1.00     | 934.30 | 934.30            |
|         |             | c)            | Overheads @ 12%  |      |          |        | 169.15            |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |      |          |        | 157.87            |
|         |             |               | Cost for 10 t = a+b+c+d  |      |          |        | 1736.58           |
|         |             |               | Rate per tonne = (a+b+c+d)/10  |      |          |        | 173.66            |
|         |             |               | <b>Total Cost</b>  | t    |          |        | 173.66            |
| 18      | 1.5         |               | <b>Total Loading &amp; Unloading of Cement</b>   | t    |          |        | 347.32            |
|         |             |               | <b>Total Cost</b>  | t    |          |        | 173.66 + 173.66 = |
|         |             |               |  |      |          |        | 347.32            |
|         |             | (i)           | Loading and Unloading of Structural Steel and Steel Bars by manual means<br>Loading of Structural Steel, Steel Bars by manual means including a lead upto 30 m<br>Unit = t |      |          |        |                   |
|         |             |               | Taking output = 10 t   |      |          |        |                   |
|         |             | a)            | Labour   |      |          |        |                   |
|         |             |               | Mate   | day  | 0.07     | 321.00 | 22.47             |
|         |             |               | Mazdoor (Unskilled)  | day  | 1.80     | 304.00 | 547.20            |
|         |             | b)            | Machinery  |      |          |        |                   |
|         |             |               | Truck  | hour | 1.00     | 934.30 | 934.30            |
|         |             | c)            | Overheads @ 12%  |      |          |        | 180.48            |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |      |          |        | 168.44            |
|         |             |               | Cost for 10 t = a+b+c+d  |      |          |        | 1852.89           |
|         |             |               | Rate per tonnes = (a+b+c+d)/10   |      |          |        | 185.29            |
|         |             |               | <b>Total Cost</b>  | t    |          |        | 185.29            |
| 19      |             | (ii)          | Unloading of Structural Steel, Steel Bars by manual means including a lead upto 30 m<br>Unit = t   |      |          |        |                   |
|         |             |               | Taking output = 10 t   |      |          |        |                   |
|         |             | a)            | Labour   |      |          |        |                   |
|         |             |               | Mate   | day  | 0.07     | 321.00 | 22.47             |
|         |             |               | Mazdoor (Unskilled)  | day  | 1.80     | 304.00 | 547.20            |
|         |             | b)            | Machinery  |      |          |        |                   |
|         |             |               | Truck  | hour | 1.00     | 934.30 | 934.30            |
|         |             | c)            | Overheads @ 12%  |      |          |        | 180.48            |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |      |          |        | 168.44            |
|         |             |               | Cost for 10 t = a+b+c+d  |      |          |        | 1852.89           |
|         |             |               | Rate per t = (a+b+c+d)/10  |      |          |        | 185.29            |
|         |             |               | <b>Total Cost</b>  | t    |          |        | 185.29            |
|         |             |               | <b>Total Loading &amp; Unloading of Steel</b>  | t    |          |        | 370.58            |
|         |             |               | <b>Total Cost</b>  | t    |          |        | 185.29 + 185.29 = |
|         |             |               |  |      |          |        | 370.58            |
| 20      | 1.6         | (i)           | Loading and Unloading of Bitumen Drums by Manual Means<br>Loading of Bitumen Drums by manual means including a lead upto 30 m<br>Unit = t                                  |      |          |        |                   |
|         |             |               | Taking output = 10 t   |      |          |        |                   |
|         |             | a)            | Labour   |      |          |        |                   |
|         |             |               | Mate   | day  | 0.06     | 321.00 | 19.26             |
|         |             |               | Mazdoor (Unskilled)  | day  | 1.60     | 304.00 | 486.40            |
|         |             | b)            | Machinery  |      |          |        |                   |
|         |             |               | Truck  | hour | 1.25     | 934.30 | 1167.88           |
|         |             | c)            | Overheads @ 12%  |      |          |        | 200.82            |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |      |          |        | 187.44            |
|         |             |               | Cost for 10 t = a+b+c+d  |      |          |        | 2061.80           |

## Analysis of Rates (FORMAT F8)

| Sl. No. | SDB Sl. No. | MORD Ref. No. | DESCRIPTION  | Unit  | Quantity           | Rate   |
|---------|-------------|---------------|--|-------|--------------------|--------|
|         |             |               | <b>Rate per tonnes = (a+b+c+d)/10</b>  |       |                    |        |
|         |             |               | <b>Total Cost</b>  | t     |                    |        |
| 21      |             | (II)          | Unloading of Bitumen Drums by Manual Means including a lead upto 30 m<br>Unit = t<br>Taking output = 10 t  |       |                    |        |
|         |             | a)            | <b>Labour</b><br>Mate  | day   | 0.05               | 321.00 |
|         |             |               | Mazdoor (Unskilled)  | day   | 1.20               | 304.00 |
|         |             | b)            | <b>Machinery</b><br>Truck  | hour  | 1.25               | 934.30 |
|         |             | c)            | Overheads @ 12%  |       |                    |        |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |       |                    |        |
|         |             |               | Cost for 10 t = a+b+c+d<br><b>Rate per t = (a+b+c+d)/10</b>  |       |                    |        |
|         |             |               | Note :- The rate is inclusive of the self weight of drum   |       |                    |        |
|         |             |               | <b>Total Cost</b>  | t     |                    |        |
|         |             |               | <i>Total Loading &amp; Unloading of Bitumen Drums</i>  | t     | = 206.18 + 190.8 = |        |
| 22      | 1.9         | (I)           | <b>Loading and Unloading of Hume Pipes</b><br>Loading of RCC Hume pipes by mechanical means including a lead upto 30 m<br><b>A. 1000 / 1200 mm dia Hume pipe</b><br>Unit = per pipe<br>Taking output = 9 pipes |       |                    |        |
|         |             | a)            | <b>Labour</b><br>Mate  | day   | 0.02               | 321.00 |
|         |             |               | Mazdoor (Unskilled)  | day   | 0.50               | 304.00 |
|         |             | b)            | <b>Machinery</b><br>Truck  | hour  | 0.33               | 934.30 |
|         |             |               | Crane  | hour  | 0.33               | 909.00 |
|         |             | c)            | Overheads @ 12%  |       |                    |        |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |       |                    |        |
|         |             |               | Cost for 9 pipes = a+b+c+d<br><b>Rate per pipe = (a+b+c+d)/9</b>   |       |                    |        |
|         |             |               | <b>Total Cost</b>  | per p |                    |        |
| 23      |             | C.            | <b>600/450 mm dia Hume pipe</b><br>Unit = per pipe<br>Taking output = 21 pipe  |       |                    |        |
|         |             | a)            | <b>Labour</b><br>Mate  | day   | 0.02               | 321.00 |
|         |             |               | Mazdoor (Unskilled)  | day   | 0.50               | 304.00 |
|         |             | b)            | <b>Machinery</b><br>Truck  | hour  | 0.33               | 934.30 |
|         |             |               | Crane  | hour  | 0.33               | 909.00 |
|         |             | c)            | Overheads @ 12%  |       |                    |        |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |       |                    |        |
|         |             |               | Cost for 21 pipes = a+b+c+d<br><b>Rate per pipe = (a+b+c+d)/21</b>   |       |                    |        |
|         |             |               | <b>Total Cost</b>  | per p |                    |        |
| 24      |             | (II)          | Unloading of RCC Hume pipe by mechanical means including a lead upto 30 m<br><b>A. 1000/1200 mm dia RCC Hume pipes</b><br>Unit = per pipe<br>Taking output = 9 pipes   |       |                    |        |
|         |             | a)            | <b>Labour</b><br>Mate  | day   | 0.02               | 321.00 |
|         |             |               | Mazdoor (Unskilled)  | day   | 0.50               | 304.00 |
|         |             | b)            | <b>Machinery</b><br>Truck  | hour  | 0.20               | 934.30 |
|         |             |               | Crane  | hour  | 0.20               | 909.00 |
|         |             | c)            | Overheads @ 12%  |       |                    |        |
|         |             | d)            | Contractor's profit @ 10% on (a+b+c)   |       |                    |        |
|         |             |               | Cost for 9 pipes = a+b+c+d<br><b>Rate per pipe = (a+b+c+d)/9</b>   |       |                    |        |
|         |             |               | <b>Total Cost</b>  | per p |                    |        |
|         |             |               | <i>Total Loading &amp; Unloading of RCC Hume Pipe</i>  | per p | = 104.95 + 72.15 = |        |



# Analysis of Rates (FORMAT F8)

| Sl. No.                       | S.D.S. No. | MORD Ref. No. | DESCRIPTION  | Unit  | Quantity | Rate   | Total  |
|-------------------------------|------------|---------------|--|-------|----------|--------|--------|
| 27                            | 5.7.6      |               | Labour for cutting 62 mm to 75 mm dia bamboo piles to size and making shoes and driving etc complete job as per specification and direction of E/L.  |       |          |        |        |
|                               |            |               | Unit = Per M<br>Taking Out put = 10 Joint<br>(Assuming 10 Joints)  |       |          |        |        |
|                               |            |               | a) Materials<br>Nut And Bolts 16 mm Dia 225mm Long With Washer etc.  | nos   | 20.00    | 32.88  | 657.60 |
|                               |            |               | b) Laber<br>Carpenter Gril<br>Unskilled Mazdoor  | nos   | 0.50     | 408.00 | 204.00 |
|                               |            |               |  | nos   | 0.25     | 304.00 | 76.00  |
|                               |            |               | c) Overheads @ 12%<br>d) Contractor's profit @ 10% on (a+b+c+d)  |       |          |        | 112.50 |
| Rate Per cum = (a+b+c+d)/10   |            |               |  | Per M |          |        | 105.00 |
| Total Cost                    |            |               |  | Per M |          |        | 115.50 |
| 28                            | 5.7.7      |               | Labour for cutting 62 mm to 75 mm dia bamboo piles to size and making shoes and driving etc complete job as per specification and direction of E/L.  |       |          |        |        |
|                               |            |               | Unit = Per M<br>Taking Out put = 30.50 M<br>(Assuming 20 nos, Pile Sunk 1.525 Mtr Deep )   |       |          |        |        |
|                               |            |               | b) Laber<br>Carpenter Gril<br>Unskilled Mazdoor  | nos   | 0.25     | 408.00 | 102.00 |
|                               |            |               |  | nos   | 2.50     | 304.00 | 760.00 |
|                               |            |               | c) Overheads @ 12%<br>d) Contractor's profit @ 10% on (a+b+c+d)  |       |          |        | 103.44 |
|                               |            |               | Rate Per cum = (a+b+c+d)/30.5  |       |          |        | Per M  |
| Total Cost                    |            |               |  | Per M |          |        | 34.82  |
| 29                            | 5.7.8      |               | Labour for fitting and fixing split bamboo woven chachari inn position with 20 swg G.I. wire or 75 mm to 100 mm long nails alternatively including cost of G.I. wire or nails complete job as per specification and direction of E/L.    |       |          |        |        |
|                               |            |               | Unit = Per M<br>Taking Out put = 9.30 M<br>(Assuming 20 nos, Pile Sunk 1.525 Mtr Deep )  |       |          |        |        |
|                               |            |               | a) Materials<br>75 mm To 100 mm Lon Nails  | Kg    | 0.25     | 61.74  | 15.44  |
|                               |            |               | b) Laber<br>Carpenter Gril<br>Unskilled Mazdoor  | nos   | 1.00     | 408.00 | 408.00 |
|                               |            |               |  | nos   | 1.00     | 304.00 | 304.00 |
|                               |            |               | c) Overheads @ 12%<br>d) Contractor's profit @ 10% on (a+b+c+d)  |       |          |        | 87.20  |
| Rate Per cum = (a+b+c+d)/9.30 |            |               |  | Per M |          |        | 81.40  |
| Total Cost                    |            |               |  | Per M |          |        | 96.50  |
| 30                            | 5.7.9      |               | Labour for fitting and fixing 62 mm to 75 mm dia bamboo runers in position at every vertiacal pile with 150 mm long nails or 38 swg G.I wire including cost of G.I wire or nails complete job as per specification and direction of E/L. |       |          |        |        |
|                               |            |               | Unit = Per M<br>Taking Out put = 30.50 M   |       |          |        |        |
|                               |            |               | a) Materials<br>75mm To 100 mm Lon Nails   |       |          |        |        |
|                               |            |               | b) Laber<br>Carpenter Gril<br>Unskilled Mazdoor  | Kg    | 0.25     | 61.74  | 15.44  |
|                               |            |               |  | nos   | 0.125    | 408.00 | 51.00  |
|                               |            |               | c) Overheads @ 12%<br>d) Contractor's profit @ 10% on (a+b+c+d)  | nos   | 0.250    | 304.00 | 76.00  |
| Rate Per cum = (a+b+c+d)/30.5 |            |               |  | Per M |          |        | 17.80  |
| Total Cost                    |            |               |  | Per M |          |        | 15.50  |

## Analysis of Rates (FORMAT F8)

| SDB Sl. No.       | MORD Ref. No. | DESCRIPTION   | Unit       | Quantity | Rate    | Amount in Rs     |
|-------------------|---------------|---|------------|----------|---------|------------------|
| 4.10              | 401           | <b>Granular Sub-base with Well Graded Material (Table 400.1) ( By mix in place method ) For Grading II Material</b><br>Construction of granular sub-base by providing well graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401. |            |          |         |                  |
|                   | (ii)          | <b>For Grading II Material</b><br>Unit = cum<br>Taking output = 300 cum   |            |          |         |                  |
|                   | a)            | <b>Labour</b><br>Mate   | day        | 0.48     | 321.00  | 154.08           |
|                   |               | Mazdoor (Skilled)   | day        | 2.00     | 385.00  | 770.00           |
|                   |               | Mazdoor (Unskilled)   | day        | 10.00    | 304.00  | 3040.00          |
|                   | b)            | <b>Machinery</b><br>Tractor mounted grader arrangement for grading @ 100 cum per hour   | hour       | 12.00    | 573.20  | 6878.40          |
|                   |               | Three wheel 80-100 kN static roller @ 10 cum per hour   | hour       | 30.00    | 803.00  | 24090.00         |
|                   |               | Tractor with Rotavator 25 cum per hour  | hour       | 12.00    | 629.00  | 7548.00          |
|                   |               | Water tanker 6 kl capacity  | hour       | 5.00     | 907.00  | 4535.00          |
|                   | c)            | <b>Material</b><br>Well graded granular sub-base material as per Table 400.1  |            |          |         |                  |
|                   |               | 26.5 mm to 9.5 mm @ 35 per cent   | cum        | 134.40   | 595.36  | 80016.38         |
|                   |               | 9.5 mm to 2.36 mm @ 25 per cent   | cum        | 96.00    | 506.92  | 48664.32         |
|                   |               | 2.36 mm below @ 40 per cent - Local Sand  | cum        | 153.60   | 141.85  | 21788.16         |
|                   |               | Water   | kl         | 30.00    | 40.00   | 1200.00          |
|                   | d)            | Overheads @ 12%   |            |          |         | 23842.12         |
|                   | e)            | Contractor's profit @ 10% on (a+b+c+d)  |            |          |         | 22252.65         |
|                   |               | <b>Cost of GSB for 300 cum</b>  |            |          |         | <b>244779.11</b> |
|                   |               | <b>A) Cost of GSB without carriage per cum</b>  | cum        |          |         | <b>815.93</b>    |
|                   | f)            | <u>CARRIAGE</u><br>Carriage for GSB material  | Cum        | 0.768    | 1670.65 | 1283.06          |
|                   |               | Carriage for material below 2.36 mm (Local Sand)  | Cum        | 0.512    | 185.01  | 94.73            |
|                   |               | <b>Rate per cum with carriage</b>   |            |          |         | <b>2193.71</b>   |
| <b>Total Cost</b> |               |   | <b>CUM</b> |          |         | <b>2193.71</b>   |

  
 28/10/21