

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, आरा ।

पत्रांक.....1/32 अगु

आरा, दिनांक 28/08/2021

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, आरा ।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव
ग्रामीण कार्य विभाग
बिहार, पटना ।

विषय:- बिहार ग्रामीण पथ अनुरक्षण नीति-2018 के तहत पथों की
अधियाचना के संबंध में ।

महाशय,

उपर्युक्त विषय के संबंध में सूचित करना है कि बिहार ग्रामीण पथ अनुरक्षण
नीति-2018 के तहत पथों के भुगतान हेतु संलग्न विवरणी के अनुसार रू0-178.28711
लाख रू0 की आवश्यकता है ।

अतः अनुरोध है कि यथाशीघ्र उक्त राशि को आवंटित करने की कृपा
की जाय, जिससे संवेदक का भुगतान किया जा सकें ।

अनु0 यथोक्त ।

विश्वासभाजन

28/08/21

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, आरा ।
28/08/21

Requisition Format for Scheme Head - MR (3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)

of Work Division:- Ara

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (In mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (In Lakh)	Up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/19-20/Ara/01	Varuna-Nonaaur Agion - Bagha Bridge	NEA22000615	1833 / 24.06.2019	5.41	205.646	137.42496	53.58664	15/ MR 3054 /MBD/2019-20	29-Sep-20	---	2568	25mm	5.1	0.00	0.00	137.42496	Physically Completed
2	MR-N/19-20/Ara/09	Rampur Bhagwanpur to Dehra	104016041115		1.8	64.782	40.86215	17.87512	06/ MR 3054 /MBD/2019-20	21-Aug-20	---	3068	25mm	5.1	0.00	0.00	40.86215	Physically Completed
		Total															178.28711	

1. Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed.

2. Up-to date Physical Progress has been uploaded in MIS.


 28/08/21
 Executive Engineer
 Rural Works Department
 Works Division, Ara
 28/08/21

FORM GFR 19-A**(See Government of India's Decision (1) below Rule-150)****Form of utilisation Certification up to month of Aug, 2021****MR Maintenance Policy- 2018****R.W.D. Works Division-Ara (Bhojpur)**

Sl. No.	Name of Scheme	Sanction No & Date with Amount (In Rs. Lacs)	Amount Received (In Rs. Lacs)	Particulars
1.	Construction of Rural Road under MR Maint. Policy- 2018	Letter No-40 we Date- 14.06.2021	126391279.00	Certified that out of Rs. 126391279.00 Lacs of grant in aid received during the Year 2021-22 in favour of Executive Engineer, RWD Bihar R.W.D. Ara. A sum of Rs. 123651591.00 Lacs has been utilized for the purpose of MR Maint. Policy- 2018 Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 2739688.00 Lacs remaining unutilized at the end of the period under.
		Total	126391279.00	

2. Certified that I have satisfied myself that the conditions on which the grants-in aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- I. Works have been supervised by Executive Engineer/ Superintending Engineer.
- II. Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- III. Construction materials have been tested.
- IV. Measurements have been recorded in the MBS and test check conducted by the Assistant Engineer/Executive Engineer.
- V. All other codal formalities have been observed.

3. Physical progress achieved:

- i. Construction of Road Works.
- ii. Construction of CD Works.

D.A.O-1
Rural Works Department
Works Div-Ara


Executive Engineer
Rural Works Department
Works Div. Ara

28/08/21

Test Date :	5/6/2021	Road Name :	Nanau Agdon to Bagha Bridge
Machine No :	391	Road Type :	(R) RURAL ROAD
Start S No :	9791	Side :	Agion
Start E No :	9845	Interval :	
Weather :	Normal	UV Range :	515 To 4000 mm/k.m
Start Location :	25.26844,84.55	Dist Range :	0 To 154 * 1000 m
End Location :	25.28698,84.55	Equation :	$Y = 0 \times X^2 + 1.000 \times X + 415.2$

Redrow Graph

File: It\Bump Reg and Report\Graph 1.xls, Section No. 34, Eqp : Y = 0 = X
Generate Report and Graph
Name of Work/ Road -Varunsa Agion to Bagha Brides, Lab Job number
Customer - Sushil Kumar



Distance = 1000 m

for stop
J. E. Aggarwal

12/10/20

Name of Road : Varuna - Nanaur Agion to Bagha Bridge

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI CATEGORY mm/km	Latitude	ongitude	Event
05/6/21	13:8:35	94	0.1	190	29.8	1900	2315 G	25.28844	84.58729	Normal
05/6/21	13:9:11	94	0.1	210	10.1	2100	2515 G	25.28924	84.58685	Normal
05/6/21	13:9:11	94	0.1	200	10.1	2000	2415 G	25.29008	84.58685	Normal
05/6/21	13:9:46	94	0.1	130	10.1	1300	1715 G	25.29067	84.58613	Normal
05/6/21	13:10:21	94	0.1	170	10.1	1700	2115 G	25.29118	84.58566	Normal
05/6/21	13:10:21	94	0.1	130	10.1	1300	1715 G	25.29118	84.5847	Normal
05/6/21	13:11:0	94	0.1	140	10.1	1400	1815 G	25.29128	84.58365	Normal
05/6/21	13:11:32	94	0.1	110	26.7	1100	1515 G	25.29157	84.58276	Normal
05/6/21	13:11:32	94	0.1	250	20.2	2500	2915 G	25.29165	84.5818	Normal
05/6/21	13:12:7	94	0.1	200	20.2	2000	2415 G	25.2912	84.5812	Normal
05/6/21	13:12:7	94	0.1	240	30.3	1600	2015 G	25.29021	84.58104	Curve
05/6/21	13:12:7	94	0.1	290	30.3	2900	3315 G	25.28999	84.5802	Normal
05/6/21	13:12:42	94	0.1	270	30.3	2700	3115 G	25.28947	84.57934	Curve
05/6/21	13:12:42	94	0.1	200	30.3	2000	2415 G	25.28906	84.57852	Normal
05/6/21	13:13:0	94	0.1	260	30.3	2600	3015 G	25.2887	84.57768	Normal
05/6/21	13:13:0	94	0.1	250	40.4	2500	2915 G	25.2888	84.57682	Normal
05/6/21	13:13:18	94	0.1	230	40.4	2300	2715 G	25.28892	84.57579	Normal
05/6/21	13:13:18	94	0.1	190	30.3	1900	2315 G	25.28885	84.57463	Normal
05/6/21	13:13:18	94	0.1	240	40.4	2400	2815 G	25.28896	84.57379	Normal
05/6/21	13:13:18	94	0.1	230	40.4	2300	2715 G	25.28914	84.57286	Normal
05/6/21	13:14:0	94	0.1	220	50.5	2200	2615 G	25.2894	84.57173	Normal
05/6/21	13:14:0	94	0.1	280	20.2	2800	3215 G	25.28918	84.57108	Normal
05/6/21	13:14:0	94	0.1	270	30.3	2700	3115 G	25.28823	84.57106	Curve
05/6/21	13:14:28	94	0.1	250	20.2	2500	2915 G	25.28844	84.5702	Normal
05/6/21	13:14:28	94	0.1	220	40.4	2200	2615 G	25.28828	84.56925	Normal
05/6/21	13:15:0	94	0.1	190	30.3	1900	2315 G	25.28808	84.5618	Normal
05/6/21	13:15:3	94	0.1	270	40.4	2700	3115 G	25.28736	84.56772	Normal
05/6/21	13:15:3	94	0.1	210	40.4	2100	2515 G	25.28665	84.5671	Normal
05/6/21	13:15:3	94	0.1	210	30.3	2100	2515 G	25.28576	84.56682	Normal
05/6/21	13:15:39	94	0.1	190	30.3	1900	2315 G	25.28502	84.567	Normal
05/6/21	13:15:39	94	0.1	210	40.4	2100	2515 G	25.28448	84.56616	Normal
05/6/21	13:16:0	94	0.1	220	20.2	2200	2615 G	25.28389	84.56552	Normal
05/6/21	13:16:14	94	0.1	260	20.2	2600	3015 G	25.28323	84.56502	Normal
05/6/21	13:16:14	94	0.1	250	20.2	2500	2915 G	25.28333	84.56434	Normal
05/6/21	13:16:14	94	0.1	180	30.3	1800	2215 G	25.28407	84.56369	Normal
05/6/21	13:16:49	94	0.1	270	40.4	2700	3115 G	25.2847	84.5629	Normal

$$Y = 0 * X^2 + 1.000 * X + 415.2$$

$$X = 2600$$

$$Y = 3015$$

(R) RURAL ROAD

Good Average Poor

<4000 4001-5000 >5001

5/6/21
J.B. Agion

05/6/21	13:17:0	94	0.1	200	30.3	2000	2415 G	25.28509	84.56202	Normal
05/6/21	13:17:0	94	0.1	270	40.4	2700	3115 G	25.28565	84.5613	Normal
05/6/21	13:17:0	94	0.1	220	40.4	2200	2615 G	25.28633	84.56061	Normal
05/6/21	13:17:25	94	0.1	260	30.3	2600	3015 G	25.28727	84.56014	Curve
05/6/21	13:17:25	94	0.1	250	30.3	2500	2915 G	25.28807	84.56047	Normal
05/6/21	13:17:25	94	0.1	240	30.3	2400	2815 G	25.28882	84.55981	Normal
05/6/21	13:18:0	94	0.1	230	35.1	2300	2715 G	25.28898	84.55882	Normal
05/6/21	13:18:35	94	0.1	140	20.2	1400	1815 G	25.28893	84.55788	Normal
05/6/21	13:19:0	94	0.1	230	20.2	2300	2715 G	25.28862	84.55719	Normal
05/6/21	13:19:10	94	0.1	230	30.3	2300	2715 G	25.28908	84.55626	Normal
05/6/21	13:19:10	94	0.1	120	30.3	1200	1615 G	25.28886	84.55551	Normal
05/6/21	13:19:46	94	0.1	290	20.2	2900	3315 G	25.28809	84.55503	Normal
05/6/21	13:20:0	94	0.1	220	10.1	2200	2615 G	25.28788	84.55412	Normal
05/6/21	13:20:21	94	0.1	280	34.1	2800	3215 G	25.28823	84.55332	Speed Breaker
05/6/21	13:21:0	94	0.1	180	10.1	1800	2215 G	25.28884	84.5529	Curve
05/6/21	13:22:42	94	0.1	180	25.8	1800	2215 G	25.28809	84.55234	Normal
05/6/21	13:26:14	94	0.1	110	29.1	1100	1515 G	25.28746	84.55178	Normal
05/6/21	13:26:14	94	0.1	260	10.1	2600	3015 G	25.28698	84.55123	Normal
Total			5.4							

5/10/21
SE, Agj. 2000m

07/07/21