

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
It No. 1/23	H/W excavation for				
	Structure --- - - -				
600mm dia HPe					
H/W -	2x2x	3.90x	1.24x	1.50 =	29.02 m ³
Pipe Portion -	2x1x	6.22x	1.02x	0.80 =	10.15 m ³
1000mm dia HPe					
H/W -	1x2x	6.30x	1.40x	1.50 =	26.46 m ³
Pipe Portion -	1x1x	5.90x	1.50x	0.80 =	7.08 m ³
					72.71 m ³
It No. 2/26	Providing Peemis				
	in found ⁿ --- - -				
600mm dia HPe					
	2x2x	3.90x	1.24x	0.15 =	2.90 m ³
1000mm dia HPe	1x2x	6.30x	1.40x	0.15 =	2.65 m ³
					5.55 m ³
It No. 3/27	Brick masonry in				
	found ⁿ --- - - (Av)				
600mm dia HPe	2x2x	3.60x	0.865x	1.35 =	16.82 m ³
1000mm dia HPe	1x2x	6.00x	1.025x	1.35 =	16.61 m ³
					33.43 m ³
It No. 4/41	Brick masonry in				
	Substructure --- - - (Av)				
600mm dia HPe	2x2x	3.60x	0.48x	1.12 =	7.74 m ³
1000mm dia HPe	1x2x	6.00x	0.533x	1.80 =	11.51 m ³

Continuation C.D. 19.25 m³

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
				8 ft 8	19.25 m ²
Deduction for pipe:-					
600mm dia.	2x2x	$\frac{\pi}{4} \times (0.72)^2 \times 0.52$	1.52	1.52	0.24 m ³
1000mm dia.	1x2x	$\frac{\pi}{4} \times (1.00)^2 \times 0.60$	1.60	1.60	1.36 m ³
					17.05 m ³
St No. 5/45. Brick masonry in					
				Parabol	
600mm dia.	2x2x	3.60x0.40x0.60	0.60	0.60	3.46 m ³
1000mm dia.	1x2x	6.00x0.40x0.60	0.60	0.60	2.88 m ³
					6.34 m ³

St No. 6/66. Carving 1st class baddy					
				10th. X	
600mm dia.	2x1x	6.22x1.02x0.33	0.33	0.33	4.19 m ³
1000mm dia.	1x1x	5.90x1.50x0.33	0.33	0.33	2.92 m ³
					7.11 m ³

St No. 7/99. Providing and laying					
				RCC NPS	
				10th. X	
(i) 1000mm dia:-					
		1x3x2.50m			7.50m
(ii) 600mm dia:-					
		2x3x2.50			15.00m

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
2/ No. 8/61 Filling in paved					
----- do -----					
600 mm					
	2x2x3.60x0.41				5.98 m ³
1000 mm					
	1x2x6.00x0.405				5.10 m ³
					11.08 m ³
2/ No. 9/16 Paving with cement					
----- do -----					
600 mm	2x4x3.60x0.60				17.28 m ²
	2x2x3.60x0.40				5.76 m ²
	2x4x0.40x0.60				1.92 m ²
1000 mm	2x6.00x0.40				4.80 m ²
	4x6.00x0.60				14.40 m ²
	4x0.60x0.40				0.96 m ²
					45.12 m ²
2/ No. 10/10 Construction of					
Granular Sub-base					
----- do -----					
	1x20.0x3.75x0.10				11.25 m ³
2/ No. 11/12 W.B.M. Paving					
Providing, laying					
----- do -----					

Continuation

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
		Abstract of Cash			
Sl No. 1/1	Setting on ROAD				
	Specification				
(i) Const ⁿ of Benchmark					
	V.T.M.B.P. 7				
	0.750KM @ R	6413-96/KM	R	4810-00	
(ii) Const ⁿ of reference pillar					
	0.750KM @ R	1569-67/KM	R	1177-00	
Sl No. 2/2	clearing and grubbing road land				
	V.T.M.B.P. 7				
	0.375 H @ R	102267-52/H	R	38350-00	
Sl No. 3/8	Construction of embankment				
	----- deck				
	V.T.M.B.P. 8				
	3500.50 m ³ @ R	199-69/m ³	R	699015-00	
Sl No. 4/9	(ii) Excavation for road way				
	V.T.M.B.P. 8				
	21.00 m ³ @ R	126-24/m ³	R	2651-00	
Sl No. 5/10	Construction of granular Subbase				
	----- deck				

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
197.26 m ³	V.T.M.B.P. 8.				
11.25 m ³	V.T.M.B.P. 13				
208.51 m ³	@ R	1860.78/m ³	R		288033~
21 No. 6/12	W.R.M. Grading				
	Providing, laying				
	--- doh. 1/2				
	V.T.M.B.P. 14				
219.38 m ³	@ R	2477.83/m ³	R		543586~
21 No. 7/25	Providing and fixing				
	Typical masonry				
	Board --- doh				
	V.T.M. B.P. 8.				
21 No. 8/33	@ R	10328.15/m ³	R		20658~
	W in excavation				
	for structure ---				
	V.T.M. B.P. 11				
72.71 m ³	@ R	538.64/m ³	R		39165~
21 No. 9/36	Providing Rec				
	m/s in foundn				
	--- doh 1/2				
	V.T.M. B.P. 11.				
51.55 m ³	@ R	4212.72/m ³	R		23381~
21 No. 10/37	Brick masonry				
	in c.m. in foundn				
	--- doh 1/2				
	V.T.M. B.P. 11				

Continuation

Sch. XLV-Form No. 134

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
53.43 m ² @ R 5540.96/m ² R					185234.00
24.10.11/41. Brick masonry in					
Substructure - - - of					
V.T.M.B.P. 12					
17.05 m ² @ R 5792.88/m ² R					98769.00
24.10.12/45. Brick masonry					
in Parapet - - - of					
V.T.M.B.P. 12					
6.34 m ² @ R 5728.97/m ² R					36322.00
24.10.13/46. Plastering with					
C.M. (1:4) 15mm					
thick - - - of					
V.T.M.B.P. 12					
45.12 m ² @ R 141.20/m ² R					6371.00
24.10.14/59. Providing and					
laying Rce HPs					
Pipe - - - of					
V.T.M.B.P. 12					
(i) 1000 mm ² Pipe					
7.50 m @ R 3853.42/m R					28901.00
(ii) 600 mm d. Pipe:-					
15.03 m @ R 1300.67/m R					19510.00
24.10.15/60. Laying first class					
bedding - - - of					
V.T.M.B.P. 12					
7.11 m ³ @ R 453.22/m ³ R					3222.00

Continuation

Less 17.00% of 417018.00	R 417018.00
	R 20,36028.00
Less Prov. Payment (-)	R 10,00,000.00
	R 1036028.00
 15.6.21 2018 	

Scanned with CamScanner