

कार्यपालक अभियन्ता का कार्यालय

ग्रामीण कार्य विभाग, कार्य प्रमंडल, बायसी

पत्रांक 1492 (अभु०) / बायसी, दिनांक 23/09/2021.

प्रेषक,

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बायसी।

सेवा में,

नोडल पदाधिकारी (MR-3054),
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय : गैर योजना मुख्य शीर्ष 3054 (नई अनुरक्षण नीति) सड़क अनुरक्षण ईकाई मद के लिए
आवंटन निर्गत करने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में सूचित करना है कि गैर योजना मुख्य शीर्ष 3054 (नई अनुरक्षण नीति) योजनान्तर्गत मांग पत्र विहित प्रपत्र में तैयार कर आपके आवश्यक कार्रवाई हेतु समर्पित किया जाता है।

अतः अनुरोध है कि संवेदकों का भुगतान हेतु आवंटन निर्गत करने की कृपा की जाय।

अनु० – यथोक्त।

विश्वासभाजन

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, बायसी।

23/09/21

23/09/21

Requisition Format for scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)

Name of Works Division : Rural Works Department, Works Division, Baisi

Sl. No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative Approval (AA)			Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/Km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (In Lakh)	Up-to-date expenditure as per MIS (In Lakh)	Requisition against work done (In Lakh)	Remarks
					Length (In Km)	Amount of (In Lakh)	Initial Rectification with Surface Renewal (In Lakh)										
1		Daripur to Bishrupa	21105202048	Lt. 1840 Dt. 24.06.2019	1.49	59.9342	38.21737	17.65374	17.02.2021	Comp.	1363.8	25	5.03	38.21700	37.64590	0.00000	
2	MR-N/19-20 BAISI/03	Fulwari to Phulpur	21105202099	Lt. 1840 Dt. 24.06.2019	2.12	79.3623	47.86017	25.41611	17.02.2021	Comp.	1665.62	25	5.06	47.86000	45.45178	0.00000	
3		Makiali - Gehua	21105202083	Lt. 1840 Dt. 24.06.2019	3.12	127.3432	79.94795	36.86176	17.02.2021	Comp.	1479.91	25	5.00	79.94795	78.24650	0.00000	
4		Dagarua to Jafarpur (Mahalbari)	21105202045	Lt. 1840 Dt. 24.06.2019	4.41	191.0207	125.59573	52.24597	17.02.2021	Comp.	2874.93	25	5.04	0.00000	0.00000	125.59573	
5		NH-31 Barsouni School to Barsouni Village	21105301048		0.900	35.98590	23.01240	10.52722		Comp.	2050.78	25	5.02	23.0124	22.6030	0.00000	
6	MR-N/19-20 BAISI/04	Belgachi Kanhariya PWD Road to Pokhariya Chowk to Chopra	21105301010	Lt. 1840 Dt. 24.09.2019	1.165	47.34200	30.16789	13.77249	17.02.2021	Comp.	1983.64	25	5.05	30.1679	29.6414	0.00000	
7		Lakhanpur To Sanbhaga (Chakua)	21105202079		2.300	83.28060	49.34685	27.63673		Comp.	1395.25	25	5.03	49.3469	44.5480	0.00000	
8		Majhua REO Road To Madarpur Fashiya	21105202082		6.650	258.58740	159.71365	78.6881		Comp.	2526.71	25	5.07	63.88546	63.88546	95.82819	
9	MR-N/19-20 BAISI/07	Kharihat Madarsha to PWD Road Maheshbathnaha in Amour	21105201016	Lt. 1840 Dt. 24.09.2019	1.650	86.280	65.66135	20.33036	10.09.2020	Initial Rectification done	-	-	0.00000	0.00000	0.00000	0.00000	
10		Fakir Toli to Surajpur	21105202052	Lt. 1840 Dt. 24.09.2019	6.000	257.310	181.95241	70.66214	10.09.2020	Comp.	2000.66	25	5.00	0.00000	0.00000	181.95241	
11	MR-N/19-20 BAISI/18	Mariya NH-31 to Tamour	21105202085	Lt. 3029 Dt. 16.07.2019	2.80	99.475	60.00762	33.48115	16.06.2021	Comp.	2752.93	25	5.10	24.00305	24.00305	36.00457	

- 1 Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed except SDBC Work.
- 2 Up-to-date Physical Progress has been upload in MIS.

439.38090

CEG
Divisional Accounts Officer,
Rural Works Department,
Works Division, Baisi

Executive Engineer,
Rural Works Department,
Works Division, Baisi

FORM GFR 19-A
(See Government of India's Decision (I) below Rule -150)
Form of Utilization Certificate upto the month of August 2021
MR 3054 [New Maintenance Policy]

PIU – RWD, Works Division, Baisi

Sl. No	Name of Scheme	Sanction No. & Date with Amount (in Rs. lacs)	Amount Received (in Rs. lacs)	Particulars
1	Construction of Rural roads under MR 3054 [New Maintenance Policy]		4627.29512	Certified that out of Rs.4627.29512 lacs received upto date in favour of Executive Engineer, RWD, Works Division, Baisi a sum of Rs.4422.99336 lacs has been utilized for the purpose of MMGSY Schemes as given in the margin for which it was sanctioned and that the balance of Rs.204.30176 lacs remaining unutilized at the end of the period under MR 3054 (New Maintenance Policy).
	Letter No.	Date	Amount	
1	45	18.06.2020	175.53902	
2	47	24.06.2020	193.33159	CFMS
3	69	24.09.2020	41.51000	CFMS
4	72	07.10.2020	332.55942	CFMS
5	84	26.11.2020	169.86125	CFMS
6	1	01.01.2021	151.00000	CFMS
7	5	12.01.2021	448.27349	CFMS
8	8	23.01.2021	357.97418	CFMS
9	17	26.02.2021	894.38077	CFMS
10	20	19.03.2021	1224.71825	CFMS
11	23	26.03.2021	63.85700	CFMS
12	27	04.05.2021	126.05097	CFMS
13	30	21.05.2021	126.97100	CFMS
14	40	14.06.2021	64.91292	CFMS
15	52	24.08.2021	256.35526	CFMS
		Total	4627.29512	CFMS

2. Certified that I have satisfied myself that the conditions on which the grants-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- Works have been supervised by Executive engineer / Superintending Engineer.
- Periodical inspection has been conducted by Executive engineer / Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer / Executive Engineer.
- All other codal formalities have been observed.

3. Physical Progress achieved:-

- Construction of Road Works.
- Construction of CD works.


Divisional Accounts Officer,
RWD, Works Division, Baisi


Executive Engineer
RWD, Works Division, Baisi

Lab Job number :37

Date :14-07-2021

Name of Customer :Ragini Enterprises

Name of Work/ Road :Mariya NH-31 to Tamour

Sr.no Location of Corrected U.I Road category
test(in km) value(mm/km)


108	0.1	2290 G
109	0.2	2972 G
110	0.3	2745 G
111	0.4	2290 G
112	0.5	2972 G
113	0.6	2063 G
114	0.7	1950 G
115	0.8	1382 G
116	0.9	1836 G
117	1	3654 G
118	1.1	3767 G
119	1.2	2858 G
120	1.3	3881 G
121	1.4	3540 G
122	1.5	2518 G
123	1.6	3767 G
124	1.7	3654 G
125	1.8	2290 G
126	1.9	3540 G
127	2	3881 G
128	2.1	2631 G
129	2.2	3199 G
130	2.3	3426 G
131	2.4	2745 G
132	2.5	2745 G
133	2.6	1041 G
134	2.7	1382 G
135	2.8	2063 G

Ragini
14/07/21

for
14/7/21

File : F:\14071026.Xls, Section No. : 15, Eqn : $Y = 0 * X^2 + 1.136 * X + 132.5$

Name of Customer : Ragini Enterprises, Name of Work/ Road : Mariya NH-31 to Tamour, Lab Job number : 37



[Signature]

Ragini
14/07/21

Lab Job number :37
Date :14-07-2021

Name of Customer :Ragini Enterprises
Name of Work/ Road :Mariya NH-31 to Tamour

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI,TEGORY mm/km	Latitude .ongitude	Event
13/7/21	10:45:27	15	0.1	190	0	1900	2290 G	25.82686 87.59838	Normal
13/7/21	10:46:2	15	0.1	250	10.1	2500	2972 G	25.82607 87.59882	Speed Breaker
13/7/21	10:46:2	15	0.1	230	10.1	2300	2745 G	25.82545 87.59865	Curve
13/7/21	10:46:38	15	0.1	190	20.2	1900	2290 G	25.82468 87.59827	Normal
13/7/21	10:46:38	15	0.1	250	20.2	2500	2972 G	25.8238 87.5981	Normal
13/7/21	10:47:0	15	0.1	170	20.2	1700	2063 G	25.82284 87.59818	Normal
13/7/21	10:47:13	15	0.1	160	20.2	1600	1950 G	25.82199 87.59827	Normal
13/7/21	10:47:13	15	0.1	110	20.2	1100	1382 G	25.82107 87.59832	Normal
13/7/21	10:47:48	15	0.1	150	20.2	1500	1836 G	25.8202 87.59832	Normal
13/7/21	10:48:0	15	0.1	310	20.2	3100	3654 G	25.8193 87.59838	Normal
13/7/21	10:48:24	15	0.1	320	10.1	3200	3767 G	25.81837 87.59854	Normal
13/7/21	10:48:24	15	0.1	240	20.2	2400	2858 G	25.81747 87.5986	Normal
13/7/21	10:51:20	15	0.1	330	20.2	3300	3881 G	25.8166 87.59857	Normal
13/7/21	10:51:20	15	0.1	300	10.1	3000	3540 G	25.8157 87.59852	Normal
13/7/21	10:51:55	15	0.1	210	20.2	2100	2518 G	25.81479 87.5985	Normal
13/7/21	10:52:0	15	0.1	320	20.2	3200	3767 G	25.81395 87.59852	Normal
13/7/21	10:52:31	15	0.1	310	10.1	3100	3654 G	25.81305 87.5984	Normal
13/7/21	10:52:31	15	0.1	190	20.2	1900	2290 G	25.81218 87.59822	Normal
13/7/21	10:53:6	15	0.1	300	10.1	3000	3540 G	25.81124 87.59828	Speed Breaker
13/7/21	10:53:6	15	0.1	330	20.2	3300	3881 G	25.81038 87.59813	Normal
13/7/21	10:53:6	15	0.1	220	20.2	2200	2631 G	25.8095 87.5979	Normal
13/7/21	10:53:41	15	0.1	270	20.2	2700	3199 G	25.80864 87.59778	Normal
13/7/21	10:54:0	15	0.1	290	30.3	2900	3426 G	25.80776 87.59771	Normal
13/7/21	10:54:0	15	0.1	230	30.3	2300	2745 G	25.80681 87.59764	Normal
13/7/21	10:55:27	15	0.1	230	10.1	2300	2745 G	25.80617 87.59786	Culvert
13/7/21	10:55:27	15	0.1	80	20.2	800	1041 G	25.80635 87.59886	Normal
13/7/21	10:56:2	15	0.1	110	20.2	1100	1382 G	25.80649 87.59983	Normal
13/7/21	10:56:2	15	0.1	170	30.3	1700	2063 G	25.80663 87.60081	Normal

Ragini
14/07/21
JE

. कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, क्षेत्रीय प्रयोगशाला, पूर्णियाँ।

पत्रांक Campy (R) / दिनांक 27/11/20।

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
क्षेत्रीय प्रयोगशाला, पूर्णियाँ।

सेवा में,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल कायसी।

विषय :- निर्माण कार्यों प्रयुक्त होने वाली सामग्रियों के नमूने की जाँच कर जाँच फल प्रतिवेदन भेजने के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में सूचित करना है कि निर्माण कार्यों में प्रयुक्त होनेवाली सामग्रियों के नमूने की जाँच कर जाँचफल प्रतिवेदन आपके आवश्यक कार्रवाई हेतु भेजी रही है।

क्र० सं०	पथ नाम	योजना का नाम	नमूने का जाँचफल
1.	Maint of road Mariygaon 31 to Tamour Road.	MR/3054	GSB-II, WBMV III MSS (stone chips) SDBC (mix) sample.

अनु०-यथोक्त।

विश्वासभाजन

(Signature)
27/11/20

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
क्षेत्रीय प्रयोगशाला, पूर्णियाँ

OFFICE OF THE EXECUTIVE ENGINEER R.W.D. REGIONAL
LABORATORY, PURNER, (BIHAR)

RESULT OF BITMEN CONTENT OF MIX SAMPLE

Name of work Maint & Road Mariya NH 31 Name of Division Baisi
Package no./ngt.no. MR/3054 Name of Agency Ragini Enterprises

Sample Collected by A.E.R.W.D. (W) Div. Dargama 4/11/20

Location 800M Wt. of sample taken 1000gms

Sl.No.	Sample No.	Identification No.	Wt. of sample b.c.	Wt. of sample a.c.	Loss wt.	Average	% of bitmen content	Remark
1.	A.	M1	314	299.0	15.0			
2.	B.	M2	328	312.0	16.0	15.16	5.10%	
3.	C.	M3	295	280.5	14.5			

Copy to Executive Engineer RWD (W) Div. Baisi

Suprntending Engineer

Chief Engineer Bihar Patna

LA 27/11/20

27/11/20

EXECUTIVE ENGINEER

RURAL WORKS DEPARTMENT

REGIONAL LABORATORY

PURNER.

OFFICE OF THE EXECUTIVE ENGINEER

RURAL WORKS DEPARTMENT, REGIONAL LABORATORY, PURNEA

RESULT OF PHYSICAL TEST FOR GRADATION OF COARSE AGGREGATE

NAME OF THE ROAD: Main+7 road Mariya NH31 to Tamour Road.
PACKAGE NO. UNDER P.M.G.S.Y. MR/3054 NAME OF THE WORKS DIVISION Baisi
NAME OF WORK: MSS NAME OF WORKS CIRCLE Purnea.
NATURE OF SAMPLE Stone chips. SAMPLE COLLECTED BY: A.E.R.W.D. Sub. V. Dagerus
(H.O. Roadt-15.11.20)
NAME OF AGENCY Rajini Enterprises. LOCATION: 1.5 km.

SI.NO	AIV		FLAKINESS INDEX		WATER ABSORPTION		REMARKS
	TEST VALUE	REQUIRED VALUE(MAX)	TEST VALUE	REQUIRED VALUE(MAX)	TEST VALUE	REQUIRED VALUE(MAX)	
1	1	2	3	4	5	6	
1	9.4%	30.0%	—	—	0.60%	2.0%	Acceptable

SIEVE ANALYSIS FOR GRADATION OF Stone chips.
WEIGHT OF SAMPLE TAKEN 10.0 Kg.

SI.NO	I.S.SIEVE SIZE DESIGNATION IN M.M	WT OF MIX RETAINED	% OF WEIGHT RETAINED	CUMULATIVE % OF WT. RETAINED	% OF WEIGHT PASSING	REQUIRED VALUE IN %	REMARKS
1	1	2	3	4	5	6	
1	13.2	0	0	0	100	100	
2	11.2	643	6.43	6.43	93.57	88-100	
3	5.6	4892	48.92	55.35	44.65	31-52	
4	2.8	3360	33.60	88.95	11.05	5-25	
5	0.090	1012	10.12	99.07	0.93	0-5	
6							

LETTER NO.

COPY TO:-

E.E.R.W.D. WORKS DIVISION Baisi

S.E.R.W.D. WORKS CIRCLE

S.E. CUM STATE QUALITY CO-ORDINATOR, BIHAR, PATNA

CHIEF ENGINEER R.W.D. BIHAR, PATNA

LA

REGIONAL LABORATORY,
R.W.D. PURNEA

REGIONAL LABORATORY,
R.W.D. PURNEA

EXECUTIVE ENGINEER,
REGIONAL LABORATORY,
R.W.D. PURNEA

OFFICE OF THE EXECUTIVE ENGINEER

RURAL WORKS DEPARTMENT, REGIONAL LABORATORY, PURNEA

RESULT OF PHYSICAL TEST FOR GRADATION OF COARSE AGGREGATE

NAME OF THE ROAD :- Maint Road Mariya NH31 to Tamour Road.

PACKAGE NO. UNDER P.M.G.S.Y. MR/3054

NAME OF THE WORKS DIVISION Baisi

NAME OF WORK :- WBM W III

NAME OF WORKS CIRCLE Purnea

NATURE OF SAMPLE Stone metal W III

SAMPLE COLLECTED BY: A.E.R.W.D. (W) Sub Div. Dargamua
440. road - 19.11.20

NAME OF AGENCY Ragini Enterprises

LOCATION: 2.2 km

SI. NO.	AIV		FLAKINESS INDEX		WATER ABSORPTION		REMARKS
	TEST VALUE	REQUIRED VALUE (MAX)	TEST VALUE	REQUIRED VALUE (MAX)	TEST VALUE	REQUIRED VALUE (MAX)	
1	1	2	3	4	5	6	<u>Acceptable</u>
1	9.6%	40%	—	—	0.71%	3.0%	

SIEVE ANALYSIS FOR GRADATION OF Stone metal W III

WEIGHT OF SAMPLE TAKEN 100 Kg.

SI. NO.	I.S. SIEVE SIZE DESIGNATION IN M.M	WT. OF MIX RETAINED	% OF WEIGHT RETAINED	CUMULATIVE % OF WT. RETAINED	% OF WEIGHT PASSING	REQUIRED VALUE IN %	REMARKS
1	1	2	3	4	5	6	<u>Acceptable</u>
1	63	0	0	0	100	100	
2	53	348	3.48	3.48	96.52	95-100	
3	45	2811	28.11	31.59	68.41	65-90	
4	22.4	6021	60.21	91.80	8.20	0-10	
5	11.2	726	7.26	99.06	0.94	0-5	
6							

LETTER NO.

COPY TO:-

E.E.R.W.D. WORKS DIVISION Baisi

S.E.R.W.D. WORKS CIRCLE

S.E. CUM STATE QUALITY CO-ORDINATOR, BIHAR, PATNA

CHIEF ENGINEER R.W.D. BIHAR, PATNA

LA 27/11/20
REGIONAL LABORATORY,
R.W.D. PURNEA

22/11/20
REGIONAL LABORATORY,
R.W.D. PURNEA

27/11/20
EXECUTIVE ENGINEER,
REGIONAL LABORATORY,
R.W.D. PURNEA

OFFICE OF THE EXECUTIVE ENGINEER
REGIONAL LABORATORY
RURAL WORK DEPARTMENT, PURNEA
GRADATION FOR GRANULAR SUB BASE MATERIAL

- 1) Name of Work: Maint. & road Mariga NH31 to Tamour Road
 2) Name of scheme: Rajini Enterprises under MR/3054
 3) Name of Agency: ✓
 4) Sample Collected by: A.E.R.W.D. (W.S.S.-2) Dagarua 410 road 19.11.20
 5) Nature of Sample: G.S.B.-II Staff: 25.11.20
 6) Location: 900M. Date of Test: 27.11.20

Sl. NO.	IS Sieve designation	Weight Retained.	Wt of Sample Taken- 23.417 kg			by Weight passing the Sieve (Required Value)			Remarks
			% Wt retained.	% of Cumulative retained.	% of passing.	Grading-I	Grading-II	Grading-III	
1	75 mm	—	—	—	—	100	—	—	<u>Acceptable</u>
2	50 mm	0	0	0	100	—	100	—	
3	20 mm	11317	48.32	48.32	51.68	55-75	50-80	100	
4	4.75 mm	4083	17.43	65.75	34.25	10-30	15-35	24.15	
5	0.075 mm	7800	33.30	99.05	0.95	0-10	<10	<10	

Copy for

- 1) ✓
 2) ✓
 3) ✓
 4) ✓ TERA & WORKS DIVISION - Basis

K. A.
27/11/20

A.E.
27/11/20

E.E.
27/11/20

Regional Laboratory
 R.W.D., Purnea