

शीर्ष - म.म.स.स.य (स.स.)

पत्र का नाम - रोजाना जारी पत्र से शीघ्र

**Schedule XLV Form No. 134.**

कार्यपालक अधिकारी,

आर्थिक कार्य विभाग

कार्य प्रसंग, अथवा

**DIVISION**

कार्य अथवा प्रसंग - मधुआ

**SUB-DIVISION**

**Measurement Book**

M.B.No-1463

## Sch. XLV-Form No. 134

| Particulars                                              | Details of actual measurement |    |    |       | Contents of area |
|----------------------------------------------------------|-------------------------------|----|----|-------|------------------|
|                                                          | No.                           | L. | B. | D.    |                  |
| Abstract of cost                                         |                               |    |    |       |                  |
| (5th & final bill)                                       |                               |    |    |       |                  |
| 1. Setting out of working boundaries & reference pillar. |                               |    |    |       |                  |
| 1.260 km aty vide Tm 13 p-24                             |                               |    |    |       |                  |
| 1.260 km @ R 6456 = 34 per km                            |                               |    |    |       | R 11363 =        |
| 2. Clearing & grubbing road ends etc.                    |                               |    |    |       |                  |
| 1.056 hectare aty vide Tm 10 p-24                        |                               |    |    |       |                  |
| 1.056 hectare @ R 58358 = 96 per hect.                   |                               |    |    |       | R 61627 =        |
| 3. Const. of embankment with approved materials          |                               |    |    |       |                  |
| (i) Road up to 1000                                      |                               |    |    |       |                  |
| 1658.14 m aty vide Tm 10 p-32                            |                               |    |    |       |                  |
| 1658.14 m @ R 208 = 83 per m                             |                               |    |    |       | R 347928 =       |
| (ii) Road up to 1000                                     |                               |    |    |       |                  |
| 414.54 m aty vide Tm 10 p-32                             |                               |    |    |       |                  |
| 414.54 m @ R 215 = 76 per m                              |                               |    |    |       | R 89441 =        |
| 4. Const. of subgrade & earth on shoulder                |                               |    |    |       |                  |
| 2376. m aty vide Tm 13 p-24                              |                               |    |    |       |                  |
| 975. m aty vide Tm 13 p-30                               |                               |    |    |       |                  |
| 3251. m @ R 215 = 92 per m                               |                               |    |    |       | R 723548 =       |
| 5. Const. of G.S.B. with material grading 2.             |                               |    |    |       |                  |
| 1150.125 m aty vide Tm 13 p-25                           |                               |    |    |       |                  |
| 91.875 m aty vide Tm 13 p-28                             |                               |    |    |       |                  |
| 1182. m @ R 3307 = 82 per m                              |                               |    |    |       | R 3909843 =      |
|                                                          |                               |    |    | c/o 6 | 5143750 =        |

Continuation

## Sch. XLV-Form No. 134

| Particulars                                       | Details of actual measurement |    |    |        | Contents of area |
|---------------------------------------------------|-------------------------------|----|----|--------|------------------|
|                                                   | No.                           | L. | B. | D.     |                  |
|                                                   |                               |    |    | By p/h | 5143750:-        |
| 6. p/v laying spreading & compacting              |                               |    |    |        |                  |
| 1413 m <sup>2</sup> grade III                     |                               |    |    |        |                  |
| 481.0652 m <sup>2</sup> aty wide Twp p-25         |                               |    |    |        |                  |
| 23.902 m <sup>2</sup> aty wide Twp p-28           |                               |    |    |        |                  |
| 504.9722 m <sup>2</sup> @ B 4408 = 71/m           |                               |    |    |        | 2226276:-        |
| 7. p/v & applying primer coat                     |                               |    |    |        |                  |
| 4568.50 m <sup>2</sup> aty wide Twp p-25          |                               |    |    |        |                  |
| 21.375 m <sup>2</sup> aty wide Twp p-29           |                               |    |    |        |                  |
| 4589.88 m <sup>2</sup> @ B 51 = 74/m <sup>2</sup> |                               |    |    |        | 232480:-         |
| 4598.475 m <sup>2</sup>                           |                               |    |    |        |                  |
| 8. p/v & applying thick coat                      |                               |    |    |        |                  |
| 4568.50 m <sup>2</sup> aty wide Twp p-25          |                               |    |    |        |                  |
| 21.375 m <sup>2</sup> aty wide Twp p-29           |                               |    |    |        |                  |

|                                                  |  |  |  |  |           |
|--------------------------------------------------|--|--|--|--|-----------|
| 9. p/v & laying 20 mm thick                      |  |  |  |  |           |
| on 3-3 - - B 11                                  |  |  |  |  |           |
| 4568.50 m <sup>2</sup> aty wide Twp p-25         |  |  |  |  |           |
| 21.375 m <sup>2</sup> aty wide Twp p-29          |  |  |  |  |           |
| 4589.88 m <sup>2</sup> @ B 241.23/m <sup>2</sup> |  |  |  |  | 1107217:- |
| 10. p/v & firing masonry interlocking            |  |  |  |  |           |
| ridizer & maintenance base                       |  |  |  |  |           |
| 2. Nos aty wide Twp p-25                         |  |  |  |  |           |
| 1. Nos aty wide Twp p-33                         |  |  |  |  |           |
| 3. Nos @ B 13009 = 58 per No                     |  |  |  |  | 39029:-   |
| 11. 2114 in excavation for foundation            |  |  |  |  |           |
| of structure                                     |  |  |  |  |           |
| 65.52 m <sup>2</sup> aty wide Twp p-26           |  |  |  |  |           |
| 65.52 m <sup>2</sup> @ B 336 = 38/m <sup>2</sup> |  |  |  |  | 22039:-   |

Continuation

CPH 8857353:-

| Particulars                                                            | Details of actual measurement |    |    |       | Contents of area |
|------------------------------------------------------------------------|-------------------------------|----|----|-------|------------------|
|                                                                        | No.                           | L. | B. | D.    |                  |
|                                                                        |                               |    |    | 11" B | 8857353          |
| 12. Laying 2nd class building                                          |                               |    |    |       |                  |
| 2.03 ms aty wide Turis p-26                                            |                               |    |    |       |                  |
| 2.03 ms @ B 602=72/m                                                   |                               |    |    |       | 1224             |
| 13. Back filling in foundation trenches                                |                               |    |    |       |                  |
| 2.21 ms aty wide Turis p-26                                            |                               |    |    |       |                  |
| 2.21 ms @ B 815=01/ms                                                  |                               |    |    |       | 1801             |
| 14. P/V pcc on 15 in open foundation                                   |                               |    |    |       |                  |
| 2.77 ms aty wide Turis p-26                                            |                               |    |    |       |                  |
| 2.77 ms aty @ B 6438=62/ms                                             |                               |    |    |       | 17835            |
| 15. P/V & laying R.C.C. 1000 mm dia rods                               |                               |    |    |       |                  |
| 7.50 m aty wide Turis p-26                                             |                               |    |    |       |                  |
| 7.50 m @ B 5828=25 per m                                               |                               |    |    |       | 43712            |
| 16. P/V pcc on 15 grade in head wall                                   |                               |    |    |       |                  |
| 25.72 ms aty wide Turis p-26                                           |                               |    |    |       |                  |
| 25.72 ms @ B 6438=62/ms                                                |                               |    |    |       | 165601           |
| 17. P/V & laying 300 mm dia tip                                        |                               |    |    |       |                  |
| 90 m aty wide Turis p-26                                               |                               |    |    |       |                  |
| 90 m aty @ B 944=16 per m                                              |                               |    |    |       | 84974            |
| 18. const. of un reinforced cement concrete pavement                   |                               |    |    |       |                  |
| 342.72 ms aty wide Turis p-29                                          |                               |    |    |       |                  |
| 342.72 ms @ B 8407=95/ms                                               |                               |    |    |       | 2881573          |
| 19. P/V & laying of hot applied thermoplastic 25 mm thick road marking |                               |    |    |       |                  |
|                                                                        |                               |    |    | C/O B | 12054073         |

Continuation

## Sch. XLV-Form No. 134

| Particulars                                      | Details of actual measurement |    |    |    | Contents of area |
|--------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                  | No.                           | L. | B. | D. |                  |
|                                                  |                               |    |    |    | Rs 12054073-     |
| (1) for B.T. portion                             |                               |    |    |    |                  |
| 240 m <sup>2</sup> aty vide Taxis p-33           |                               |    |    |    |                  |
| 240 m <sup>2</sup> @ Rs 839 = 66/m <sup>2</sup>  |                               |    |    |    | Rs 201518-       |
| (11) for e.c. portion                            |                               |    |    |    |                  |
| 112 m <sup>2</sup> aty vide Taxis p-33           |                               |    |    |    |                  |
| 112 m <sup>2</sup> @ Rs 935 = 39/m <sup>2</sup>  |                               |    |    |    | Rs 104764-       |
| 20 p/x s fixing of cartenary                     |                               |    |    |    |                  |
| mandatory s informatory members                  |                               |    |    |    |                  |
| (1) 60000 equilateral triangle                   |                               |    |    |    |                  |
| 4 m <sup>2</sup> aty vide Taxis p-33             |                               |    |    |    |                  |
| 4 m <sup>2</sup> @ Rs 5732 = 34 p/m <sup>2</sup> |                               |    |    |    | Rs 21931-        |
| (11) 60000 circle                                |                               |    |    |    |                  |
| 2 m <sup>2</sup> aty vide Taxis p-33             |                               |    |    |    |                  |
| 2 m <sup>2</sup> @ Rs 8421 = 96 p/m <sup>2</sup> |                               |    |    |    | Rs 16844-        |
| (111) 60000 x 45000 rectangle                    |                               |    |    |    |                  |
| 4 m <sup>2</sup> aty vide Taxis p-33             |                               |    |    |    |                  |
| 4 m <sup>2</sup> @ Rs 5324 = 28 p/m <sup>2</sup> |                               |    |    |    | Rs 21297-        |
| (1111) 90000 sqd octagon                         |                               |    |    |    |                  |
| 2 m <sup>2</sup> aty vide Taxis p-33             |                               |    |    |    |                  |
| 2 m <sup>2</sup> @ Rs 9708 = 20 p/m <sup>2</sup> |                               |    |    |    | Rs 14419-        |
| 21 p/x R.O.C. 1015 grade kilometer               |                               |    |    |    |                  |
| (1) ordinary kilometer                           |                               |    |    |    |                  |
| 2 m <sup>2</sup> aty vide Taxis p-33             |                               |    |    |    |                  |
| 2 m <sup>2</sup> @ Rs 2759 = 19 p/m <sup>2</sup> |                               |    |    |    | Rs 5518-         |
| (11) 20000 stone                                 |                               |    |    |    |                  |
| 8 m <sup>2</sup> aty vide Taxis p-33             |                               |    |    |    |                  |
| 8 m <sup>2</sup> @ Rs 720 = 94 p/m <sup>2</sup>  |                               |    |    |    | Rs 5768-         |
| Continuation                                     |                               |    |    |    | Rs 12452130-     |

2013-2014