

Block - Rummisaidpur.

अनुसूची १  
अनुसूची १

## Schedule XLV-Form No. 134

(Agreement No. 27580/2021-22)

DIVISION

Executive Engineer

R. M. D. Works Division

Belsand

SUB-DIVISION

453

MEASUREMENT BOOK

M/S Varnish Const. (prop. Nitay Kumar)

$\frac{0.5}{0.5} = 1$

Abstract of cost

(iii) P & I of working B.

|             |   |    |   |    |    |
|-------------|---|----|---|----|----|
| mark        | - | to | - | to | me |
| spontaneous |   |    |   |    |    |

9th date TMB, P-01

0.86 km @ 9063.57/km 413995.2

|     |     |    |           |        |
|-----|-----|----|-----------|--------|
| (2) | PTF | at | reference | poller |
|-----|-----|----|-----------|--------|

|   |   |   |   |   |
|---|---|---|---|---|
| — | — | — | — | — |
|---|---|---|---|---|

Q12 with TMB, P-01

0.86 km  $\Rightarrow$  1878.75/km  $\approx$  1616.0

(5/5) cleaning & grinding road

land - to - as in she

|    |    |     |     |
|----|----|-----|-----|
| 94 | 24 | 753 | 101 |
|----|----|-----|-----|

0.10 ha (2) 10 49936.70/ha 10 29198.00



| Particulars                                                                                                    | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------------------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                                                                | No.                           | L. | B. | D. |                  |
| (9/4) excavation of road cut<br>in fill using manual means<br>— to —                                           |                               |    |    |    |                  |
| 9/4 vide TMB, P-02                                                                                             |                               |    |    |    |                  |
| 60.15 m <sup>3</sup> @ 1277.10/m <sup>3</sup>                                                                  |                               |    |    | 10 | 4957.00          |
| (5/5) Const. of embankment<br>with material obtained<br>from borrow pits — to —<br>— SL —<br>level up to 100 m |                               |    |    |    |                  |
| 9/4 vide TMB P-03                                                                                              |                               |    |    |    |                  |
| 611.17 m <sup>3</sup> @ 138.27/m <sup>3</sup>                                                                  |                               |    |    | 10 | 99506.00         |

|                                                                                                                   |  |  |  |    |          |
|-------------------------------------------------------------------------------------------------------------------|--|--|--|----|----------|
| (6/5) Const. of embankment<br>with materials obtained<br>from borrow pits — to —<br>— SL —<br>(level up to 100 m) |  |  |  |    |          |
| 9/4 vide TMB P-03                                                                                                 |  |  |  |    |          |
| 261.93 m <sup>3</sup> @ 175.11/m <sup>3</sup>                                                                     |  |  |  | 10 | 45867.00 |

|                                                               |  |  |  |    |           |
|---------------------------------------------------------------|--|--|--|----|-----------|
| (7/6) Const. of subgrade &<br>earth shoulder — to —<br>— SL — |  |  |  |    |           |
| 9/4 vide TMB P-04                                             |  |  |  |    |           |
| 1024.45 m <sup>3</sup> @ 176.75/m <sup>3</sup>                |  |  |  | 10 | 181072.00 |

|                                          |  |  |  |  |  |
|------------------------------------------|--|--|--|--|--|
| (8/7) Const. of G.S.D-I — to —<br>— SL — |  |  |  |  |  |
| 9/4 vide TMB, P-03                       |  |  |  |  |  |

Sch. XLV-Form No. 134

| Particulars                                                                                                                                              | Details of actual measurement |    |    |    | Contents of area                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----|----|----|-------------------------------------|
|                                                                                                                                                          | No.                           | L. | B. | D. |                                     |
| 505.80<br><del>444.80</del> (2) 10 30.22/m <sup>3</sup> 10                                                                                               |                               |    |    |    | 1533692.00<br><del>1256812.00</del> |
| (3/4) Comp. of C/SB-5-10-<br>as on 10/11/2011<br>943 re. TMB, P-05<br>58.40m <sup>3</sup>                                                                |                               |    |    |    |                                     |
| (3/10) providing, casting, shutter<br>for concrete WBM-111<br>- 10 -<br>943 re. TMB, P-04<br>135.00 m <sup>3</sup> (2) 10 3486.76/m <sup>3</sup> 10      |                               |    |    |    | 997218.00                           |
| (10/23) P/F of typical masonry<br>information from 30-01-11<br>with 100 - 10 - 00<br>P-5<br>943 re. TMB, P-05<br>03 no (2) 10 11007.98/m <sup>3</sup> 10 |                               |    |    |    | 33024.00                            |
|                                                                                                                                                          |                               |    |    |    | total Amt. 10 2415144.00            |
|                                                                                                                                                          |                               |    |    |    | total 12% 655+01% 6. P 313369.00    |
|                                                                                                                                                          |                               |    |    |    | total 10 2729112.00                 |
| (200) 3.50 % as per spec. (-)                                                                                                                            |                               |    |    |    | 95513.00                            |
|                                                                                                                                                          |                               |    |    |    | net payable Amt 10 2633593.00       |
| L.A.<br>08/04/2011<br>J.E.                                                                                                                               |                               |    |    |    |                                     |
| Mishra<br>8/4/12                                                                                                                                         |                               |    |    |    |                                     |
| CAF<br>Mishra<br>8/4/12                                                                                                                                  |                               |    |    |    |                                     |

Continuation