

**Schedule XLV-Form No. 134**

Temporary Restoration of Road from  
kakiya chowk To Talgachh kamat

RWD. Kishanganj-2 **DIVISION**

RWD. Dighalbar **SUB-DIVISION**

**MEASUREMENT BOOK** NO-1480

क नाम से विहित किया जाता है।

कार्यपालक  
ग्रामिकांवि. व.  
मंसम

Sch. XLV—Form No. 134

RWD. Kishenganj-2 DIVISION  
RWD. Sighalbank SUB-DIVISION

**Measurement Book**  
No. 1480

Name of Officer \_\_\_\_\_

Date of first entry \_\_\_\_\_

Date of last entry \_\_\_\_\_

Situation of work—

Agency by which work is executed—

Date of measurement—

No. and date of agreement.

(These four lines should be repeated at the commencement of the measurements relating to each work.)

[illegible]

| 1) Providing Bamboo Piles |    |   |   |   |                       |
|---------------------------|----|---|---|---|-----------------------|
| do - all - Job            |    |   |   |   |                       |
| (L.H.S) 3                 | 30 | 3 | - | - | 270.00 m <sup>3</sup> |
| (L.H.S) 1                 | 15 | 3 | - | - | 45.00 "               |
| (R.H.S) 1                 | 18 | 3 | - | - | 54.00 "               |
| (R.H.S) 3                 | 30 | 3 | - | - | 270.00 "              |
| (R.H.S) 1                 | 15 | 3 | - | - | 45.00 "               |
| (R.H.S) 3                 | 30 | 3 | - | - | 270.00 "              |
| (R.H.S) 1                 | 15 | 3 | - | - | 45.00 "               |
| (R.H.S) 3                 | 30 | 3 | - | - | 270.00 "              |
| (R.H.S) 1                 | 15 | 3 | - | - | 45.00 "               |
| (R.H.S) 2                 | 30 | 3 | - | - | 180.00 "              |
| (R.H.S) 1                 | 17 | 3 | - | - | 51.00 "               |
| (R.H.S) 3                 | 30 | 3 | - | - | 270.00 "              |
| (R.H.S) 1                 | 15 | 3 | - | - | 45.00 "               |
| (R.H.S) 3                 | 30 | 3 | - | - | 270.00 "              |

Continuation

Continuation

| Particulars | Details of actual measurement |    |     |     | Contents of area |
|-------------|-------------------------------|----|-----|-----|------------------|
|             | No.                           | L. | B.  | D.  |                  |
|             |                               |    | Qty | D/F | 1815.00 m        |
| (R.H.S) 1   | 15                            | 3  | -   | -   | 45.00 m          |
| (R.H.S) 3   | 30                            | 3  | -   | -   | 270.00 m         |
| (R.H.S) 1   | 15                            | 3  | -   | -   | 45.00 m          |
| (R.H.S) 1   | 29                            | 3  | -   | -   | 87.00 m          |
|             |                               |    |     |     | 2262.00 m        |

## 2) Providing Bamboo Runner

|  |   |       |   |   |         |
|--|---|-------|---|---|---------|
|  |   |       |   |   |         |
|  | 3 | 30.00 | - | - | 90.00 m |
|  | 3 | 5.00  | - | - | 15.00 m |
|  | 3 | 30.00 | - | - | 90.00 m |
|  | 3 | 30.00 | - | - | 90.00 m |
|  | 3 | 22.00 | - | - | 66.00 m |
|  | 3 | 30.00 | - | - | 90.00 m |

|  |   |       |   |   |          |
|--|---|-------|---|---|----------|
|  | 3 | 30.00 | - | - | 90.00 m  |
|  | 3 | 30.00 | - | - | 90.00 m  |
|  | 3 | 8.20  | - | - | 24.60 m  |
|  |   |       |   |   | 645.60 m |

## 3) Sand filling on Type-B

(Finest class) bedding c-Job

|  |   |       |      |      |                      |
|--|---|-------|------|------|----------------------|
|  | 1 | 30.00 | 3.25 | 0.15 | 14.63 m <sup>3</sup> |
|  | 1 | 30.00 | 4.60 | 0.15 | 20.70 m              |
|  | 1 | 30.00 | 4.80 | 0.15 | 21.60 m              |
|  | 1 | 30.00 | 4.80 | 0.15 | 21.60 m              |
|  | 1 | 30.00 | 6.00 | 0.15 | 27.00 m              |
|  | 1 | 30.00 | 4.50 | 0.15 | 20.25 m              |
|  | 1 | 30.00 | 4.60 | 0.15 | 20.70 m              |
|  | 1 | 14.00 | 9.50 | 0.15 | 19.95 m              |

Continuation

166.43 m<sup>3</sup>



| Particulars | Details of actual measurement |       |      |      | Contents of area      |
|-------------|-------------------------------|-------|------|------|-----------------------|
|             | No.                           | L.    | B.   | D.   |                       |
|             |                               |       | Qty  | B/F  | 166.43 m <sup>3</sup> |
|             | 1                             | 30.00 | 1.80 | 0.15 | 8.10 m                |
|             | 1                             | 30.00 | 1.80 | 0.15 | 8.10 m                |
|             | 1                             | 30.00 | 1.80 | 0.15 | 8.10 m                |
|             | 1                             | 30.00 | 1.80 | 0.15 | 8.10 m                |
|             | 1                             | 8.20  | 1.80 | 0.15 | 2.21 m                |
|             | 1                             | 4.50  | 2.50 | 0.15 | 1.69 m                |
|             | 1                             | 27.50 | 2.20 | 0.15 | 9.08 m                |
|             | 1                             | 7.20  | 2.40 | 0.15 | 2.59 m                |
|             | 1                             | 6.40  | 1.40 | 0.15 | 1.34 m                |
|             | 1                             | 5.80  | 1.30 | 0.15 | 1.13 m                |
|             | 1                             | 18.20 | 1.20 | 0.15 | 3.28 m                |
|             | 1                             | 14.10 | 1.00 | 0.15 | 2.12 m                |

|  |   |       |      |      |                       |
|--|---|-------|------|------|-----------------------|
|  | 1 | 24.00 | 1.20 | 0.15 | 4.32 m                |
|  | 1 | 11.00 | 1.50 | 0.15 | 2.48 m                |
|  | 1 | 4.00  | 1.20 | 0.15 | 0.72 m                |
|  | 1 | 4.00  | 1.10 | 0.15 | 0.66 m                |
|  | 1 | 30.00 | 1.30 | 0.15 | 5.85 m                |
|  |   |       |      |      | 236.30 m <sup>3</sup> |

|                            |   |       |      |      |                      |
|----------------------------|---|-------|------|------|----------------------|
| 4) Providing Brick bats in |   |       |      |      |                      |
| Road ditches c. 200        |   |       |      |      |                      |
|                            | 1 | 30.00 | 3.25 | 0.35 | 34.13 m <sup>3</sup> |
|                            | 1 | 30.00 | 4.60 | 0.45 | 62.10 m              |
|                            | 1 | 30.00 | 4.80 | 0.35 | 50.40 m              |
|                            | 1 | 30.00 | 4.80 | 0.60 | 86.40 m              |
|                            | 1 | 30.00 | 6.00 | 0.35 | 63.00 m              |
|                            | 1 | 30.00 | 4.50 | 0.45 | 60.75 m              |

Continuation

356.78 m<sup>3</sup>

| Particulars | Details of actual measurement |       |      |      | Contents of area      |
|-------------|-------------------------------|-------|------|------|-----------------------|
|             | No.                           | L.    | B.   | D.   |                       |
|             |                               |       | QTY  | B/P  | 356.78 m <sup>3</sup> |
| 1           |                               | 30.00 | 4.60 | 0.50 | 69.00 y               |
| 1           |                               | 14.00 | 9.50 | 0.45 | 59.85 y               |
| 1           |                               | 30.00 | 1.80 | 0.30 | 16.20 y               |
| 1           |                               | 30.00 | 1.80 | 0.45 | 24.30 y               |
| 1           |                               | 30.00 | 2.00 | 0.65 | 39.00 y               |
| 1           |                               | 30.00 | 2.00 | 0.65 | 39.00 y               |
| 1           |                               | 8.20  | 1.80 | 0.45 | 6.64 y                |
| 1           |                               | 4.80  | 2.80 | 0.50 | 5.63 y                |
| 1           |                               | 27.80 | 2.20 | 0.45 | 27.23 y               |
| 1           |                               | 7.20  | 2.40 | 0.60 | 10.32 y               |
| 1           |                               | 6.40  | 1.40 | 0.60 | 5.38 y                |

|   |  |       |      |      |                       |
|---|--|-------|------|------|-----------------------|
| 1 |  | 5.80  | 1.30 | 0.55 | 4.15 y                |
| 1 |  | 18.20 | 1.20 | 0.80 | 17.47 y               |
| 1 |  | 14.10 | 1.00 | 0.40 | 5.64 y                |
| 1 |  | 24.00 | 1.20 | 0.60 | 17.28 y               |
| 1 |  | 11.00 | 1.50 | 0.45 | 7.43 y                |
| 1 |  | 4.00  | 1.20 | 0.50 | 2.40 y                |
| 1 |  | 4.00  | 1.10 | 0.50 | 2.20 y                |
| 1 |  | 30.00 | 1.30 | 0.50 | 19.50 y               |
|   |  |       |      |      | 735.45 m <sup>3</sup> |

5) Providing Rec HP3 (1000 mm)

H.P do - all - c - Job

2x 3x 2.50 = 15.00 m

Continuation

| Particulars                                     | Details of actual measurement |      |      |                       | Contents of area |
|-------------------------------------------------|-------------------------------|------|------|-----------------------|------------------|
|                                                 | No.                           | L.   | B.   | D.                    |                  |
| b) Providing & filling empty cement bags e- Job |                               |      |      |                       |                  |
| 1                                               | 30.60                         | 2.00 | 1.75 | 105.60 m <sup>3</sup> |                  |
| 1                                               | 30.60                         | 2.00 | 1.55 | 93.60 "               |                  |
| 1                                               | 30.60                         | 2.00 | 1.65 | 99.60 "               |                  |
| 1                                               | 30.60                         | 2.00 | 1.70 | 102.60 "              |                  |
| 1                                               | 30.60                         | 2.00 | 1.48 | 87.60 "               |                  |
| 1                                               | 30.60                         | 2.00 | 1.55 | 93.60 "               |                  |
| 1                                               | 30.60                         | 2.00 | 1.70 | 102.60 "              |                  |
| 1                                               | 5.20                          | 2.00 | 1.75 | 18.20 "               |                  |
|                                                 |                               |      |      | 699.20 m <sup>3</sup> |                  |
| @ 0.034 cum each bag                            |                               |      |      | 20565 No              |                  |

21  
30/11/21  
J.E.

21  
30/11/21  
AE

21  
30/11/21



| Particulars                                         | Details of actual measurement |    |    |    | Contents of area |
|-----------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                     | No.                           | L. | B. | D. |                  |
| <u>Abstract of Cost</u>                             |                               |    |    |    |                  |
| 1) Providing Bamboo Piles                           |                               |    |    |    |                  |
| do - all - c - Job                                  |                               |    |    |    |                  |
| vide T.M. & Page (2) itm (1)                        |                               |    |    |    |                  |
| = 2262 m @ 52.24 /- Rs 1,18,167 2                   |                               |    |    |    |                  |
| 2) Providing Bamboo Runners                         |                               |    |    |    |                  |
| do - all - c - Job                                  |                               |    |    |    |                  |
| vide T.M. & Page (2) itm (2)                        |                               |    |    |    |                  |
| = 645.60 m @ 27.71 /- Rs 17,890 2                   |                               |    |    |    |                  |
| 3) Sand filling & type B                            |                               |    |    |    |                  |
| (Best class) bedding c - Job                        |                               |    |    |    |                  |
| vide T.M. & Page (3) itm (3)                        |                               |    |    |    |                  |
| = 236.30 m <sup>3</sup> @ 514.43 /- Rs 1,21,560.00  |                               |    |    |    |                  |
| 4) Providing Brick bats in Road ditches c - Job     |                               |    |    |    |                  |
| vide T.M. & Page (4) itm (4)                        |                               |    |    |    |                  |
| = 935.45 m <sup>3</sup> @ 2165.72 /- Rs 15,94,985 2 |                               |    |    |    |                  |
| 5) Providing Rec NP3 H.P (1000 mm dia) c - Job      |                               |    |    |    |                  |
| vide T.M. & Page (4) itm (5)                        |                               |    |    |    |                  |
| = 15.00 m @ 4452.39 /- Rs 66,786 2                  |                               |    |    |    |                  |

Continuation

Rs 219,19,388 2



