

83

Schedule XLV-Form No. 134

BA 644A-1 DIVISION

213/2 SUB-DIVISION

MEASUREMENT BOOK

1344

प्रमाणित किया जाता है कि इस मापीपुस्त
मापी द्वारा टंकित क्र० सं०-०१ से ३०-५०
इस मापीपुस्त सहायक अभियंता,
ग्रामीण कार्य विभाग, कार्य अवर, प्रमंडल
बगहा-१


कार्यपालक अभियंता
ग्रामीण कार्य विभाग
प्रमंडल, बगहा-१


Chay

26/8

Schedule PLV-Form No. 134

BAGHAHA-I DIVISION
BAGHAHA-II SUB-DIVISION

Measurement Book

No. 1344

Name of Officer _____

Date of first entry _____

Date of last entry _____

Name of work -

Situation of work -

Agency by which work is executed -

Date of measurement -

No. and date of agreement.

(These four lines should be repeated at the commencement of the measurements relating to each work.)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Name of Work - Repair of Road					
breaches (Damaged by Flood)					
for motorability in					
Pharsahnee to Tarfalte					
F.Y - 2021-22					
Work Head - FDR					

Measurement:-				
(1/6)	Plv and laying 1000mm			
	dia R.C.C. pipe NP3			
	3 x 2.50m =			7.50m
(2/4)	Plv and labour for			
	cutting bamboo piles - 102 mm			

Continuation

① Plr Material and
labour for Laying
Brick bat — 7/5

less for H.P —

~~H.P~~

$3 \times 2.50 \times 3.142 \times 0.36 = 8.48 \text{ m}^3$

251.77 m³

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Abstract of work					
(1/2) Plv Material and labour for laying brick bat - 7/5					
251.77 m ³ vide Page (2)					
45.84 m ³ vide Page (3)					
297.61 m ³					
@ Rs 2048 = 30/m ³ - Rs 69595 = 10					
(2/3) Plv filling stitching placing sand bag					
@ Rs all comp					
Job					

1244 Nos vide Page (3)

@ Rs 21 = 75/- each - Rs 27057 = 10

(3/4) Plv and labour for cutting bamboo piles - 7/5

102 Nos vide Page (1)

@ Rs 47 = 61/m - Rs 4856 = 10

(4/5) Plv and labour for fitting and fixing bamboo runner -

94.10 m vide Page (2)

@ Rs 26 = 85/m - Rs 2524 = 10

A blank grid of 10 columns and 10 rows, tilted slightly to the right. The grid is composed of black lines on a white background. The lines are slightly curved, giving the grid a hand-drawn appearance. The grid is used for recording data during the experiment.