

ग्रामीण कार्य विभाग

Rural Works Department, Govt of Bihar

BIHAR RURAL ROADS PROJECT

Bihar Rural Development Agency (BRRDA)

Head :- F.D.R.

YEAR (2021-22)

STATE DICTRICT BLOCK DIVISION BIHAR MADHEPURA CHAUSA UDAKISHANGANJ

DETAILED ESTIMAE FOR TEMPRORY RESTORATION OF ROAD FROM ADHIK MANDAL PARWATTA WASA BITTI KE NIKAT SE SRIPUR WASA PCC VIA PARWATTA

Actual Length of Road	=	1.370 Km
Flood affected Length of Road		
TOTAL COST OF PAVEMENT		
TOTAL PROJECT COST	Rs	5,74,302.58

Submitted By:
Executive Engineer
RWD (W) Division, Udakishangani

Prepared By: Executive Engineer RWD (W) Division,Udakishanganj

SUMMARY OF COST ESTIMATE FOR THE PROJECT

DETAILED ESTIMAE FOR TEMPRORY

RESTORATION OF ROAD FROM ADHIK NAME OF ROAD :-

MANDAL PARWATTA WASA BITTI KE

DIVISION: **UDAKISHANGANJ**

BLOCK :- CHAUSA

Actual Length of Road :- 1.370 Km

Flood Affected Length of Road :- 0.146 Km

C		
Sr.	Description	Amount (In Rs.)
No.		, ,
1	Total Cost of Restoration=	4,85,188.17
2	Add:-Labour Cess @1% amt. =	4,851.88
3	Add:GST@12% on amt. =	58,222.58
4	Add:S.F.@ 10% on Material (Brick Bats) =	26,039.94
	TOTAL RESTORATION COST OF THE PROJECT IN LACS	5,74,302.58

Junior Engineer RWD (W) Division, Udakishanganj RWD (W) Division, Udakishanganj RWD (W) Division, Udakishanganj

4849 (22100 7/12/2021

Technically sanctioned for PS 574302.00 (PS five lacs seventy tour thousand three hundred two) only)

Nota41022

Estimating Officer Rural Work Department Work Circle, Madhepura 11 20104/22

Superintending Engineer Rural Works Department Works Circle, Madhepura

प्रतिवेदन

पथ का नाम

:- अधिक मैड्क परवर्गा वासा विद्ये के निकट से अपुर वासा वीह भीह सीट लामा परवर्ग

प्रखंड

:- न्योक्षा

जिला

:- मध्येपुरा

पथ की कुल लंबाई :- 1.370 किलीन

प्रस्तुत प्राक्कलन मो०— इ.न. 4— ६०००० लाख का वर्ष 2021 में आयी बाढ़ एवं अतिवृष्टि से क्षतिग्रस्त पथों को मानक अवस्था में लाने हेतु विभागीय पत्रांक—मु०अ०—4(मु०) विविध (कार्य)—23—291/2019 4275 पटना, दिनांक—22.10.2021 एवं पत्रांक— मु०अ०—4(मु०) विविध (कार्य) 23—291/2019 4589 पटना, दिनांक—13.11.2021 के द्वारा दिये गये निर्देश का अनुपालन कर ग्रामीण कार्य विभाग, कार्य प्रमंडल, उदािकशुनगंज के अधीन स्वीकृत प्राक्कलन के दर पर तैयार की गई है।

कनीय अभियंता, ग्रामीण कार्य विभाग, सहायेंक अभियंता, ग्रामीण कार्य विभाग, कार्य अवर प्रमंडल,

कार्यपालक अभियंता ग्रामीण कार्य विभाग, कार्य प्रमंडल, उदाकिशुनगंज।

Inspection Report for Flood Damage work

그 아이들 그는 아이들은 사람들이 하는 것이 되었다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들이 되었다면 하는 것이 모든 것이다.
Date:-
1 Name of PIUS: ER. Rom Rottom Ram LEB RWD WORKS DIV: WORKS HUN
2 Name of Block:- CHAUSA. 3 Name of Block:- CHAUSA.
3 Name of Road: ADHIK MANDAL PARWATTA WAS A BITTL KE MIKET SE SRIPUR WAS A PCL VIA PARWATTA.
A. For Road
1 Damage Location/Chainage: - 30mt, 270mt, 330mt, 740mt.
2 Damage Length:- 3 Nature of damage:- Could be supported by the support of the
4 Details of Restoration Works:-
i Material being used in Restortion works:- Prick bots. ii Equipments/Tools being used in Restoration works:- TCB, Tractor, Roller. iii Procedure taken up in Restoration works:- YES. iv Restored Length:- 0.146 km.
B. For Bridge —— NA.
1 Damage Location/Chainage :-
2 Damage Length:-
3 Nature of damage :-
4 Details of Restoration Works :-
i Material being used in Restortion works:- ii Equipments/Tools being used in Restoration works:- iii Procedure taken up in Restoration works:- iv Restored Length:-
A STATE OF THE PARTY OF THE PAR

Signature
(Name of inspector)

ग्रामीण कार्य विभाग बिहार, सरकार

पत्रांक - मु0आ0-4 (मु0) विविध कार्य-23-60/2020 - 1937 पटना, दिनांक ० 7 /0 7/2021 प्रेषक,

> पंकज कुमार पाल (भा०प्र०से०) सचिव

सेवा में

सभी कार्यपालक अभियंता ग्रामीण कार्य विभाग,

विषय-बाढ़ अतिवृष्टि से क्षतिग्रस्त पथों / पुलियों को यातयात लायक (Motorable) करने के संबंध में।

महाशय.

उपर्युक्त विषय के संबंध में निदेश दिया जाता है कि प्रमंडल अन्तर्गत सभी अभियंता बाढ़ / अतिवृष्टि से क्षतिग्रस्त पथों का शत प्रतिशत निरीक्षण करेंगे। पथों / पुलियों के क्षतिग्रस्त भाग से पानी उतरते ही उसे यातायात लायक बनाने की कारवाई एवं Motorable किये जाने से पहले तथा Motorable कार्य के बाद का Real time, Geo tagged photographs को MIS पर तत्क्षण अपलोड किया जाना सुनिश्चित करेंगे। इन कार्यो को कराने हेतु कार्यपालक अभियंता पूर्ण रूप से जिम्मेवार होंगे। कार्य न कराने की स्थिति में उनके विरुद्ध अनुशासनिक कार्रवाई की बाध्यता होगी।

(पंकर्ज कुमार पाल)

वेश्वासभाज

ज्ञापांक- म्०अ०-४ (म्०) विविध कार्य-23-60/2020 - 1937 पटना, दिनांक 07/7/2021 प्रतिलिपि:-सभी अधीक्षण अभियंता को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित। साथ ही उन्हें निदेश दिया जाता है कि वे लगातार अनुश्रवण एवं निरीक्षण करते हुए क्षतिग्रस्त भाग को अतिशीघ यातायात लायक बनवाने की कारवाई सुनिश्चित करेंगे।

ज्ञापांक-म्०अ०-४ (मू०) विविध कार्य-23-60/2020 - 1937 पटना, दिनांक 07/7/2021 प्रतिलिपि:-सभी मुख्य अभियंता, ग्रामीण कार्य विभाग को सूचनार्थ एवं लगातार अनु

करने हेतु प्रेषित।

Schedule of Quantity

NAME OF ROAD :- FROM ADHIK MANDAL PARWATTA WASA BITTI KE NIKAT SE SRIPUR WASA PCC VIA PARWATTA

BLOCK :-

CHAUSA

.No	SOR NO	DESRIPTION	QTY	UNIT	RATE	AMOUNT
		OF ITEMS				
1	12.3	Sand Filling in Foundation Trenches as per Drawing & Technical Specification.	0.00	Cum	582.71	0.00
2	A/R	Providing & laying Brick Bat				
		Providing and laying of Brick bat obtained from chimney with machenical means with all spreading, grading to required slope and compacted at OMC to acheive required density with all complete as per the direction of engineer in charge.	252.33	Cum	1922.87	485188.17
3	5.7.7	Labour for cutting 62mm to 75 mm dia bamboo piles to size and making shoes and driving etc. complete job as per specification and direction of E/I	0.00	m	45.86	0.00
4	5.7.8	Labour for fitting and fixing Split bamboo woven chachari in position with 20 swg G.I wire or 75 mm to 100 mm long nails alternatively including cost of G.I. wire or nails complete job as per specification and direction of E/I	0.00	sqm	78.20	0.00
5	5.7.9	Labour for fitting and fixing 75 mm dia bamboo runners in position at every vertical pole with 150 mm long nails or 38 swg G.l. wire including cost of G.l wire or nails complete job as per specification and direction of E/I	0.00	m	5.31	0.00
6		Supply of Bamboo at site.	0.00	nos.	188.39	0.00
7	5.7.40.1	Labour filling empty cement bags with loocal sand, stitching the bags and placing including supply of sutli and EC bag etc. all complete as per approved desing, specification and direction of E/I	0.00	nos.	37.05	0.00
8	401	Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.	0.00	Cum	3128.33	0.00
9	9.3	Providing and Laying Reinforced Cement Concrete Pipe NP3 as per design in Single Roww(1000mm Dia).	0.00	m	4046.57	0.00
		Total			Rs.	485188.17

			HIBIT	Casar	tails of M			
	nent	Measurem		संख्या		ार्य का ब्यौरा	· 75	
4		No. लम्बाई चीड़ाई In m.		-	विवास का ब्यास atail of Workl			
मात्रा Quant		In m.	in m.		5.			
EDOAD	TIONO	RESTORA	PRORY F	OR TEM	ESTIMAE F	DETAILED ES		****
ZATEE	TIVE NO	ASA RITT	ATTA W	L PARW	IIK MANDA	FROM ADHII	AD :-	AME OF RO
AI SE		A DANI A TOTAL	TOWN	VASA DO	SRIPHR			
	ification	hnical Spec	wing & Tec	as per Dra	portion of road	ng in ditch & breach po	Sand Filling	em No. 1
	modilon.	milodi Op co	3 - 1 - 0 - 0					
0.000	1.25	2.5	1	0				
0.000	1)	tal (in Cum	To			rk Bot	Laying Brid	em No. 2 :
							Laying Din	
110.925	0.85	2.90	45	1	CH:-in 30mt.			
56.700	0.60	2.25	42	1	CH:-in 270mt.	C		
33.750	0.75	2.25	20	1	CH:-in 330mt.			
5.950	0.70	1.00	8.5	1	CH:-in 330mt.			
45.000	0.75	2.00	30	1	CH:-in 740mt.	C		
252.325			145.5					
0.000	(-)		22/7x(0.6	0	Pipe	Less For Pi		
252.325	Cum)	Total (in		miles to si	mm dia hamba	cutting 62mm to 75 mr	l abour for	tem No. 3
	nd	ng shoes an	ze and maki	piles to siz	r specification a	. complete job as per s	driving etc	
0.000	7		0 1	1	n opcomounch c	- Inprote jes de por e		
0.000	7		0	1				
0.000		otal (in m)			o pilling 1.25m	For Bamboo p		tem No. 4
0.00	nplete			cluding cos	s alternatively in rection of E/I 2m, Ch km	to 100 mm long nails al specification and direct	job as per	
0.00		2 2	0 0	1		nachary 01 no. Bamboo	For Ch	
0.00		tal (in sqm)	To			T	T	
					wg G.I. wire incl	fitting and fixing 75 mm from long nails or 38 swg ecification and direction	with 150 m	Item No. 5
0.00			0	1				
0.00			0	1				
0.00		otal (in m)	To			Danah sa at aita	10	Itom No. C
0.00		otal (in m)	To			Bamboo at site.	Supply of t	Item No. 6
0.00		tal (in nos.)				T		
0.00								
		and placing desing,	g the bags a er approved	and, stitchin mplete as p	C bag etc. all co	ng empty cement bags supply of sutli and EC b on and direction of E/I	including s	Item No. 7
0.00	1.5	0.75	0	1		MILWALL MILWINE		
0.00	1.25	0.75 0.75	0	1				
				<u>'</u>				
0.00		Cum)	Total (in					
0.00		1				0.034m3=1 nos.	-	
0.00		Item No. 8 Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor mounted grader arrangement on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per Technical Specification Clause 401.						
0.00	1.000	1	1	0 1	Т	Olduse 401.	Ореспоац	
0.00	l (Cum)							
						and I a in the	Denvidina	Item No. 9
	gle	esign in Sino	P3 as per d	rete Pipe N	ed Cement Cond	and Laying Reinforced	Row(1000	

- Jan 1121

1					
	Ch.0.00km 0				
÷	On:0.00km 0	3	2.5	0.00	1
			Total (in m)	0.00	ı

Calculation of Seigniorage Fees

DETAILED ESTIMAE FOR TEMPRORY RESTORATION OF ROAD FROM ADHIK MANDAL NAME OF ROAD :- PARWATTA WASA BITTI KE NIKAT SE SRIPUR WASA PCC VIA PARWATTA

BLOCK	:-	CHAUSA
-------	----	--------

No	SOR NO			,		
		OF ITEMS DESRIPTION	QTY	UNIT	RATE	AMOUN
/1	12.3	Sand Filling in Foundation Trenches as per Drawing & Technical Specification		 		
-						
12	A/R	Sand	0.00	Cum	141.85	0.00
/2	AVIX	Providing & laying Brick Bat				
- 1		Providing and laying of Brick bat obtained from				
- 1		criminey with machenical means with all spreading				
		grading to required slope and compacted at OMC to				
- 1		acheive required density with all complete as per the				
-		direction of engineer in charge.				
		Brick Bats	252.33	Cum	1032.00	260399.40
1		Labour filling empty cement bags with loocal sand,				
3/7	5.7.40.1	stitching the bags and placing including supply of sutli and EC bag etc. all complete as per approved desing,				
- 1		specification and direction of E/I				
		Sand	0.00	Cum	141.85	0.00
		Labour for filling empty cement bags with loocal sand,				
		stitching the bags and placing in Nylon crate of size (1 m				
4/9	5.7.40.2	x 1 m x 1 m) with lead of 150 M including supply of sutli				
		etc. at site in dry portion all complete as per approved				
		design, specification and direction of E/I	0.00	Cum	141.85	0.00
		Sand				
		Construction of granular sub-base by providing well graded material, spreading in uniform layers with tractor				
		mounted grader arrangement on prepared surface,				
5/10	401	lariving by mix in place method with rotavator at OMC,				
		land compacting with smooth wheel roller to achieve the				
		desired density, complete as per Technical Specification				
		Clause 401.				
		For Grading I Material (with Coarse Sand Screening)	}			
		Unit = Cum	ļ	-		
		Taking output = 300 cum			7	
		Coarse graded granular sub-base material as per lable				
	-	400.2	180.00	Cum	516.42	92955.60
_		53 mm to 9.5mm @ 50 percent	72.00	Cum	411.33	29615.76
1	-	9.5 mm to 2.36 mm @ 20 percent	108.00	Cum	185.94	20081.52
_		2.36 mm below @ 30 percent (coarse Sand Screening)				142652.8
_		Cost for 300 cum = a		Cum		475.51
		Rate psr Cum = (a)/300	0.00	Cum	475.51	0.00
						0.00
		GSB Gr-I			TOTAL	260399.4
-		Seigniorage Fees @10% of Basic Amount			Say	26039.94

अधीक्षण अभियंता का कार्यालय, ग्रामीण कार्य विभाग, कार्य अंचल, मधेपुरा। पत्रांक... <u>५८३ / अन</u>्

प्रेषक,

ई0 खलीकुज्जमा, अधीक्षण अभियंता,

सेवा में,

नोडल पदाधिकारी, F.D.R, कोषांग, ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:

मधेपुरा, दिनांक 2004/2027 ग्रामीण कार्य विभाग, कार्य प्रमंडल, उदाकिशुनगंज के अन्तर्गत शीर्ष FDR (वित्तीय वर्ष 2021-22) योजना का बाढ़ से क्षतिग्रस्त पथांशों का अस्थाई पुनर्स्थापन कार्य का प्राक्कलन के प्रशासनिक अनुमोदन प्रदान करने के संबंध में।

प्रसंग :

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, **उदाकिशुनगंज** का पत्रांक **722** अनु0, दिनांक **12.04.2022** एवं अभियंता प्रमुख, ग्रामीण कार्य विभाग, बिहार, पटना का पत्रांक-मु030-4(मृ0)विविध(कार्य)23–291/2019–4849 पटना, दिनांक **07.12.2021**

महाशय,

उपर्युक्त विषयक प्रसांगिक पत्र द्वारा प्राप्त कार्य प्रमंडल, उदािकशुनगंज अन्तर्गत शीर्ष FDR (वित्तीय वर्ष 2021-22) योजना का बाढ़ से क्षतिग्रस्त पथांशों का अस्थाई पुनर्स्थापन कार्य का डी०पी०आर० एक—एक प्रति में तकनीकी स्वीकृति प्रदान कर प्रशासनिक अनुमोदन हेतु समर्पित की जाती है। जिसकी विवरणी निम्नवत है।

큙0	प्रखंड	योजना का नाम	क्षतिग्रस्त भाग की लम्बाई (KM)	तकनीकी स्वीकृति की राशि (Lakh)
1.	Alamnagar	L025-T-05 SONAMUKHI to MURAUT (VR12)	0.050	20.23962
2.	Alamnagar	L034-T-05 CHUBATUA GANGAPUR TO HARJORAGHT (VR20)	0.097	28.17067
3.	Alamnagar	L035-T-05 BHARSO TOLA TO KACHAHARI TOLA (VR21)	0.210	17.67956
4.	Alamnagar	Construction of road from Alamnagar SonaMukhi kakpsila with five years maintainance with 2 no. H.L bridge.	0.300	34.63060
5.	Alamnagar	Construction of road from Alamnagar fullaut road with five year maintenance with 2 nos. of H.L bridges.	0.072	6.02269
6.	Bihariganj	S01school Ke Nikat Se to Vairaw Patti	0.087	7.01604

承0	प्रखंड	योजना का नाम	क्षतिग्रस्त भाग की लम्बाई (KM)	तकनीकी स्वीकृति की राशि (Lakh)
7. —	Chausa	Construction of road from Dhaneshpur to morsanda with five years maintenance.	0.082	5.27416
8.	Chausa	Adhik Mandal Parbatta Bsabitti Ke Nikat To Sripurbasa PCC via Parbatta	0.146	5.74302
9.	Chausa	Khoparia Tola Lowalagan To baba bishuraut Sthan	0.045	6.24997
10.	Chausa	L036-T01 TO SHABA TOLA (VR11)	0.733	20.33275
11.	Gwalpara	Resna PMGSY Path To Kamalpur	0.136	7.15886
12.	Gwalpara	Baliya Basa REO Road To Amauja	0.060	11.57017
13.	Gwalpara	L036-Gwalpara to biswari (VR7)	0.181	9.01073
14.	Chausa	Construction of H.L Bridge Over Bariyari Dhar Sapni Fulaut Pandahi Path.	0.075	7.41311
15.	Puraini	Durga PMGSY Path Paina via Durgapur Goth Chhoti Badhona	0.142	20.25279
16.	Puraini	Kherho paschim Tola PMGSY Path To Dhaneshpur Via Goth Kherho	0.020	2.94972
17.	Udakishanganj	Construction of road from Kishanganj to Biriranpal with five years maintenance	0.110	8.49447
18.	Udakishanganj	L044-T04NH106UDA TO TINTANGA (VR31)	0.024	5.66868
19.	Udakishanganj	NH106 hareli to ramesh yadav ke ghar hotehu wevidyanand jha ke ghar ke aage Rampur khorha PWD road tak	0.099	5.06052
20.	Udakishanganj	Laxmipur - Majaura	0.483	11.09571

अनु0:-प्राक्कलन एक-एक प्रति में।

विश्वासभाजन,

अधीक्षण अभियंता, ग्रामीण कार्य विभाग, कार्य अंचल, मधेपुरा।