

**Schedule XLV-Form No. 134**

Temporary Restoration of Road from

To 4 To Puccamushi

R.W.D. Kishengauj-2

**DIVISION**

R.W.D. Dighalbank

**SUB-DIVISION**

**MEASUREMENT BOOK**

ND-1496

प्रमाणित किया जाता है कि इस माप पुस्तक में कुल 100

पृष्ठ (100) मुद्रित दोहरे पृष्ठ हैं। जो श्री. V. P. लसाई.

महायुक्त अभियंता, ग्रा.का.वि. कार्य अवर प्रमण्डल, डिगलबैंक  
के नाम से निर्गत किया जाता है।

कार्यपालक अभियंता  
ग्रा.का.वि. कार्य प्रमण्डल  
डिगलबैंक-2

Sch. XLV—Form No. 134

RWD. Kishanganj-2 DIVISION  
RWD. Digalbank SUB-DIVISION

**Measurement Book**

No. 1496

Name of Officer \_\_\_\_\_

Date of first entry \_\_\_\_\_

Date of last entry \_\_\_\_\_

Name to work—  
 Situation of work—  
 Agency by which work is executed—  
 Date of measurement—  
 No. and date of agreement.  
 (These four lines should be repeated at the commencement of the measurements relating to each work.)

| Particulars | Details of actual measurement |    |    |    | Contents of area |
|-------------|-------------------------------|----|----|----|------------------|
|             | No.                           | L. | B. | D. |                  |

Name of work :- Toy To Puccamurbi  
 Road Restoration work after  
 flood damage  
 Agency :- Departmental

Record Measurement

1) Providing Bamboo Piles  
 do - all - c - Job

|         |   |       |      |   |   |          |
|---------|---|-------|------|---|---|----------|
| (L.H.S) | 3 | 30.00 | 3.00 | - | - | 270.00 m |
| (L.H.S) | 1 | 15.00 | 3.00 | - | - | 45.00 y  |
| (R.H.S) | 1 | 28.00 | 3.00 | - | - | 84.00 y  |
| (L.H.S) | 3 | 30.00 | 3.00 | - | - | 270.00 y |
| (L.H.S) | 1 | 15.00 | 3.00 | - | - | 45.00 y  |
| (L.H.S) | 2 | 30.00 | 3.00 | - | - | 180.00 y |
| (L.H.S) | 1 | 9.00  | 3.00 | - | - | 27.00 y  |
|         | 3 | 30.00 | 3.00 | - | - | 270.00 y |
|         | 1 | 15.00 | 3.00 | - | - | 45.00 y  |
| (R.H.S) | 1 | 27.00 | 3.00 | - | - | 81.00 y  |
|         | 3 | 30.00 | 3.00 | - | - | 270.00 y |
|         | 1 | 15.00 | 3.00 | - | - | 45.00 y  |
|         | 2 | 30.00 | 3.00 | - | - | 180.00 y |
| (R.H.S) | 3 | 30.00 | 3.00 | - | - | 270.00 y |
| (R.H.S) | 1 | 15.00 | 3.00 | - | - | 45.00 y  |

Continuation 2127.00 m

Sch. XLV—Form No. 134

| Particulars | Details of actual measurement |      |     |     | Contents area |
|-------------|-------------------------------|------|-----|-----|---------------|
|             | No.                           | L.   | B.  | D.  |               |
|             |                               |      | Qty | B/F | 2127.00 m     |
| (L.H.S) 2   | 30.00                         | 3.00 | —   | —   | 180.00 m      |
| (L.H.S) 1   | 20.00                         | 3.00 | —   | —   | 60.00 m       |
| (R.H.S) 1   | 30.00                         | 3.00 | —   | —   | 90.00 m       |
| (R.H.S) 1   | 19.00                         | 3.00 | —   | —   | 57.00 m       |
| 3           | 30.00                         | 3.00 | —   | —   | 270.00 m      |
| 1           | 15.00                         | 3.00 | —   | —   | 45.00 m       |
| 1           | 18.00                         | 3.00 | —   | —   | 54.00 m       |
| 3           | 30.00                         | 3.00 | —   | —   | 270.00 m      |
| 1           | 15.00                         | 3.00 | —   | —   | 45.00 m       |
| 3           | 30.00                         | 3.00 | —   | —   | 270.00 m      |
| 1           | 15.00                         | 3.00 | —   | —   | 45.00 m       |
| 1           | 21.00                         | 3.00 | —   | —   | 63.00 m       |

|   |       |      |   |   |          |
|---|-------|------|---|---|----------|
| 2 | 30.00 | 3.00 | — | — | 180.00 m |
| 1 | 17.00 | 3.00 | — | — | 51.00 m  |
| 3 | 30.00 | 3.00 | — | — | 270.00 m |
| 1 | 15.00 | 3.00 | — | — | 45.00 m  |
| 1 | 30.00 | 3.00 | — | — | 90.00 m  |
| 1 | 9.00  | 3.00 | — | — | 27.00 m  |
| 3 | 30.00 | 3.00 | — | — | 270.00 m |
| 1 | 8.00  | 3.00 | — | — | 24.00 m  |
| 1 | 25.00 | 3.00 | — | — | 75.00 m  |
| 1 | 25.00 | 3.00 | — | — | 75.00 m  |
| 1 | 14.00 | 3.00 | — | — | 42.00 m  |
| 1 | 30.00 | 3.00 | — | — | 90.00 m  |
| 1 | 2.00  | 3.00 | — | — | 6.00 m   |
| 1 | 18.00 | 3.00 | — | — | 54.00 m  |

Continuation

4875.00 m

## Sch. XLV—Form No. 134

| Particulars                 | Details of actual measurement |       |     |     | Contents of area |
|-----------------------------|-------------------------------|-------|-----|-----|------------------|
|                             | No.                           | L.    | B.  | D.  |                  |
|                             |                               |       | Qty | B/F | 4875.00 m        |
| 1                           | 25.00                         | 3.00  | —   | —   | 75.00            |
|                             |                               |       |     |     | 4950.00 m        |
| 2) Providing Bamboo Runners |                               |       |     |     |                  |
| do - all - c - Job          |                               |       |     |     |                  |
|                             | 3                             | 30.00 | —   | —   | 90.00 m          |
|                             | 3                             | 8.00  | —   | —   | 24.00 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 19.80 | —   | —   | 59.40 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 7.80  | —   | —   | 23.40 "          |
|                             | 3                             | 17.20 | —   | —   | 51.60 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 22.80 | —   | —   | 68.40 "          |
|                             | 3                             | 14.00 | —   | —   | 42.00 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 5.00  | —   | —   | 15.00 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 6.00  | —   | —   | 18.00 "          |
|                             | 3                             | 22.00 | —   | —   | 66.00 "          |
|                             | 3                             | 30.00 | —   | —   | 90.00 "          |
|                             | 3                             | 11.00 | —   | —   | 33.00 "          |
|                             | 3                             | 28.00 | —   | —   | 84.00 "          |
|                             | 3                             | 7.00  | —   | —   | 21.00 "          |
|                             | 3                             | 7.00  | —   | —   | 21.00 "          |
| Continuation                |                               |       |     |     | 1336.80          |

## Sch. XLV—Form No. 134

| Particulars                 | Details of actual measurement |       |      |      | Contents of area    |
|-----------------------------|-------------------------------|-------|------|------|---------------------|
|                             | No.                           | L.    | B.   | D.   |                     |
|                             |                               |       | Qty  | B/F  | 1336.80 m           |
|                             | 3                             | 4.00  | -    | -    | 12.00 y             |
|                             | 3                             | 9.00  | -    | -    | 27.00 y             |
|                             | 3                             | 5.00  | -    | -    | 15.00 y             |
|                             | 3                             | 7.00  | -    | -    | 21.00 y             |
|                             |                               |       |      |      | 1411.80 m           |
| 3) Sand filling on Type - B |                               |       |      |      |                     |
| (Best class) bedding c- Job |                               |       |      |      |                     |
|                             | 1                             | 30.00 | 1.20 | 0.15 | 5.40 m <sup>3</sup> |
|                             | 1                             | 8.80  | 1.20 | 0.15 | 1.58 y              |
|                             | 1                             | 30.00 | 1.40 | 0.15 | 6.30 y              |
|                             | 1                             | 20.00 | 1.10 | 0.15 | 3.30 y              |
|                             | 1                             | 30.00 | 1.30 | 0.15 | 5.85 y              |
|                             | 1                             | 7.80  | 1.30 | 0.15 | 1.52 y              |
|                             | 1                             | 30.00 | 1.40 | 0.15 | 6.30 y              |
|                             | 1                             | 17.20 | 1.40 | 0.15 | 3.61 y              |
|                             | 1                             | 30.00 | 1.80 | 0.15 | 8.10 y              |
|                             | 1                             | 22.80 | 1.60 | 0.15 | 5.47 y              |
|                             | 1                             | 14.00 | 1.10 | 0.15 | 2.31 y              |
|                             | 1                             | 30.00 | 1.40 | 0.15 | 6.30 y              |
|                             | 1                             | 5.00  | 1.40 | 0.15 | 1.05 y              |
|                             | 1                             | 30.00 | 1.40 | 0.15 | 6.30 y              |
|                             | 1                             | 30.00 | 1.40 | 0.15 | 6.30 y              |
|                             | 1                             | 6.00  | 1.40 | 0.15 | 1.26 y              |
|                             | 1                             | 22.00 | 1.50 | 0.15 | 4.95 y              |

Continuation

75.90.00

## Sch. XLV—Form No. 134

| Particulars | Details of actual measurement |       |      |      | Contents of area     |
|-------------|-------------------------------|-------|------|------|----------------------|
|             | No.                           | L.    | B.   | D.   |                      |
|             |                               |       | 0.74 | B/F  | 75.90 m <sup>3</sup> |
|             | 1                             | 28.00 | 1.00 | 0.15 | 4.20                 |
|             | 1                             | 13.00 | 1.60 | 0.15 | 3.12                 |
|             | 1                             | 30.00 | 1.60 | 0.15 | 7.20                 |
|             | 1                             | 7.00  | 1.60 | 0.15 | 1.68                 |
|             | 1                             | 7.00  | 1.60 | 0.15 | 1.68                 |
|             | 1                             | 4.00  | 1.60 | 0.15 | 0.96                 |
|             | 1                             | 9.00  | 1.60 | 0.15 | 2.16                 |
|             | 1                             | 5.00  | 1.60 | 0.15 | 1.20                 |
|             | 1                             | 7.00  | 1.60 | 0.15 | 1.68                 |
|             |                               |       |      |      | 99.78 m <sup>3</sup> |

## 4) Providing Brickbats in Road

ditches do - all - c - Job

|  |   |       |      |      |                      |
|--|---|-------|------|------|----------------------|
|  | 1 | 30.00 | 1.20 | 0.60 | 21.60 m <sup>3</sup> |
|  | 1 | 8.80  | 1.20 | 0.60 | 6.34                 |
|  | 1 | 30.00 | 1.40 | 0.60 | 25.20                |
|  | 1 | 20.00 | 1.10 | 0.80 | 17.60                |
|  | 1 | 30.00 | 1.30 | 1.00 | 39.00                |
|  | 1 | 7.80  | 1.30 | 1.00 | 10.14                |
|  | 1 | 30.00 | 1.40 | 1.00 | 42.00                |
|  | 1 | 17.20 | 1.40 | 1.00 | 24.08                |
|  | 1 | 30.00 | 1.80 | 0.45 | 24.30                |
|  | 1 | 22.80 | 1.60 | 0.80 | 29.18                |
|  | 1 | 14.00 | 1.10 | 0.50 | 7.70                 |
|  | 1 | 30.00 | 1.40 | 0.60 | 25.20                |

Continuation

272.34

| Particulars | Details of actual measurement |       |      |      | Contents of area |
|-------------|-------------------------------|-------|------|------|------------------|
|             | No.                           | L.    | B.   | D.   |                  |
|             |                               |       | 0.4y | B/R  | 272.34           |
|             | 1                             | 5.00  | 1.40 | 0.60 | 4.20 y           |
|             | 1                             | 30.00 | 1.40 | 0.80 | 33.60 y          |
|             | 1                             | 30.00 | 1.40 | 0.80 | 33.60 y          |
|             | 1                             | 6.00  | 1.40 | 0.80 | 6.72 y           |
|             | 1                             | 22.00 | 1.50 | 0.60 | 19.80 y          |
|             | 1                             | 28.00 | 1.00 | 0.40 | 11.20 y          |
|             | 1                             | 13.00 | 1.60 | 0.40 | 8.32 y           |
|             | 1                             | 30.00 | 1.60 | 0.40 | 19.20 y          |
|             | 1                             | 7.00  | 1.60 | 0.40 | 4.48 y           |
|             | 1                             | 7.00  | 1.60 | 0.50 | 5.60 y           |
|             | 1                             | 4.00  | 1.60 | 0.40 | 2.56 y           |

|  |   |      |      |      |                       |
|--|---|------|------|------|-----------------------|
|  | 1 | 9.00 | 1.60 | 0.50 | 7.20 y                |
|  | 1 | 5.00 | 1.60 | 0.40 | 3.20 y                |
|  | 1 | 7.00 | 1.60 | 0.40 | 4.48 y                |
|  |   |      |      |      | 436.50 m <sup>3</sup> |

5) Providing & filling cement

base do - all - c - slab

|  |   |       |      |      |                      |
|--|---|-------|------|------|----------------------|
|  | 3 | 30.00 | 0.80 | 1.00 | 90.00 m <sup>3</sup> |
|  | 3 | 8.00  | 0.80 | 1.00 | 24.00 y              |
|  | 3 | 30.00 | 0.80 | 0.90 | 90.00 y              |
|  | 3 | 20.00 | 0.80 | 0.70 | 60.00 y              |
|  | 3 | 30.00 | 0.80 | 0.90 | 90.00 y              |
|  | 3 | 7.80  | 0.80 | 0.90 | 23.40 y              |
|  | 3 | 30.00 | 0.80 | 0.80 | 90.00 y              |

Continuation

467.40 m<sup>3</sup>



Sch. XLV—Form No. 134

| Particulars | Details of actual measurement |       |      |                 | Contents of area                  |
|-------------|-------------------------------|-------|------|-----------------|-----------------------------------|
|             | No.                           | L.    | B.   | D.              |                                   |
|             |                               |       | 0.77 | BIF             | 467.40 m <sup>2</sup>             |
|             | 3                             | 17.20 | 0.80 | 0.90            | 51.60 "                           |
|             | 3                             | 30.00 | 0.80 | 0.60            | 90.00 "                           |
|             | 3                             | 22.80 | 0.80 | 0.70            | 68.40 "                           |
|             | 3                             | 14.00 | 0.80 | 0.30            | 42.00 "                           |
|             | 3                             | 30.00 | 0.80 | 0.40            | 90.00 "                           |
|             | 3                             | 5.00  | 0.80 | 0.60            | 15.00 "                           |
|             | 3                             | 30.00 | 0.80 | 0.70            | 90.00 "                           |
|             | 3                             | 30.00 | 0.80 | 0.60            | 90.00 "                           |
|             | 3                             | 6.00  | 0.80 | 0.40            | 18.00 "                           |
|             | 3                             | 22.00 | 0.80 | 0.50            | 66.00 "                           |
|             | 3                             | 30.00 | 1.40 | 0.80            | 90.00 "                           |
|             | 3                             | 11.00 | 1.40 | 0.70            | 33.00 "                           |
|             | 3                             | 28.00 | 0.70 | 0.90            | 84.00 "                           |
|             | 3                             | 7.00  | 1.65 | 0.45            | 21.00 "                           |
|             | 3                             | 7.00  | 1.75 | 0.25            | 21.00 "                           |
|             | 3                             | 4.00  | 1.95 | 0.40            | 12.00 "                           |
|             | 3                             | 9.00  | 1.65 | 0.60            | 27.00 "                           |
|             | 3                             | 5.00  | 1.85 | 0.60            | 15.00 "                           |
|             | 3                             | 7.00  | 1.45 | 0.50            | 21.00 "                           |
|             |                               |       |      |                 | 1412.40 m <sup>2</sup>            |
|             |                               |       |      |                 | (2) 0.034 cum each bag = 41541 No |
|             | <i>J.F.</i>                   |       |      |                 |                                   |
|             | <i>30/11/21</i>               |       |      | <i>30/11/21</i> | <i>AE</i>                         |

Continuation

| Particulars   | Details of actual measurement |    |    |    | Contents of area |
|---|-------------------------------|----|----|----|------------------|
|   | No.                           | L. | B. | D. |                  |
| <u>Abstract of cost</u>                                   |                               |    |    |    |                  |
| 1) Providing Bamboo Piles<br>do - all - c - job           |                               |    |    |    |                  |
| vide T.M.B Page (3) itm(1)                                |                               |    |    |    |                  |
| 4950.00 m @ 52.24/-                                       |                               |    |    |    | Rs 2,58,588 =    |
| 2) Providing Bamboo Runners<br>do - all - c - job         |                               |    |    |    |                  |
| vide T.M.B Page (4) itm(2)                                |                               |    |    |    |                  |
| 2141.60 m @ 27.71/-                                       |                               |    |    |    | Rs 39,121.00     |
| 3) Sand filling on Type-B<br>(Best class) bedding c - job |                               |    |    |    |                  |
| vide T.M.B Page (5) itm(2)                                |                               |    |    |    |                  |
| 299.78 m <sup>3</sup> @ 514.43/-                          |                               |    |    |    | Rs 51,330 =      |
| 4) Providing Buckets hats<br>in Road ditches c - job      |                               |    |    |    |                  |
| vide T.M.B Page (6) itm (4)                               |                               |    |    |    |                  |
| 2436.50 m <sup>3</sup> @ 2168.72/-                        |                               |    |    |    | Rs 9,46,646 =    |
| 5) Providing Empty cement<br>bags c - job                 |                               |    |    |    |                  |
| vide T.M.B Page (7) itm(5)                                |                               |    |    |    |                  |
| 241541 No @ 38.03/-                                       |                               |    |    |    | Rs 15,79,804 =   |

Continuation

Rs-28,75,489 =

Sch. XLV—Form No. 134

| Particulars                 | Details of actual measurement |     |                           |    | Contents of area    |
|-----------------------------|-------------------------------|-----|---------------------------|----|---------------------|
|                             | No.                           | L.  | B.                        | D. |                     |
|                             |                               |     | B/F                       | Rs | 28,75,489 =         |
| Adding                      | GST                           | 12% | Rs (+)                    | Rs | 3,45,059 =          |
|                             | L. cess                       | 1%  | (+)                       | Rs | 28,755 =            |
|                             | S. fee                        |     | (+)                       | Rs | 80,739 =            |
|                             |                               |     |                           |    | 1                   |
|                             |                               |     | -                         | Rs | 33,30,042 =         |
| <del>30/11/21</del><br>J.E. |                               |     | <del>30/11/21</del><br>AE |    | <del>30/11/21</del> |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |
|                             |                               |     |                           |    |                     |