

| Particulars                              | Details of actual measurement |    |    |    | Contents of area |
|------------------------------------------|-------------------------------|----|----|----|------------------|
|                                          | No.                           | L. | B. | D. |                  |
| Name of work— Const <sup>n</sup> of road |                               |    |    |    |                  |
| from Ramdevit Mahito ke ghar             |                               |    |    |    |                  |
| to Banarsi Thakur ke ghar                |                               |    |    |    |                  |
| under MURUSY                             |                               |    |    |    |                  |
| Agency— Nijamuddin Ansari                |                               |    |    |    |                  |
| At— Balua Tal, P.O. Motikari             |                               |    |    |    |                  |
| Dist— East Champaran                     |                               |    |    |    |                  |
| Agreement No— 54/SBD/2019-20             |                               |    |    |    |                  |
| Agreement Value— 7609.39020              |                               |    |    |    |                  |
| Date of work order— 19/03/2020           |                               |    |    |    |                  |
| Date of completion— 18/03/2021           |                               |    |    |    |                  |

Record Entry

(1) Const<sup>n</sup> of un-reinforced  
p.e.c. Pavement

|                                                          |                     |
|----------------------------------------------------------|---------------------|
| $1 \times 30 \times \frac{4.10 + 3.80}{2} \times 0.16 =$ | 18.96M <sup>3</sup> |
| $1 \times 30 \times \frac{3.80 + 3.75}{2} \times 0.16 =$ | 18.12M <sup>3</sup> |
| $1 \times 30 \times \frac{3.75 + 3.77}{2} \times 0.16 =$ | 18.05M <sup>3</sup> |
| $1 \times 30 \times \frac{3.77 + 3.76}{2} \times 0.16 =$ | 18.07M <sup>3</sup> |
| $1 \times 30 \times \frac{3.76 + 3.79}{2} \times 0.16 =$ | 18.12M <sup>3</sup> |
| $1 \times 30 \times \frac{3.79 + 3.81}{2} \times 0.16 =$ | 18.24M <sup>3</sup> |
| $1 \times 30 \times \frac{3.81 + 3.80}{2} \times 0.16 =$ | 18.26M <sup>3</sup> |
| $1 \times 30 \times \frac{3.80 + 3.78}{2} \times 0.16 =$ | 18.19M <sup>3</sup> |
| $1 \times 30 \times \frac{3.78 + 3.75}{2} \times 0.16 =$ | 18.07M <sup>3</sup> |
| $1 \times 30 \times \frac{3.75 + 3.79}{2} \times 0.16 =$ | 18.10M <sup>3</sup> |

Continuation

182.18M<sup>3</sup>

# Abstract of cost

37

Sch. XLV-Form No. 134

| Particulars                                             | Details of actual measurement |    |    |    | Contents of area      |
|---------------------------------------------------------|-------------------------------|----|----|----|-----------------------|
|                                                         | No.                           | L. | B. | D. |                       |
| (1) Const <sup>n</sup> of benchmark                     |                               |    |    |    |                       |
| Q.VIIB/25(8) = 1.135 km                                 |                               |    |    |    |                       |
| e R. 10091 = 77/km                                      |                               |    |    |    | 11454=                |
| (2) Const <sup>n</sup> of Ref. Pillar                   |                               |    |    |    |                       |
| Q.VIIB/26(9) = 1.135 km                                 |                               |    |    |    |                       |
| e R. 9469.20/km                                         |                               |    |    |    | 10748=00              |
| (3) Cleaning and grubbing road land                     |                               |    |    |    |                       |
| Q.VIIB/26(10) = 0.34 hect                               |                               |    |    |    |                       |
| e R. 49496.70/ha                                        |                               |    |    |    | 16829=6               |
| (4) Const <sup>n</sup> of embankment                    |                               |    |    |    |                       |
| lead up to 1000m                                        |                               |    |    |    |                       |
| Q.VIIB/26(11) = 540.00m <sup>3</sup>                    |                               |    |    |    |                       |
| P3.6(11) = 25.63m <sup>3</sup>                          |                               |    |    |    |                       |
|                                                         |                               |    |    |    | 565.63m <sup>3</sup>  |
| e R. 174.83/m <sup>3</sup>                              |                               |    |    |    | 98889=00              |
| (5) Const <sup>n</sup> of subgrade and earthen shoulder |                               |    |    |    |                       |
| Q.VIIB/31(1) = 771.71m <sup>3</sup>                     |                               |    |    |    |                       |
| e R. 176 = 47/m <sup>3</sup>                            |                               |    |    |    | 136184=00             |
| (6) Const <sup>n</sup> of embankment                    |                               |    |    |    |                       |
| lead up to 100m                                         |                               |    |    |    |                       |
| Q.VIIB/26(12) = 1250.00m <sup>3</sup>                   |                               |    |    |    |                       |
| P3.6(12) = 69.80m <sup>3</sup>                          |                               |    |    |    |                       |
|                                                         |                               |    |    |    | 1319.80m <sup>3</sup> |
| e R. 58.59/m <sup>3</sup>                               |                               |    |    |    | 77327=00              |
| Continuation                                            |                               |    |    |    |                       |
|                                                         |                               |    |    |    | 351431=00             |



| Particulars                               | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------------|-------------------------------|----|----|----|------------------|
|                                           | No.                           | L. | B. | D. |                  |
| ⑦ Excavation for roadway<br>(box cutting) |                               |    |    |    |                  |
| Q-VTMB/26 (3) = 77.178 m <sup>2</sup>     |                               |    |    |    |                  |
| e L = 74 = 10 m                           |                               |    |    |    | 5719 = 0         |
| ⑧ Brown and laying B/F/s                  |                               |    |    |    |                  |
| Q-VTMB/30 (2) = 300.00 m <sup>2</sup>     |                               |    |    |    |                  |
| e L = 471 = 27 m                          |                               |    |    |    | 141381 = 0       |
| ⑨ Brown granular sub base<br>grading I    |                               |    |    |    |                  |
| Q-VTMB/26 (4) = 540.58 m <sup>2</sup>     |                               |    |    |    |                  |
| e L = 2585.44 m                           |                               |    |    |    | 1398413 = 0      |
| ⑩ Brown work made - 3                     |                               |    |    |    |                  |
| Q-VTMB/26 (5) = 321.28 m <sup>2</sup>     |                               |    |    |    |                  |
| e L = 3230.67 m <sup>3</sup>              |                               |    |    |    | 1037950 =        |
| ⑪ Brown prime coat with<br>emulsion (SS1) |                               |    |    |    |                  |
| Q-VTMB/32 (1) = 2783.65 m <sup>2</sup>    |                               |    |    |    |                  |
| e L = 40 = 92 m                           |                               |    |    |    | 113907 = 0       |
| ⑫ Brown tack coat with<br>emulsion (RS1)  |                               |    |    |    |                  |
| Q-VTMB/32 (2) = 2783.65 m <sup>2</sup>    |                               |    |    |    |                  |
| e L = 13.88 m                             |                               |    |    |    | 38637 = 0        |
| ⑬ Brown laying Mix seal                   |                               |    |    |    |                  |
| Q-VTMB/32 (3) = 2783.65 m <sup>2</sup>    |                               |    |    |    |                  |
| e L = 193 = 84 m                          |                               |    |    |    | 539583 = 0       |

Continuation

36,27021 = 0

| Particulars                                   | Details of actual measurement |    |    |    | Contents of area |
|-----------------------------------------------|-------------------------------|----|----|----|------------------|
|                                               | No.                           | L. | B. | D. |                  |
| (14) Constn. of un-reinforced<br>PCC Pavement |                               |    |    |    |                  |
| Q-VTHB P29(10) = 2.42.39m <sup>2</sup>        |                               |    |    |    |                  |
| e R- 6625.90/m <sup>2</sup> R- 16,06,052=     |                               |    |    |    |                  |
| (15) Brown and fixing ordinary<br>Km-stone    |                               |    |    |    |                  |
| Q-VTHB P33 (9) = 2.14.3                       |                               |    |    |    |                  |
| e R- 2417.25/each R- 48.34=00                 |                               |    |    |    |                  |
| (16) Brown & fixing 200mm stone               |                               |    |    |    |                  |
| Q-VTHB P33(5) = 4.14.3                        |                               |    |    |    |                  |
| e R- 650=15/each R- 26.01=00                  |                               |    |    |    |                  |
| (17) Brown and fixing boundary<br>Pillar      |                               |    |    |    |                  |
| Q-VTHB P33(6) = 2.2.14                        |                               |    |    |    |                  |
| e R- 525.97/each R- 11.57=00                  |                               |    |    |    |                  |
| (18) Painting two coat Primer<br>coat         |                               |    |    |    |                  |
| Q-VTHB P33 (7) = 22.32m <sup>2</sup>          |                               |    |    |    |                  |
| e R- 96=40/m <sup>2</sup> R- 21.52=00         |                               |    |    |    |                  |
| (19) Painting on Concrete surf.               |                               |    |    |    |                  |
| Q-VTHB P33 (8) = 80.00m <sup>2</sup>          |                               |    |    |    |                  |
| e R- 96=30/m <sup>2</sup> R- 7.224=00         |                               |    |    |    |                  |
| (20) Brown, laying Road Marking               |                               |    |    |    |                  |
| Q-VTHB P33 (9) = 227.00m <sup>2</sup>         |                               |    |    |    |                  |
| e R- 735=40/m <sup>2</sup> R- 1,66,936=00     |                               |    |    |    |                  |

Continuation

5428391=00

| Particulars                                                           | Details of actual measurement |    |    |    | Contents of area |
|-----------------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                       | No.                           | L. | B. | D. |                  |
| ( $\frac{21}{23}$ ) Iron and fixing masonry<br>informatory sign board |                               |    |    |    |                  |
| Q-VTHB/34 (10) = 2 Nos                                                |                               |    |    |    |                  |
| e h. 1134/1.24/each ft                                                |                               |    |    |    | 22682=00         |
| ( $\frac{22}{24}$ ) Iron and fixing maintenance<br>board              |                               |    |    |    |                  |
| Q-VTHB/34 (11) = 2 Nos                                                |                               |    |    |    |                  |
| e h. 1134/1.24/each ft                                                |                               |    |    |    | 22682=00         |
| ( $\frac{23}{25}$ ) 600mm equilateral                                 |                               |    |    |    |                  |
| Q-VTHB/34 (12) = 10 Nos                                               |                               |    |    |    |                  |
| e h. 3709.03/each ft                                                  |                               |    |    |    | 37090=00         |

|                                                          |  |  |  |  |          |
|----------------------------------------------------------|--|--|--|--|----------|
| ( $\frac{24}{26}$ ) 600mm circular                       |  |  |  |  |          |
| Q-VTHB/34 (12) = 6 Nos                                   |  |  |  |  |          |
| e h. 5023.05/each ft                                     |  |  |  |  | 30138=00 |
| ( $\frac{25}{27}$ ) 600mm x 450mm                        |  |  |  |  |          |
| Q-VTHB/34 (12) = 2 Nos                                   |  |  |  |  |          |
| e h. 4322.36/each ft                                     |  |  |  |  | 8645=00  |
| ( $\frac{26}{28}$ ) 900mm side octagon                   |  |  |  |  |          |
| Q-VTHB/34 (12) = 2 Nos                                   |  |  |  |  |          |
| e h. 6279.21/each ft                                     |  |  |  |  | 16558=00 |
| ( $\frac{27}{29}$ ) Iron and laying 300mm<br>Rec pipe NB |  |  |  |  |          |
| Q-VTHB/34 (13) = 22.50 M                                 |  |  |  |  |          |
| e h. 848=22/M ft                                         |  |  |  |  | 19085=00 |

Continuation

558527=00

| Particulars                                                 | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                             | No.                           | L. | B. | D. |                  |
| ( <del>28</del><br>30) E/w in excavation in foundn.         |                               |    |    |    |                  |
| Q-VMBP 25(1) = 52.90M                                       |                               |    |    |    |                  |
| P 34(9) = 56.70M                                            |                               |    |    |    |                  |
| 109.60M                                                     |                               |    |    |    |                  |
| c h 285.17M <sup>2</sup> h 31255=0                          |                               |    |    |    |                  |
| ( <del>29</del><br>31) From sand filling in foundn trenches |                               |    |    |    |                  |
| Q-VMBP 25(2) = 4.38M                                        |                               |    |    |    |                  |
| c h 421=911M <sup>2</sup> h - 205920                        |                               |    |    |    |                  |
| ( <del>30</del><br>33) From Rec M15 on bench                |                               |    |    |    |                  |
| Q-VMBP 25(3) = 7.56M                                        |                               |    |    |    |                  |
| c h 5758.55M <sup>2</sup> h - 43535=0                       |                               |    |    |    |                  |
| ( <del>31</del><br>38) From Rec M25 in box cell             |                               |    |    |    |                  |
| Q-VMBP 25(4) = 45.42M                                       |                               |    |    |    |                  |
| c h 7361.40M <sup>2</sup> h 33462720                        |                               |    |    |    |                  |
| ( <del>32</del><br>39) From back filling                    |                               |    |    |    |                  |
| Q-VMBP 125(5) = 28.80M                                      |                               |    |    |    |                  |
| c h 2498.09M <sup>2</sup> h - 71945=0                       |                               |    |    |    |                  |
| ( <del>33</del><br>40) From weep holes                      |                               |    |    |    |                  |
| Q-VMBP 25(6) = 40.00M                                       |                               |    |    |    |                  |
| c h 90=59/each h - 3624=0                                   |                               |    |    |    |                  |
| ( <del>34</del><br>41) From and laying boulders on          |                               |    |    |    |                  |
| Q-VMBP 34(5) = 37.80M                                       |                               |    |    |    |                  |
| c h 3189.33M <sup>2</sup> h 12055720                        |                               |    |    |    |                  |

Continuation

6192873=0

Scanned with Oken Scanner