Inspection Report For Flood Damage Work

Date :-

- 1. Name of PIUs- Executive Engineer, RWD. (W.D), Dhaka.
- Name of Block Chiraiya.
- Name of Road Mishrawliya PMGSY Road To Mahuawa Mushahari Road.

(A) For Road

- 1. Damage Location/Chainage :- 1100 Meter
- Damage Length :- 15 Meter.
- Cause of Damage :- Due To Flood 2021/ Heavy Rain.
- 4. Nature of Damage :- Ditches/Breaches
- 5. Details of Restoration Work :-
 - Material being used in restoration works :- Bricks Bat/Jhamma Metal/ Rabis/Hume Pipe. (2)
 - Equipment/Tools being used in restoration Works :- J.C.B./Tractor/Trolley/Others 100
 - Procedure Taken up in restoration works :- Emergent Repair. (111)
 - Restored Length: 15 Meter. Satisfactory IN

Signature of Inspecting officer (Executive Engineer) R.W.D. (W.D) Motihari.



Rural Works Department ,Govt.of Bihar

PLAN HEAD-FDR

YEAR 2021-2022

DISTRICT;-EAST CHAMPARAN

BLOCK;-CHIRAIYA

Estimete for Repair of Road breaches (Damaged by Flood)

For Matoribility in Mishrawliya PMGSY Road to Mahuawa Mushahari Road

2,44,300 / ESTIMATED COST;-Rs. 259610.00

LENGTH:- 1.189 KM

Submitted by:

Executive Engineer

RWD WORKS DIVISION

DHAKA

F.D.R (2021- 22)

तकनिकी प्रतिवेदन

पथ का नाम :- ।मेर्झालिया РМ СЛУ ЧУ से महुआना मुझाहरी ५४ mans 1.189 Km प्रलंड का नाम । निर्म र्या

MMGSY (SC) शीर्ष:-

प्राक्कलित राशि :- 2 % 2.59,610 = 2,44,300

अनुरक्षण अवधि :- अनुर्भण अवाभी के ग्रंबर प्रस्तुत प्राक्कलन मिश्रीलिंगा PMG14 प्रम से मह्यांक मुशाहरी पूर्व अतिवृष्टि ्रबाढ से क्षतिग्रस्त पथाशों यातायात पुनेस्थापन हेतु तैयार किया गया है जिसकी प्राक्कलित राशि ... दिनांक-के निर्देशानुसार तैयार किया गया है पथ में अतिवृष्टि/बाढ के कारण क्षतिग्रस्त पथांशों में Brick bals से भरने का प्रावधान किया गया

प्राक्कलन में दिये गये दर वर्तमान अनुसूचित दर के अनुरूप है।

ग्रामीण कार्य विभाग. कार्य प्रशाखा 1न्येन्या

सहायक अभियता ग्रामीण कार्य विभाग कार्य अवर प्रमंडल न्धिर्मा कार्यपालक अभियता ग्रामीण कार्य विभाग. कार्य प्रमंडल 6141 Name of work :- Estimate for Reputation hes (Damaged by Flood) for Motoribility in Mishrawliya PMGSY Road to Mahuawa Mushahari Road

HEAD:- FDR

Length:- 1.189 KM

l No	Name of Item	Unit QTY Rat Amount M3 Rs Rs
1.	Labour for laying dry graded jhama khoa Or stone filter under Brick Pitching in Slope or apron including light ramming Etc. aii complete as per approved design. Specification and direction ofE/I	1938=89 2,44,300/ M3 126.0 2060.40 259610.4
2.	Providing and laying RCC NP3 for culaverts On first class bedding of granular material In single/dubal row including fixing collar with CM 1:2 but excluding excavationE/I	M
3.	Sand filling with Appoved Materials Seposited at site from road way cutting and excavation from drain and foundation of other strecture graded and compected as per Technical	Bag
	specificationE/I	Say Total Rs 259610.4 2,44,300/ 2,44,300/

J.E / Chiranya

A.E Chiraing

E.E 2:11:21 RWD Dhako

> S.E. (R.W.D.) works Circle Motihari

Name of Work:-


Estimate for Repair of Road breaches (Damaged by Flood)for

Mishrawliya PMGSY Road to Mahuawa Mushahari Road

			Appendix -1	A	
	Measur	ement for sur	facing the Breac	h with Brick	bah Filling
SI.No					Quantity(Cum)
	1100	15.0	4.00	2.0+2.20/2	126.0

A.E/Chiraiya

6.6.1 WRD	Labour for laying dry graded Jhama Khoa or stone fin slope or apron including light ramming etc. all co	molete as	ner approved	design sne	eification		
Bihar	in slope or apron including light ramming etc. all complete as per approved design, specification and direction of E/I.						
	Unit :- Per Cum						
	Taking Output = 2.832 Cum						
	Unskilled Mazdoor	Nos.	3	304:00	912.00		
	Add 0% Overhead Charges				0		
	Rate for 2.832 Cum				912.00		
	Rate per Cum (Rs.) -				322.03		
1.4 RCD	Cost of Haulage Excluding Loading and Unloading	L					
1.4 1100	Haulage of materials by Tractor excluding cost of loading, unloading and stacking.						
	Unit = t.km	anig, amous					
	Taking output 3.60 tonnes load and lead 10 km = 36.0	l) t.km					
	(i) Surfaced Road						
	Speed with load : 15 km / hour.						
	Speed while Returning empty :25 km / hour.						
	a) Machinery.						
	Tractor 3.6 tonne capacity						
	Time taken for onward haulage with load	hour	0.667	612.00	408.20		
	Time taken for empty return trip.	hour	0.400	612.00	244.80		
	b) Overhead charges @ 0.00 on (a)				0.00		
	c) Contractor's profit @ 0.1 on (a+b)				0.00		
	cost for 36 t km = a+b+c			1	653.00		
	Rate per t.km = $(a+b+c)/36$,	18.14		
	Say Rs				18.14		
	(ii) Unsurfaced Graveled Road						
	Speed with load: 12 km / hour						
	Speed for empty return trip :20 km / hour						
	a) Machinery						
	Tractor 3.6 tonnes capacity						
	Time taken for onward haulage with load hour 0.833	hour	0.833	612.00	509.8		
	Time taken for empty return trip hour 0.500 521.00	hour	0.500	612.00	306.0		
	b) Overhead charges @ 0.06 on (a)				0.0		
	c) Contractor's profit @ 0.1 on (a+b)				0.00		
	Cost for 36 t .km = a+b+c 840.34				815.80		
	Rate per t.Km = (a+b+c)/36 23.34		1 2 2		22.66		
	Say Rs				22.00		





1.1 RCD	Loading and Unloading of Stone Boulder/ Stoneaggregates/Sand /Kanker/Moorum						
	placing tractor at loading point, loading with frontloader, dumping, turning for return trip.						
	Unit = cum						
	Taking output = 2.25 cum						
	Time required for						
	i) Positioning of Tractor at loading point		1 Min		-		
1	ii) Loading by front end loader 1 cum bucket						
	capacity @ 25 cum per hour		5 Min				
1 7	iii) Maneuvering, reversing, dumping and turning for	1					
	return		0 Min				
	iv) Walting time, unforeseen contingencies etc		0 141111				
			0 Min				
	Total	 	6 Min				
	a) Labour	-	OIVIII				
	Mate	dàu					
	Mazdoor for loading and unloading	day	0.03	321.00	9.6		
······	b) Machinery	day	0.72	304.00	218.8		
	Tractor 3.60 tonnes capacity						
	Front and loader 1	hour	0.1	612.00	61.2		
	Front end-loader 1 cum bucket capacity @ 25 cum/hour				,		
		hour	0.083	1594.00	132.3		
	c) Overhead charges @ 0.00 on (a+b)				0.00		
	d) Contractor's profit @ 0.1 on (a+b+c)				0.00		
	Cost for 2.25 cum = a+b+c+d				422.01		
Note:-	Rate per cum = (a+b+c+d)/ 2.25				187.56		
Note.	Unloading will be done manually.						
1.	Suplying for Brick Bats (with OH)						
· А.	Basic Rate of Brick Bats	D = 0					
	Add overhed Charges	Per Cum		987.00	987.00		
	Total -		0%		0.00		
					987.00		
	Surface Lead	1/4.4					
	Unsurface Lead	KM	7				
	Factor (3.6/2.25)	KM	1				
		Cum	1.60		γ .		
В.	Carriage (with OH)						
	$(1.6 \times 7 \times 18.14) + (1.6 \times 1 \times 22.66) + 187.56$						
	7 (2.0 × 1 × 22.00) + 187.56				426.98		
C.	Cost of Labour for Pitching and Light Ramming as						
	per WRD SOR 6.6.1 (with OH)		1				
					322.03		
	Total (A+B+C) -						
	Add 1% Labour Cess (A+B+C)				1736.01		
•	Add 12% GST (A+B+C)				17.36		
	Add 10% basic rate of material for seigniorage fee		1	987.00	98.70		
	Total Cost per Cum						

J E /chiraiya

02/11/2021