कार्यपालक अभियंता, का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी

पत्रांक.........../ दिनांक....16/08/2/22

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल, सीतामढ़ी।

.सेवां में,

अपर मुख्य कार्यपालक पदाधिकारी-सह-सचिव, ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:-

शीर्ष बिहार नई अनुरक्षण नीति 2018 (MR 3054) में आवंटन उपलब्ध कराने के संबधं में।

महाशय, ,

उपर्युक्त विषयक इस प्रमंडल अंतर्गत चल रहे नई अनुरक्षण नीति 2018 (MR .3054) में स्वीकृत योजनाओं के विभिन्न कार्यों के लिए संलग्न विवरणी अनुसार भुगतान हेतु आवंटन उपलब्ध कराने की कृपा की जाय।

अनु0:— यथोक्त।

विश्वासभाजन

कार्यपालक अभियंता, ग्रामीण कार्य विभाग.

कार्य प्रमंडल, सीतामढी।

No. Name of Works Division RWD, Works Division- Sitamarhi MR-N/2021-22/ Sitamarhi/05 Package No. Requisition Format for Scheme Head-MR (3054) under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal) NH-77 6th km-FULWARIA Name of Road 31607902165 Lt. No.-58 Project ID as Per MIS s ve Approval Length (In (AA) Letter KM) Administrati 7.009 211.53200 Amount (In Administrative Approval (AA) Lakh) Maintenance (In Lakh) 62.68800 Routine 5 Years Agreement Amount (In Lakh) Renewal (In With Surface Rectification 208.44388 Lakh) Initial Maintenance 63.22883 (In Lakh) Routine 5 Years 10 11/ MBD/22: 23 * Agreement No. Date Date of Completion 08.03.2023 Agreement as per mm/km) Value of 3287 IRI (In 13 Layer (in | Percentag Bitumen | Content in Thickness 25mm mm) of 14 Value of Bitumen 5.00% 15 .0.00000 (In Lakh) Amount Alloted Total 16 expenditur Up-to Date 0.00000 MIS (In Lakh) e as per work done Requisitio 208.44388 n against (In Lakh) Remarks

 Signed Hard Copy and Soft Copy (in excel) of recorded IRI is enclosed
Up- to date Phycical Progress has been uploaded in MIS 7.009 211.53200 62.68800

208.44388 63.22883

0.00000 | 0.00000 | 208.44388

19

FORM GFR 19-A

(See Government of India's Decision (1) below Rule 150)

Form of Utilization Certification up to the month of August 2022

SI. No.	Name of Scheme	Sanction No. & Date with Amount (in lacs Rs.)	Amount Received (in lacs Rs.)	Particulars
1	Construction of Rural Road New Maintenance Policy 2018	Up to Date Received Allotment	Rs. 803703060.00	Certified that out of Rs 803703060.00 lacs received during the years 2022-23 in favor of Executive Engineer Sitamarhi. Bihar a sum of Rs. 794280495.00 lacs has been utilized for the purpose of New Maintenance Policy 2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs 9422565.00 lacs remaining unutilized at the end of the period under report
	Total:			

2. Certified that I have satisfied myself that the condition on which the grant-in-aid was sanctioned have been duly fulfilled /are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Cheeks exercised:-Works have been supervised by Executive Engineer/Superintending Engineer.

Periodical inspection has been conducted by Executive Engineer/Superintending li

Construction materials have been tested.

Measurements have been recorded in the MBs and test check conducted by the Assistant lii IV

Engineer/Executive Engineer

All other codal formalities ٧

3. Physical Progress achieved:-

Construction of Road Works.

Construction of CD works , li

> Executive Engineer, R.W.D. Works,

ivision, Sitamarhi.

UIV mm/ 3125 -Section No. Date: Lab Job number 112 Name of Work/ NH77 6TH KM - FULWARIA Road : Name of Customer: 1125 00.4.8.8.4.8.8.911.1.2.3.4.5.6.7.8.922.2.2.2.2.8.8.8.2.8.933.3.2.3.3.9.4.7.8.944.4.7.8.4.8.8.7.8.95.5.8.8.8.5.6.8.8.8.8.8.8.8.8.8.99 Print 4125 5125 Generate Report and Graph Name of Customer :M/S Kabbu Khirhar, Name of Work/ Road :NH77 6TH KM - FULWARIA. Lab Job number :112 File :F:\13000956.XIs. Section No. :95, Eqn:Y=0*X^2+1.1,08*X-201.8 95 13/08/2022 -M/S Kabbu Khirhar Start Location : End Location: Machine No: 394 Weather: Start E No : Start S No : Test Date: |13/08/2022 -Road Name: NH776THKM-FULWARIA Dist Range : Road Type: (A) RURAL ROAD UIV Range: 1125 To 6000 Equation: Redraw Graph Y=0*X^2+1.108* X-201.8 To |71 01 -1000 m 1000 mm/km Interval

1 14.08.22 3E

原

																						."																				•	
		13/8/22 9:40:26	13/8/22 9:40:26	13/8/22 9:40:0	13/8/22 9:39:51	13/8/22 9:39:16	13/8/22 9:39:16	13/8/22 9:38:41	13/8/22 9:38:5	13/8/22 9:38:5	13/8/22 9:38:5	13/8/22 9:37:30	13/8/22 9:37:30	13/8/22 9:37:0	13/8/22 9: 36: 55	13/8/22 9:36:19	13/8/22 9:36:0						13/8/22 9:34:34	13/8/22 9:34:0		13/8/22 9:33:24	13/8/22 9:33:0	13/6/22 9:32:14					13/8/22 9:31.38		12, 9, 22 9: 31: 3	8/22 9:30:26	13/6/2	Time	Date Date NH77 STU Nhirhar	Name of Wall	Name of Custon	•	
	95	95	95	95	95	95	95	95	95	95	. 95	95	95	95	95	95	95	95	95	95	. 95	ץ נ	9 5	g (g (9 6	g (95 .	95	95	95	95	26	95	2	0	מייטו	Section	:NH77 6	:M/S Kaht			
	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	.0.1	1.0	0.1	0.1	2.1	2 .	2.1	2 5	0 1	0 1	01	0.1	0.1	0.1	0.1	in km	Length	HKM-FL	Khirhar	Tale :13/08/2022	Dan Job	,	
	330	270	280	290	290	300	290	280	300	260	270	340	370	440	320	260	330	280	260	340	290	370	. 340	380	260	3 60	270	260	270	320	0/7	OFF	2 6	200	8	n mm	R	JLWARIA	į)8/2022	Date Job number :112		
	20.2	20.2	,,,	20.2	20.2	20.2	20.2	20.2	20.2	20.2	20.2	20.2	10.1	10.1	10.1	10.1	20.2	20.2	10.1	20.2	20.2	20.2	20.2	10.1	10.1	20.2	20.2	20.2	20.2	20.2	20.2	10.1	20.2		יימנפ	peed				7			
	3300		_	_		3000	2900	2800 . :							3200	2600	3300	2800	2600	3400	2900	3700	3400	3800	2600	3600	2700	2600	2700	3200	2700	3900	2900	8	mm/km (O _R							
	3454 6	٠ ٦		3011 G	3011 G	3122 G	3011 G	2900 G	3122 G	2679 G		3565 G	3897 G	4673 A ·	3343 G	2679 G	3454 G	2900 G	2679 G	3565 G	3011 G	3897 G	3565 G	4008 A	2679 G	3787 G	2789 G	2679 G	2789 G	3343 G	2789 G	4119 A	3011 G	4008	UIV ROAD	CATEGORY							
)	4.56 2					4.17	4.04	3.9	4.17		3.77	4.69	5.08	5.97	4.43	3 5	4 56	20.0	3 64	4 69	4.04	5.08	4.69	5.21	3.64	4.95	3.77	2 64	3.77	4 43	3.77	5.34	4 04	5,21		≺ ≅						٠	
-	26.66847 8	_		-		26.66748 8	26.66723	26.66673					26.666	26.66648	26.66712	26.66727	26.66732	26.66784	26 66873	26.669	26.66901	26.66964	26.67038	26.67105	26.67111	26.67089	26.6706	26.67087						26.6706		Latitude				-			
	85.50667 Normal	85.50727 Normal	85.50818 Normal	85.50919 Normal	85.51024 Normal	85.51121 Normal	85.51219 Normal	85.51301 Curve	85.51342 Normal								~	85.52067 Normal	85.52029 Culvert	85.52103 Normal	85.52207 Curve	85.52276 Normal	85,52343 Normal	85.52394 Curve	85.52497 Normal	85.52598 Normal	85.52694 Normal	85.52786 Norma	85.52889 Normal	85.52961 Normal	85.53034 Normal	85.53126 Culvert				Latitude .ongitude	1			,	y.		
5																					•							<4000	4000	(N) 100 :-	(p) BIIRAL ROAD			$\gamma = 10026$	$_{\text{prog}} X = 9231$	Fveir γ=0*X^2+					,		
																													3	Average Poor	Ó					Y = 0 * X ^ 2 + 1.108 * X - 201.8	,						

	13/8/22 9:54:0	13/8/22 9:53:23	13/8/22 9:53:0				13/8/22 9:52:12	13/8/22 9:51:37	13/8/22 9:51:37	13/8/22 9:51:2							13/8/22 9:49:0	13/8/22 9:48:40	13/8/22 9:48:5	13/8/22 9:48:5	13/8/22 9:47:30										13/8/22 9: 43: 58					13/2/ 22 9: 42: 12			8/22 9:41:2		· Date Time	,
	95	2			95 (95								95	95	95	95	95	95	95	95	95	95	95	95	95	95	95	9	9 99	9 49	2 6	3 3	9, 9	or as	7 (95	95	95 17	Section L	0	
	ì	52	0.1	0.1.	0.1	1.0	2 5	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	÷'	igth		
	1014	300	290	340	790		340	270	330	310	240	280	300	440	320	300	280	350	310	280	370	440	280	320	260	390	380	. 330	270	440	370	290	220	280	370	210	370	340	70	Bumps		
	TOTAL Average	20,2	10.1	20.2	3 6	10.1	10.1	10.1	20.2	20.2	20.2	20.2	20.2	10.1	10.1	20.2	10.1	20.2	20.2	20.2	20.2	10.1	10.1	10.1	20.2	10.1	10.1	20.2	20.2	10.1	10.1	20.2	20.2	10.1	10.1	7.07	20.2	20.2	Speed)		
		1000	3000	2900	3400	2900	3400	2700	3300	3100	2400	2800	3000	4400	3200	3000	2800	3500	3100	2800	3700	4400	2800	3200	2600	3900	3800	3300	2700	4400	3700	2900	2200	2800	2700	3/00	3400		OR			•
	U. C.	2287	3122 G		3565 G	3011 G			3454 G	3233 0	2437 0	2900 G	3000 G		1673 A	33/3 G		36/6 G	3233 6		3897 G	4673 A	2900 G .	3343 G	2679 G		4008 A	3454 G	2789 G	4673 A	3897 G	3011 G	9 0067	3897 6	2125 G	3897 G	3565 G	UIV ROAD	CATEGORY			
•			4.17	4.04				Ψ.		٠.	~		_	-	5.97	•	5 1	_			20.00				3.64 2	5.34 2	5.21 2					4.04 2				5.08 20	4.69 20		₹ 			
7			26.67/35 65.460			26 67754 85,48965		00			26.67894 85.493	26.67891 85.4942									-	26.68003 85.50295 Normal										26.67484 85.50764 Normal				26.67025 85.50057 Normal	26.66937 ,85.50682 Normal	.,	IRT Latitude.ongitude			
	B			os 48808 Normal•	85 48867 Curve	55 Curve	85,4898 Normal	5 Normal	85,49121 Normal	85.49214 Normal	85,4932 Normal	85.49421 NOTITION	85.49519 Normal	85.49621 Normal	85.49/15 Speca 5:-	Normal Reaker	Notilial	Normal	Normal	Normal	Normal	Normal	Culvert	Curve	Normal	Normal	Culvert	85,50800 Reaker	Normal	85.50842 Speed 5. 5	Normai Normai	Normal	\ormal	vormal .	vormal .	Jormal	Jormal	lormal	Event /=0*x^2			
1	200	2																									•	,	•							٠			= 0 * X ^ 2 + 1.108 * X - 201.8			

Date

Rural Works Department, Works Division, Sitamarhi Office of The Executive Engineer

Name of Road: NH77 6th km -FULWARIA

Name of Scheme:- MR 3054(New Maintenance Policy-2018)

Name of Contractor: M/S Kabbu Khirhar

Length if Road: 7.009km

Project ID: 31607902165

Package No.- MR-N/21-22 Sitamarhi/05

Name of Block:Bathnaha

100% measurement has been Certified that all item wise

taken by me.

Junior Engineer, 70/08/22

Works Division, Sitamarhi. Works Section, Bathnaha, Rural Works Department,

> measurement has been checked Certified that all item wise 50%

by me.

Assistant Engineer;

Works Sub Division, Bathnaha, Works Division, Sitamarhi. Rural Works Department,

> 10% measurement has been Certified that all item wise checked by me.

Executive Engineer,

Works Division, Sitamarhi. Rural Works Department,