कार्यपालक अभियंता का कार्यालय, ग्रामीण कार्य विभाग, कार्य प्रमंडल, नवादा।

पत्रांक :-1636 अनु ०

/नवादा, दिनांक :- 09 12 2022

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, नवादा।

सेवा में.

नोड्ल पदाधिकारी (MR-3054), ग्रामीण, कार्य विभाग, विहार पटना।

विषयः

New Maintenance Policy-2018 योजना अंतर्गत आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषय से संबंधित विहित प्रपन्न में वांछित सूचना उपलब्ध कराते हुए अनुरोध है कि आवंटन उपलब्ध कराने की कृपा की जाय। अनु0— यथोक्त्।

विश्वासभाजन

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य, प्रमंडल, नवादा।

						Z	
1. Si 2. U		12	-	۲	۶	of	
gned Hard C p-to-date Ph		RM/NA/N AW/22/00 03	RM/NA/N AW/22/00	24	Package No.	Works Division	
1. Signed Hard Copy and Soft Copy (in excel) of recorded iki is enclosed. 2. Up-to-date Physical Progress has been uploaded in MIS		Nawadih Road - Nalibigha road	Roh Kawakole PWD Road 3 Nimdih ***		Name of Road	Name of Works Division : RWD (W) Division, Nawada	Kequ
s has I	-	10502602175	10502602185		Per MIS	ivision	ISITIO
h excel) o	-	1064/ 26.03.2021	1064/ 26.03.2021	•	Administrative Approval [AA] Letter No. & Date	, Nawada	10111
of record baded in	-	1.300	4.530	•	Length (in Km)	Administrative Approval (AA)	2
MIS	-	45.972	169.274	-5	Amount of (in	Approval (AA)	-
enciosed	Parlaced	27.508	104.840	-	Initial Rectification with Surface Renewal (in Lakh)	Agreeme	Initial F
		8 12.9682	0 44.6582	· -v1.3	S Years Routine Maintenance in Lakh	Agreement Amount	Rectificat
		01/MR-3054/MBD/2022-23 02.09.2022	01/MR-3054/MBD/2022-23 02.09.2022	3 8	Agreement No. & Date		(Initial Rectification and Surface Renewal)
DAO OR RWD (W) Division)	01.04.2023	01.04.2023	=			Surface
		33.	. 1777		9 :		e Rene
, 5 ₇	,	3063	2639		1 E		wal)
	`	25	25		of Bitumen Layer (in mm)	Thickness	
, m	Total	5.01	5.01		Content in Percentage	V-lu- of	
Executve Engineer RWD (W) Division	0.00000	0	0		Alloted Amount (in expenditure as per MIS (in Lish)) MIS (in Lish)	Previous Total	(Initial Rectification and Surface Renewal)
gineer vision	0.00000	0	0	4.	espenditure as per MIS (in Lukh)	Up to-date	h
	0 132.32000	27.50000	104.82000				
	8	Completed	104.82000 Completed	47	15		

FORM GFR -19A

(See Government of India's Decision (I) below Rule-150)

Name of PIU: Rural Works Department, Works Division, Nawada

Head: New Maintenance

Policy-2018 (MR-3054)

Form of Utilization Certificate for the month of Dec -2022

SL. No.	Name of Scheme	Sanctioned No. & Date	Amount (Rs.)	
1	Construction of Rural Roads under New Maintenance Policy-2018 (MR-3054)	35 WE 13.10.2022	Rs. 49,32,28,901/-	Certified that out of Rs.49,32,28,901/Of grants upto the year 2022-23 in favour of RWD (W) Division, Nawada (bihar) a sum of Rs. 49,32,28,901/- has been utilized for the purpose Schemes a given in margin for which it was given in which it was sanctioned and that the balance Rs Nil/- remaining unutilized at the end of the period under report.

2. certified that I have satisfied myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled are being fulfilled and that I have excercised the following checks to see that money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks excercised:

Works have veen supervised by Executive Engineer/ Superintending

(i) Engineer

Periodical inspection has been conducted by Executive Engineer/

(ii) Superintending Engineer

(iii) Construction materials have been tested

Measurements have been recorded in MBs and test check conducted by

(iv) the

Assistant Engineer/ Executive Engineer

(v) All other codal formalities have been observed

3 Physical Progress achieved

(i) Construction of Road works

(ii) Construction of CD works

D.A.O.

RWD(W) Division, Nawada

Executive Engineer

RWD(W) Division, Nawada

Z
=
ie.
9
₹
ă
7
Ž
1
12
Ē
₹
E
0
12
15
75
12
13
020
ַ בַּ
1
Z
7

OR IRI CATEGORY Latitude Longit n/km mm/km ROAD 24.85617 85.793 300 3367 G 24.85617 85.794 300 3303 G 24.85452 85.794 2700 2705 G 24.85452 85.794 2700 2705 G 24.85393 85.794 2700 2705 G 24.85315 85.794 2400 2424 G 24.85315 85.794 2400 2899 G 24.85188 85.794 2400 2424 G 24.85188 85.794 2400 2424 G 24.85188 85.794 2500 2518 G 24.85181 85.794 2500 2518 G 24.85182 85.794 2500 2518 G 24.85382 85.794 2500 2518 G 24.85382 85.794 2500 2518			000			<u>U</u>	8 3062.615	08 3023.08	31 13.208	302.31	ge	Average			
Nativide Nativide						1	- 1	7 39300.0	⊢	_		Tot			
National National	6					4	+	+-	+	-	0.06			9/12/22	
National National	258 Normal	-	258	85.799	24 85405	a (2077	+	+	-	0.1	8	-	9/ 12/ 22	
Name Nama Road Name	936 Normal	-	936	85.79	24.85349	a	27/1	+	+	+	0.1	∞	+	9/ 12/ 22	
Speed OR IRI CATEGORY Latitude Longit 10.1 3300 3367 G 24.85617 85.793 10.1 3300 3303 G 24.85617 85.794 20.2 2700 2705 G 24.85452 85.794 10.1 3700 2705 G 24.85393 85.794 10.1 2700 2705 G 24.85393 85.794 10.1 2700 2705 G 24.85393 85.794 30.3 2400 2705 G 24.85315 85.794 30.3 2400 2424 G 24.85315 85.794 10.1 2800 3648 G 24.85188 85.79 10.1 2800 2899 G 24.85188 85.79 10.1 2400 2424 G 24.85188 85.79 10.1 2400 2424 G 24.85188 85.79 10.1 <t< td=""><td>)9343 Normal</td><td>_</td><td>9343</td><td>85.79</td><td>24.85266</td><td>6</td><td>7518</td><td>+</td><td></td><td></td><td></td><td>o</td><td>15: 57: 20</td><td>9/ 12/ 22</td><td></td></t<>)9343 Normal	_	9343	85.79	24.85266	6	7518	+				o	15: 57: 20	9/ 12/ 22	
Inne of Road - Natward III Road To Railing III Speed OR IRI CATEGORY Latitude Longit Rate mm/km mm/km ROAD 24.85617 85.793 10.1 3300 3367 G 24.85536 85.794 20.2 2700 2705 G 24.85452 85.794 10.1 3700 3741 G 24.85393 85.794 10.1 2700 2705 G 24.85393 85.794 30.3 2400 2705 G 24.85315 85.794 20.2 3600 3648 G 24.85232 85.79 10.1 2800 3648 G 24.85188 85.79 10.1 3300 3367 G 24.85188 85.79)9325 Normal		9325	85.79	24.85182	G	2424	2400	10.1	240	2	•	3	7 44	
Speed OR IRI CATEGORY Latitude L	-		79843	85.7	24.85181	G	3367	3300	10.1	330	0.1	8	15: 57: 0	9/12/22	
Inic of Road Nawadili Koad 10 Nalified Name	Speed	+					2899	2800	10.1	280	0.1	00	15: 56: 10	9/ 12/ 22	
Speed OR IRI CATEGORY Latitude L	_	_	9749	85.7	24 85188	0				0	5	0	15: 56: 10	9/ 12/ 22	
Inne of Road - Nawadili Koad To Natifude Speed OR IRI CATEGORY Latitude Latitude Rate mm/km mm/km ROAD 24.85617 8 10.1 3300 3367 G 24.85536 8 20.2 2700 2705 G 24.85452 2 10.1 3700 3741 G 24.85393 2 10.1 2700 2705 G 24.85315 6 30.3 2400 2424 6 24.85232	96497 Normal Good		96497	85.7	24.85202	G	3648	3600	20.2	360	2	,		27 141	
Inne of Road - Nawadili Koad To Natifude Speed OR IRI CATEGORY Latitude Latitude Rate mm/km mm/km ROAD 24.85617 8 10.1 3300 3367 G 24.85536 8 20.2 2700 2705 G 24.85452 2 20.1 3700 3741 G 24.85393 2 10.1 2700 2705 G 24.85315 3	Normal	Normal	77556	85.	+-	G	2424	2400	30.3	240	0.1	œ	15: 56: 0	0/12/22	
Speed OR IRI CATEGORY Latitude IRI Road Road	-	3	2		_	G	2705	2700	10.1	270	0.1	œ	15: 55: 34	9/ 12/ 22	
Speed OR IRI CATEGORY Latitude IRI Rate mm/km mm/km ROAD 10.1 3300 3367 G 24.85617 10.1 3300 3303 G 24.85536 20.2 2700 2705 G 24.85393 3701 3700 3741 G 24.85393	-	-	795252	28	-	- 1	, Park		15	0.00	110	σ	15: 55: 0	9/ 12/ 22	
Inte of Road - Nawadin Koad to Nama English Speed OR IRI CATEGORY Latitude IRI Rate mm/km mm/km ROAD 24.85617 10.1 3300 3303 G 24.85536 20.2 2700 2705 G 24.85452	_		794982	85		-	3741	3700	1.01	025	9	•	2	_	
Speed OR IRI CATEGORY Latitude Rate mm/km mm/km ROAD 10.1 3300 3367 G 24.85617 10.1 3300 3303 G 24.85536	Speed	+	1	-5	-	C	2705	2700	20.2	270	0.1	œ	15: 54: 24	_	- 1
OR IRI CATEGORY Latitude Rate mm/km mm/km ROAD 24.85617 10.1 3300 3367 G 24.85536	94275 Normal Y = 6452	-	194275	22	-		3303	3300	10.1	330	0.1	s	15: 54: 24		
Nawadili Koad 10 Naling Namadili Koad 10 Naling)4107 Normal X = 6596	_)4107	85.79	-					000	1	٥	15: 54: 0	-	
Speed OR IRI CATEGORY Latitude Rate mm/km mm/km ROAD	Normai	-	3687	85.79	-		3367	3300	10.1	330	2	0		+	
Speed OR IRI CATEGORY Latitude	+	+			+	1	mm/km	mm/km		in mm	in km	No.	1		1
me of Road- Nawadin Road to Namoigue	\neg	\neg		Congre	+	-	-	ΟR	Speed	Bumps	Length	ection	Time S	Date	1
me of Road- Nawadin Road to Namorgia . co.	ide Event	Event	-		\dashv	\dashv	4		m	nstruction	mar Co	M/S Ku	ntractor-	anne of Co	フー
	Batch No- RM/NA/NAW/22/0003	Batch No- RM/	Batch		vallor E		Nawadiii	Road-	ame of	7					-

Executive Engineer
Executive Engineer
Reral Works: Department
Works Division, Nawada

1424 0 0.1 0.2	3424 – UIV mm/ km 2424 –	4424	nint G	Rand: Lab Job number 8 Date: 12/9/2022 Section No. 8	Name of Customer: Name of Work/ Name Construction Name of Work/ Named To Nathalia to
0.3 0.4 0.5 0.6 0.7 0.8 Distance * 1000 m			MS Kumar Construction as 12.09.2022/Nawadih Road	Start S No.: 0.000 Sido : Start E No.: 1.267 UIV Rango : Start Location : Nawadih Roa Dist Rango : End Location : Nawadih Roa Equation :	12/9/2022
0.9 1 1.1 1.2 1.3			To Nalibigha road\09121716Xls.		Rond Namo: Nawadih Road To Nailbighare Road Typo: (B) RURAL ROAD
	0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.1 1.2	2424- 2424-	1424 - Name of Cusumps - Name	Generato Report and Graph File :G. Nump of NavadMS Kumar Construction as 12.09 2022VAswadsh Road To Nathbugha road/09121716 Mn. Name of Customer: Name of Work Road: Lab Job number: 2424 2424 Distance 1000 m Distance 1000 m	Start S M2 Start E M2 Start Location Start E M2 Ulv Honge 17424 To 5000 1000 mm/km

17

Scanned with CamScanner