

की अमेर कु कुमार दिंह प्पा:

Name of Works

90 - WARDY 2021-22 Or Col Call Add

:- Construction of Road With 5 Year maintenance of

- Package No-MR-N/2019-20 Belsand/05 Under M/R 3054 scheme.
- Belsand D. Ghat To Jaynagar Tola
- 2. Lohasi To Bhagwati Asthan Path
- Patahi To Patahi Tola
- 4. Pachnaur To Maula Nagar (Part-B) 2-69 km
- Belsand Khurd To Hanuman Nagar
- 6. Belsand Kothi To Rupauli

Name of Agency

:- Smt- Sunita Devi

At-Lichi Gachhi Prabhat Nagar, Nazirpur, Ahiyapur, Dist- Muzaffarpur.

Date of Start

:- 13/19/2021

Date of Completion

:- 12/06/2022

E.M. Deposit

This Agreement Made on 13 105 2 between Executive Engineer, Rural Work Department, Works Division, Belsand of the one part and Smt-Sunita Devi, At-Lichi Gachhi Prabhat Nagar, Nazirpur, Ahiyapur, Dist- Muzaffarpur. Whereas the Employer is desirous that the contractor execute the Works under M/R 3054 Scheme.

Executive Engineer 92 R.W.D. Works Division Belsand Construction of Road With 5 Year maintenance Road from Package No-MR-N/2019-20 Belsand/05 Under M/R 3054 scheme And the employer has accepted the bid by The Contractor for the execution and completion of such works and remedying of any defects therein at a cost of rupees - 5,07,92,859.00 (Five Crore Seven Lacs Ninety Two Thousand Eight Hundred Fifty Nine only)

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the conditions of contract thereinafter referred to, and they shall be form and be

read and constructed as part of this agreement.

2. In consideration of the payments to made by the Employer to the Contractor as herein after mentioned, the contractor hereby covenants with Employer to execute and complete the works and remedy any defects therein in conformity I all aspects with the provisions of the contract.

3. The Employer hereby covenants to pay the contractor in consideration of the execution and completion of the works and the remedying the defects wherein the contract price or such other sum as may become payable under the provisions of contract at the times and in the manner prescribed by the contract.

4. The following documents shall be deemed to form and be read

and constructed as part of this agreement, viz.

- Letter of Acceptance (i)
- Notice to proceed with the works (ii)
- Contractor's Bid (iii)
- Contract Data (iv)
- Special condition of contract and general conditions of (v) contract.
- Specifications (vi)

Executive Engineer

PR.W.D. Works Division

Belsand

Purely.

- (vii) Drawings
- (viii) Bill of Quantities and
- (ix) Any other document listed in the contract Data as froming part the contract

In witness, where of the parties there to have caused this Agreement to be executed the day and year first before written.

The common seal of

Was hereunto affixed in the presence of

Signed, sealed and Delivered by the said

In the presence of

Binding signature of Employer

Binding signature of contractor.

Executive Engineer

13 | 9 | 24

Executive Engineer

13 | 9 | 24

R.W.D. Works Division

Belsand

Regula

AGREEMENT

1. Agreement No.

:- 23 MBD / 2021-22

2. Name of Work

:- Construction of Road With 5 Year maintenance of Package No-MR-N/2019-20 Belsand/05 Under M/R 3054 scheme.

3. Name of Agency

:- Smt- Sunita Devi At- Lichi Gachhi Prabhat Nagar, Nazirpur, Ahiyapur, Dist- Muzaffarpur.

4. Construction Cost :- P& 3,85,89,455 ~ 50

5. Maintanance Cost :- 23 1,22,03,404

Total

:- RJ 5,07,92,859 ~ W

6. Performance Security Deposit: - BG -

7. B.G. No. / Bank

8. Work Allotted rate: (-) 5.317 (Below)

- The Employer shall retain S.D. of (8 %) of the amount from each payment due to the contractor until completion of the whole of the construction work. No security deposit / retention shall be retained from the payment for roution maintenance of work.
- 10. Date of written order to commence: 13 | 09 | 21
- 11. Time required for the work from date of written order to commence :- 9 Mon
- 12. Total No. of Items :-

Note: BD Rules Terms and condition will be applicable.

Contractor

Executive Engineer R.W.D., Works Division Belsand

Tender Inviting Authority: Engg-in Chief RWD Patna Belsand Kholi To Rupouli 1.19. 22 Name of Work; = Belsand Name Of Block = Contract No. Civil Works! % Excess (+) AMOUNT Biddet SCHEDULE OF WORKS Rs. **Estimated Rate** Name Unit No or 24748 35 Description of work Words Qty. SI. Figure Forty Rupees Thousand Four Hundred No. 49496.70 h3 0.50 Clearing and Grubbing Road Land (By Ninety Six And Paise manual means) including uprooting wild Seventy Only vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300mm. removals of stumps of such trees cut earlier & disposal of unserviceable materials & stacking of serviceable materials to be used or auctioned upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150mm in thickness as per technical 185587 50 specification clause 201.1 and direction of Rupees One Hundred Seventy Six And Paise 176.75 Cum 1050 00 Construction of subgrade and earthen Seventy Five Only shoulders -- Construction of subgrade and earther shoulders with approved material obtained from borrow pits with all lifts and leads, transporting to site, spreading, grading to required slope and compacted to meet requirement of Table 300.2 with 138933 48 Rupees Two Thousand lead upto 1000 m as per Technical 2164 41 One Hundred Sixty Four Cum 64 19 Granular Sub-base with Well Graded And Palse Forty One Only Material (Table 400.1) :- Construction of 3.00 granular sub-base by providing well graded material spreading in uniform layers with motor grader on prepared surface mixing by mix in place method with relevator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per 216129.81 Rupees Three Thousand Technical Specification Clause 401, 3912.56 Cum Nine Hundred Twelve And 55.24 WBM Grading 2 (By Mechanical Paise Fifty Six Only Means) - Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform trackriess hand packing, rolling with three wheel 80-100 kN static roller in stages to proper grade and camber, applying and brooming, crushable screening to till-up the interstices of coarse aggregate, watering and compacting to the required density Grading 2 as per Technical Specification

5

Executive Engineer

R.W.D. Works Division

Belsand

-Kroun

| . 1 | Descript | ription of work | | U | nit | | Estimated Rate | - AND |
|------|--|--|---|--------|-------|---------|--|---|
| 0. | Descrip. | -8461 | Qty. | _ | - | Figure | Words | 351880 30 |
| 0. | - | 1 | | | _ | 3610.51 | Rupees Three Thousand | |
| 5 00 | compact sizes specific uniform with si stages applyi | BM Grading 3 (By Mechanical Means : Providing laying spreading and ompacting stone aggregates of specific izes to water bound macadam pecification including spreading in uniform thickness, hand packing, rolling with smooth wheel roller 80-100 kN in stages to proper grade and camber, applying and brooming stone screening to fall-up the interstices of coarse aggregate watering and compacting to the required | | C | um | 3610.31 | Six Hundred Ten And Palse Filty One Only | 53798.06 |
| 6.0 | densi OO Prim and emu gran surf | ty Grading 3 as per Technical e Ceat (Low porosity) - Providin applying primer ceal with Bitume ision (SS-1) on prepared surface initial base including cleaning of ros ace and spraying primer at the rate 3-10 kg/sqm using mechanical mea- per Technical Specification Clause 5 | g 1299 n of ad of | 47 | Sam | 41 40 | Rupees Forty One And Paise Forty Only | 19705 58 |
| | as (| per Technical Specification Classes | | | | 14.04 | Rupees Fourteen And | 19/05.50 |
| 7 | 0.3 0.3 | ck Coat - Providing and applying to at with bitumen emulsion usin justion pressure distributor at the rate 55 to 0.30 kg per sqm on the preparanular surface trefaed with Primer ened with hydrifor broom as p chinical specification aclouse 503. | e of red | 3 53 | Sqm | | Paise Four Only | 290797.3 |
| | 8.00 P s b | atch work over WBM using Mix surface. With Waste Plastic stuminous and Existing CC Paver. Providing, laying and rolling of praded premia surfacing material of the mickness composed of 11.2 mm to 0.5 mm (Type-A) or 13.2 mm to 0.5 (Type-B) aggregates using penetrograde bitumen to required line, gradelevel to serve as wearing course previously, prepared base, inclumining in a suitable plant, laying rolling with a three wheel 8-10 kN roller and limishing to required level as the period of the property of the provided level as the provided several suitable plant and this provided several suitable plant as the period of the provided several suitable plant and provided several suitable plant as the provided several | for nent close- f 20 mm to mm aation e and on a ding and static | 03.53 | Sqm | 207.19 | Rupees Two Hundred Seven And Paise Nineteer Only | |
| | 9 00 | Clause 509 With waste plastic Tack Coat - Providing and applyir coal with bitumen emulsion emulsion pressure distributor at the 0.25 to 0.30 kg per sqm on the pr granular surface tretaed with Prim clened with hydriloc broom a technical specification aclouse 503 | ig tack using rate of epared er and s per | 9375 0 | D Squ | n 110 | Rupees Eleven And Pai Seventy Seven Only | se 110343 |

5

Executive Engineer
13/03/2 R.W.D. Works Division
Belsand

AMOUNT

1 Revolue

| SI_ | Description of work | No. or | U | nit | | E | stima | ted Rate | AMOUNT Rs P | |
|-------|--|---|------|------|------|----------|---------|--|----------------|--|
| io. | | Qty. | - | | Etc. | ure | Gallia. | Words | 7.7 | |
| 10 00 | Semi-Dense Bituminous Concrete: Providing and laying semi dense bitumineus concrete with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.5 to 5 per cent of mix and filler, transporting me hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment rolling with smooth wheeled, withatony and tandem rollers to achieve the desired compaction as per MoRTH specification clause No 508 complete in | | | um | | 77.53 | Thine | es Ten Thousand Hundred Sevenly And Paise Fifty Only | 2432285 48 | |
| | all respects 11:00 Kilometre stone - Reinforced cemer concrete M15 grade kilometre local stor of standard design asper IRC 8 fixing position including painting and printing | in | 00 | nos | 2 | 469 53 | En | ees Two Thousand r Hundred Sixty Nine Paise Fifty Three Only | 9878.12 | |
| 1 | etc as per drawing and technical specification clause 1703 i) km Stone | 1 | 0.00 | no | s | 660 60 | Ruj | pees Six Hundred Sixty d Paise Sixty Only | 6606.0 | |
| | 13.00 Direction and Place Identification six with size more than 0.9 sqm size both. Retro-reflectorised Traffic SignsProviding and erecting direction place identification retro-Veflectorised as per IRC 67 made of encapsulated type reflective sheeting vide Cla 1701.2.3 fixed over aluminum sheeting minutack with area exceeding 0.9 supported on mild steel angle iron 175 min x.75 min x.6 mm, 2 Nos fixed to the ground by means of prodesigned foundation with M-15.9 cement concrete 450 mm x.450 mm. | and sign lens use ng, 2 sqm posts filmly sperly trade x 600 | 0.00 | Sq | m | 12467 31 | Fo | pees Twelve Thousand ur Hundred Sixty Seven d Paise Thirty One Only | 0.00 | |
| | mm 600 mm below ground level at mm 600 mm below ground level at 14.00 Retro-reflectorised Traffic Sign Providing and fixing of retro-reflect cautionary mancalory and information as the stype reflective sheeting vide 1701.2.3 fixed over aluminium shiften 1.5 mm thick supported on a mill angle fron post 75 mm x 75 mm; firmly fixed to the ground by me properly designed foundation will grade cement concrete 450 mm x x 600 mm. 600 mm below ground per drawings and Technical Specularses 601 in 600 mm equiletral 8. | is :- consed matory suitated Clause eeting, d steel k 6 mm eans of the M15 450 mm level as critication. | 6.00 | | nos | 3741.3 | 5 | Rupees Three Thousand Seven Hundred Forty One And Paise Twenty Four Only | 22447 | |
| | 15.00 600 nm circulat | | 2 | 00 | 605 | 384 | 0.59 | Rupees Three Thousand Eight Hundred Forty And Paise Fifty Nine Only | 7681 | |
| | 163.00 600 mm x 450 mm rectangular | | 1 | 4 00 | | 37 | 11.47 | Rupees Three Thousand Seven Hundred Eleven And Paise Forty Seven Only | 14845 | |

Executive Engineer
(3/09/2) R.W.D. Works Division
Belsandrag

TOUS DEN

| SI. No. | Description of work | No. or Qty. | Unit . | 125 | Estimated Rate | AMOUNT Rs. |
|------------|--|----------------|----------------------|---------|--|---------------|
| | | 40, | | Figure | Words | 18668 57 |
| 17.00 | Boundary Pillar/Gaurd Post :- Reinforced cement concrete M15 grade boundary pillars/local stone of standard design as per IRC 25, fixed in position including finishing and lettering but excluding painting as per drawing and Technical Specification Clause 1704 | 36 00 | nos | 518.57 | Rupees Five Hundred Eighteen And Paise Fifty Seven Only | 18668 5 |
| 18 00 | Printing New Letters and Figures of any Shade: Printing new letter and figures of any shade with synthetic enamel paint black or any other approved colour to give an even shade as per drawings and Technical Specification Clause 1701 | 0.00 | per cm height per le | 0.51 | Rupees And Paise Fifty Only | 77629 10 |
| 19 00 | Planting of Trees and their Maintenance for one Year - Planting of trees by the road side (Avenue trees) in 0.60 m dia holes, 1 m deep dug in the ground, mixing the soil with decayed farm yard/sludge manure, planting the saplings, backfilling the trench, watering, fixing the tree guard | 97.00 | Each | 800.30 | Rupees Eight Hundred And Paise Thirty Only | 367700.00 |
| 20.0 | Road Marking with Hot Applied Thermoplastic - Providing and laying of not applied thermoplastic compound 2.5 mm thick including reflectorising glass beads @ 250 gms per sqm area. | 500 00 | Sqm | 735.40 | Rupees Seven Hundred Thirty Five And Paise Forty Only | 367700.00 |
| | thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC 35. The finished surface to be level, uniform and free from streaks and holes. | : : | | | # 1 | |
| 21.5 | Providing and Fixing 'Logo' of Maintenance Project :- Providing and fixing of typical MMGSY informatory sign poard with Logo, as per MORD specifications and drawing. Three MS Plates of 1.6 mm thick, top and middle plate duly welded with MS flat iron 25mm x 5m size on back on edges. The lower plate will be welded with MS angle iron frame of 25mm x 25mm x 5mm. The angle iron frame of the lower most plate and flat iron frame of middle plate will be welded to 2 nos 75mm x 75 mm of 12 SWG sheet tubes posts duly embedded in cement concrete M-15 grade blocks of 450mm x 450mm x 600mm, 600mm below ground level. The top most diamond plate | 2 00 | nos | 9510.79 | Rupees Nine Thousand Five Hundred Ten And Paise Seventy Nine Only | 19021.58 |
| 22 | will be welded to middle plate by 47mm x 47mm of 12 SWG steel plate tube. All M.S. will be stove enameled on both sides. Lettering and printing arrows, border etc. will be painted with ready mixed synthetic enamel paint of superior quality in required shade and colour. All sections of framed posts and steel tube will be painted with printer and two coats of epoxy paint as per drawing Clause. | 8.64 | Cum | 5265 93 | Rupees Five Thousand Two Hundred Sixty Six And Paise Ninety Three Only | 45506.28 |

5/

98 E 13/09/24 R.V

Executive Engineer R.W.D. Works Division Belsand

Angles

| ļ |
|-------|
| 00 |
| 00 |
| 3 00 |
| 9 00 |
| 00 00 |
| 5.63 |
| 9.96 |
| 0 48 |

ó

| AMOUNT Rs. P | mated Rate Words | stimate | E | Unit | No. or Qty. | escription of work | Desc |
|---------------------------------------|---|---------|------------|----------|---|---|-------|
| 11822 63 | | | Figure | 1 77 - | UNANEST S | | |
| H MANUE CO | pees One Hundred bety Five And Paise Forty oht Only | 100,00 | Sqm | 60 48 | lastering with cement mortar (1:4):- lastering with cement mortar (1:4) on brick work in sub-structure as per | Plas | |
| 16800 28 | pees Ninety Five And | C | | | | Lechnical Specifications | Tec |
| | alse Sixty Three Only | 95.63 | Sqm | 175 68 | Painting Two Coats on New Concrete Surfaces: Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new plastered / concrete surfaces as per | Su pr Sy | |
| 64206 CC | | | | | | drawing and Technical Specification | d |
| | tupees Sixty Four housand Two Hundred Six | Thous | 64206 00 | Year | 1 00 | Clause 1701 Maintainance for 1st year | |
| 215091 0 | Only Rupees Two Lakii(s) | Only | | | | 1 | 1 |
| | Filteen Thousand Ninety | Fiftee | 215091 00 | Year | 1 00 | Maintainance for 2nd year | 26 00 |
| 241073 0 | One Only | | | | | 1 | 20 00 |
| A A A A A A A A A A A A A A A A A A A | Rupees Two Lakh(s) Forty One Thousand Seventy Three Only | One | 241073.00 | Year | 1.00 | 00 Maintainance for 3rd year | 27 00 |
| 270159 (| Bunnas Two Lakh(s) | Dun | 270159.00 | | | - 1 = = = = = = = = = = = = = = = = = = | |
| | Saventy Thousand One | Saut | 2/0159.00 | Year | 1.00 | 00 Maintainance for 4th year | 28 00 |
| 594650 | Hundred Fifty Nine Only | | | | T. | | 1 |
| | Rupees Five Lakh(s) Ninety Four Thousand Six Hundred Fifty Only | Fou | 594650 0 | Year | 1.00 | 00 Maintainance for 5th year | 29 00 |
| 58,27,995. | | 1 | | -4 | rac | - Contraction | |
| 58,279. | b 1 2 | | | - | | Total Estimated Cost in Figu | |
| 6,99,359. | | + | | - | | | 31 |
| 65.85.635 | | - | | | SST | 52_ 12% | 37 |
| | 65,85,635.12 | | D | | ount | Quoted Am | |
| d Six Hundre | h(s) Eighty Five Thousan Thirty Five Only | kh(s) | ly Five La | pees Six | Ru | roset Rale in Words | 1000 |

Valuing Rs. 6.5. as Corrected 5. E. NORKO

R W D WORKS CIRCLE SITAMARHI

R.W.D. Works Division Belsand

Lord and