

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, पालीगंज।

पत्रांक:- 1609 (अभियंता)

पालीगंज/दिनांक:- 13/12/22

प्रेषक :

कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, पालीगंज।

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी,
-सह-सचिव,
बिहार ग्रामीण पथ विकास, अभिकरण
ग्रामीण कार्य विभाग, पटना।

विषय:- शीर्ष-MR, 3054 Under-Bihar Rural Road Maintenance Policy-2018 योजना अन्तर्गत आवंटन का
अधियाचना के संबंध में।

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि शीर्ष-MR, 3054 Under-Bihar Rural Road
Maintenance Policy-2018 योजना अन्तर्गत पथों का अधियाचना का माँग विहित प्रपत्र में तैयार कर
Signed Hard Copy of Recorded IRI के साथ अधियाचना हेतु भेजी जा रही है।

अतः अनुरोध है कि उक्त योजना का आवंटन उपलब्ध करने की कृपा की जाय, ताकि संवेदक
का भुगतान हो सके।

अनु:- यथोक्त।

विश्वासभाजन



13/12/22

कार्यपालक अभियंता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल पालीगंज।


01/12/2022

Requisition Format for Scheme Head-MR (2024) Under Bihar Rural Road Maintenance Policy 2018 (Initial Rectification and surface Renewal)

Sl	Package No	Name Of Road	Project ID as per MIS	Administra the Approval (AA) letter No & Date	Administrative			Agreement Amount		Date of Agreement as per Agreement	Actual Date of completion	Value of Ir (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allocated Amount (in Lakh)	Up-to-date expenditure as per MIS (in Lakh)	Requisito re as per MIS (in work done (in Lakh)	Remarks
					Length (in Km)	Amount of (in Lakh)	Initial Rectificati on with Surface Renewal (in Lakh)	5 Year Maintena nce (in Lakh)	Agreement t no & Date									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
MR-N/19-20 Paliganj/08		SAIDABAD MA/SID- SARDA CHAPRA PATH	NEA22000897	Lt no 6459 dt 13.12.2019	1.0	40.58600	30.95700	10.67190	05/MBD/ 2020-21 & 18.06.202	17.03.2021	24.06.2022	2.57800 (SDB)	25 mm	5.01%	17.32894	17.32894	3.75749	Work is Completed as per specification & Verification of Surface by a bump indicator machine 100% Measurement checked by AE & 50% by EE
MR-N/19-20 Paliganj/08		Saivampur - Mahaspura Via Aachouli	NEA220001592	Lt no 6459 dt 13.12.2019	2.83	80.28390	77.10000	29.80626	05/MBD/ 2020-21 & 18.06.202	17.03.2021	28.08.2022	4.565185 (SDB)	25 mm	5.11%	66.81393	66.81393	0.70744	Work is Completed as per specification & Verification of Surface by a bump indicator machine 100% Measurement checked by AE & 50% by EE
MR-N/19-20 Paliganj/08		Patna Jila antargat nababpur prashant ke antargat P-W-D path se mahadali tota tak path nimraam.	10100505001	Lt no 6459 dt 13.12.2019	1.574	33.03300	39.89900	16.27681	05/MBD/ 2020-21 & 18.06.202	17.03.2021	26.08.2022	4.11 (SDB)	25 mm	5.07%	32.77399	32.77399	3.22657	Work is Completed as per specification & Verification of Surface by a bump indicator machine 100% Measurement checked by AE & 50% by EE

Divisional Accounts Officer
Rural Work Department
Works Division Paliganj

Executive Engineer
Rural Works Deptt.
Work Division Paliganj

FORM GFR 19-A

(See Government of India's Decision (1) below Rule-150)
Form of utilisation Certificate up to the end of 5th December 2022

PIU: RWD Works Division , Paliganj

Sl No.	Name of Scheme	Sanction No. & Date with Amount	Amount Received (In Rs.)	Particulars
1	Construction of Rural roads under MR New maintenance policy		236259347.00	Certified that out of Rs 236259347.00 received upto the year 2022-23 in favour of Ex. Engineer, RWD, Works Div. Paliganj Bihar a sum of Rs 232311988.00 has been utilized for the purpose of const of road under Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 3947359.00 remaining unutilized at the end to the period under
Total			236259347.00	

2. Certified that I have satisfied myself that the conditions of which the grants sanction Sanctioned have been duly fulfilled/are being fulfilled and I have exercised the checks to see the money was actually utilised for the purpose for which it was sanctioned.


07/12/22
Divisional Accounts Officer
Rural Work Department
Works Division Paliganj


07/12/22
Executive Engineer
Rural works Deptt.
Works Division, Paliganj

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R.W.D. & G. GUJARBHAGH, PATNA

709

PHYSICAL AND GRADATION TEST OF COARSE AGGREGATE

1st Year Q.C. Report

17/6/2021

Name of Project/Road :- Pit road & road to Pitara Mahadoli Tal.

Name of Scheme :- M.R. 2054

Name of Agency :- Santosh Kumar

Nature of sample :- Stone Metal GR - 11

Date of Collection/Received on lab. :- 17/6/2021

Location/Chainage :- 350 M

Date of Test :- 17/6/2021

Ref :- Material sent by E.E./A.E. R.W.D. WORKS Division/Sub Division - Patna at pur

vide letter No. 20 Dt. 16.5.21

Agreement No / Package No. :- 05/MNO/2020-21

Sl. No.	A.I.V.
Average Test Value	Required Value(Max)
1. 21.87%	40%

Sl. No	Sieve Size in (mm)	Weight of Sample Taken Kgs 30.225				Required Value			Remarks
		Weight Retained	% of Wt. Retained	% of Cumm. Retained	% of Passing	Grading I	Grading II	Grading III	
1	125	—	—	—	—	100	—	—	
2	75	—	—	—	—	90-100	100	—	
3	63	0.00	0.00	0.00	100	25-60	90-100	100	
4	53	0.907	3.30	3.30	96.70	—	25-75	95-100	
5	45	7.904	26.15	29.45	70.55	0-15	0-15	65-90	
6	22.4	18.830	62.30	91.75	8.25	0-5	0-5	0-10	
7	11.2	1.405	4.65	96.40	3.60	—	—	0-5	

Santosh Kumar
17/6/2021

Regional Laboratory
R.W.D. Guljarbhag
patna - 7

Santosh Kumar
A.E. 17/6/2021

Regional Laboratory
R.W.D. Guljarbhag
patna - 7

Santosh Kumar
E.E. 17/6/2021

Regional Laboratory
R.W.D. Guljarbhag
patna - 7

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, क्षेत्रीय प्रयोगशाला, गुलजारबाग
पटना 800007

पत्रांक-709 अग

पटना/दिनांक : 17.06.2021

प्रेषक ,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला
गुलजारबाग, पटना -7

सेवा में ,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल . पालीगंज.....

विषय :- जौचफल प्रतिवेदन के संबंध में ।

प्रसंग :- AE, Nautabpur vide letter no - 70 dt 16.4.2021

महोदय ,

उपर्युक्त विषयक के संबंध में जौचफल प्रतिवेदन इस पत्र के साथ संलग्न कर
आवश्यक कार्रवाई हेतु भेजा जा रहा है जो निम्न प्रकार है:-

Pitwas Road to Pitwas Mahadalit Tola
S/S on metal grill

अनु० :- यथोक्त

विश्वासभाजन

कार्यपालक अभियंता
ग्रामीण कार्य विभाग

क्षेत्रीय प्रयोगशाला, गुलजारबाग, पटना -7

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R.W.D. GUJARBHAGH, PATNA

17/6/2021

708

PHYSICAL AND GRADATION TEST OF COARSE AGGREGATE

Name of Project/Road :- Pst. was Road to Pst. was Mahadab 7.1a

Name of Scheme :- M.R. 3054

Name of Agency :- Sanjosh Kumar

Nature of sample :- Mix seal (13.2mm to 9mm) Date of Collection/Received :- 14/6/2021

Location :- 275m

Date of Test :- 17/6/2021

Ref :- Material sent by E.E. R.W.D. WORKS Division/Syb Division Nambapur

vide letter No. 22 Dt. 30/5/2021

Agreement No / Package No. :- 05 / 1220/2020-21

Sl. No.	A.I.V.	
	Average Test Value	Required Value(Max)
1.	—	30%

Sl. No.	Sieve Size in (mm)	Weight of Sample Taken Kgs 9.350				Required Value		Remarks
		Weight Retd.	% of Wt. Retained	% of Cum. Retained	% of Passing	Type A	Type B	
1	13.2	0.000	0.00	0.00	100	—	100	
2	11.2	0.629	3.25	3.25	96.75	100	88-100	
3	5.6	9.356	48.35	51.60	48.40	52-88	31-52	
4	2.8	4.992	25.80	77.40	22.60	14-38	5-25	
5	0.09	2.667	18.95	96.35	3.65	0-5	0-5	

Regional Laboratory
R.W.D. Gujarbhagh
patna - 7

Regional Laboratory
R.W.D. Gujarbhagh
patna - 7

Regional Laboratory
R.W.D. Gujarbhagh
patna - 7

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, क्षेत्रीय प्रयोगशाला, गुलजारबाग
पटना 800007

पत्रांक - 708 अगु०

पटना/दिनांक : 17.06.2021

प्रेषक ,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला
गुलजारबाग, पटना - 7

सेवा में ,

कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल . पाटलीगंज

विषय :- जॉचफल प्रतिवेदन के संबंध में ।

प्रसंग :- AE, Nambathpur Wde letter no. 72 dt 30/5/2021

महोदय ,

उपर्युक्त विषयक के संबंध में जॉचफल प्रतिवेदन इस पत्र के साथ संलग्न कर
आवश्यक कारवाई हेतु भेजा जा रहा है जो निम्न प्रकार है:-

Pitwar Road to Pitwar mahadalit talu

Station chp (1322000 60900)

अनु० :- यथोक्त

विश्वासभाजन

कार्यपालक अभियंता

ग्रामीण कार्य विभाग

क्षेत्रीय प्रयोगशाला, गुलजारबाग, पटना - 7

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, क्षेत्रीय प्रयोगशाला, गुलजारबाग
पटना 800007

पत्रांक- 710 अग-

पटना/दिनांक : 17.06.2021

प्रेषक,
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
क्षेत्रीय प्रयोगशाला
गुलजारबाग, पटना - 7

सेवा में,
कार्यपालक अभियंता
ग्रामीण कार्य विभाग
कार्य प्रमण्डल, पटना

विषय :- जौचफल प्रतिवेदन के संबंध में।

प्रसंग :- Atc, Newabatur vide letter no - 73 dt 3/6/2021

महाशय,

उपर्युक्त विषयक के संबंध में जौचफल प्रतिवेदन इस पत्र के साथ संलग्न कर
आवश्यक कारवाई हेतु भेजा जा रहा है जो निम्न प्रकार है:-

Pitwas Road to Pitwas Mahadebit Tola
SONC

अनु० :- यद्योक्त

विश्वासभाजन

कार्यपालक अभियंता
ग्रामीण कार्य विभाग

क्षेत्रीय प्रयोगशाला, गुलजारबाग, पटना - 7

OFFICE OF THE EXECUTIVE ENGINEER

REGIONAL LABORATORY, R. W. D. GULZARABAGH, PATNA - 7

Date 12/06/2024

Name of Project/Road :- Pistura Road to Pistura Mahabadi Tola
 Name of Scheme :- MR-3054
 Name of Agency :- Sarvata Kumar
 Nature of sample :- Bitumens content for SORC
 Location :- 225 M
 Ref :- Material sent by E.E./A.E. R.W.D. WORKS Division/Sub Division Maubadi Pura vide letter No. 34 Dt. 05/06/2021
 Agreement No / Package No. :
 Date of Collection/Received :- 14/6/2021
 Date of Test :- 12/6/2024

S.L. NO.	SAMPLE NO.	1	2	3	REMARKS
1	Wt. of mix taken before extraction (a)	508.00	500.00	510.00	
2	Wt. of Dry chips after extraction (b)	483.30	475.10	484.50	
3	Percentage of bitumen (in the mix) [(a-b)*100/a]	5.06	5.00	5.00	
4	Average % bitumen	5.02			

Regional Laboratory
R. W. D. Gulzarabagh patna - 7

Agarwal

Regional Laboratory
R. W. D. Gulzarabagh patna - 7

Prakash
12/6/2024

Regional Laboratory
R. W. D. Gulzarabagh patna - 7

Agarwal
12/6/2024

कार्यपालक अधिवेशन का कार्यालय

ॐ नमो भगवते वासुदेवाय ॥ ॐ नमो भगवते वासुदेवाय ॥ ॐ नमो भगवते वासुदेवाय ॥

300000

कक्षा - 7th गुरु

पञ्च दिनांक 7-16-2022

अध्यायक

संस्कृत-संज्ञा-संग्रहः

संस्कृत-संस्कृत-संस्कृत

Digitized by Google

— 7 —

11

संस्कृत-संज्ञा

$$\frac{1}{2} \quad \frac{1}{3} \quad \frac{1}{4}$$

सर्वे भद्राणि कुर्यात्

निम्नलिखित - $\frac{1}{2}$, $\frac{3}{4}$, $\frac{5}{6}$ व $\frac{7}{8}$

[Faint, illegible handwritten notes]

संज्ञा

संज्ञा वह वाक्य है जो किसी वस्तु या व्यक्ति का नाम बताता है।

उदाहरण

गंगा नदी, दिल्ली शहर, लाल कपड़ा, सुनील कुमार।

~~Page 2nd to 1st page~~

مجلس شورای ملی

५ - ५५५

Name of Customer: SANTOSH KUMAR
 Name of Work: PTWAS PWD ROAD TO MCH
 Road:
 Lab Job number:
 Date: 13.06.2021
 Section No. 28


Print Generate Report and Graph

Test Date: 13.06.2021
 Road Name: ROAD TO MAHADALIT TOLA
 Machine No:
 Road Type: (P) RURAL ROAD
 Sheet S No:
 Side:
 Sheet E No:
 Weather:
 UIV Range: 363 To 5090 Interval
 Short Location:
 Dist Range: 0 To 16 01 m/km
 End Location:
 Equation: $Y = 0 \cdot X^2 - 0.936 \cdot X + 278.4$

Redraw Graph

Map View

File: C:\Users\SHAZN\Desktop\28.xls, Section No.: 28, Egn: $Y = 0 \cdot X^2 - 2 \cdot 0.936 \cdot X + 278.4$
 Name of Customer: SANTOSH KUMAR, Name of Work/ Road: PTWAS PWD ROAD TO MAHADALIT TOLA, Lab



28.6.21
 J.E.

22.06.21
 A.E.

28/6

NAME OF THE ROAD : PITWAS PWD ROAD TO MAHADALIT TOLA TAK

LENGTH OF THE ROAD : 1.54 KM

PACKAGE NO. : MR-N/19-20/PAUGANI/01

DIVISION : PAUGANI

BLOCK : NAUBATPUR

AGENCY : SANTOSH KUMAR

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	UIV mm/km	CATEGORY ROAD	IRI	Latitude	Longitude	Event			
13/6/21	12:14:33	28	0.1	320	0	3200	3273	G	4.35	25.390398	84.936262	Normal	$Y = 0 * X^2 + 0.936 * X + 278.4$		
13/6/21	12:15:9	28	0.1	350	20.2	3500	3554	G	4.68	25.390698	84.93677	Curve	$X = 3182$		
13/6/21	12:15:34	28	0.1	360	20.2	3600	3648	G	4.79	25.39158	84.936835	Curve	$Y = 3256$		
13/6/21	12:16:0	28	0.1	350	30.3	3500	3554	G	4.68	25.392013	84.936143	Normal			
13/6/21	12:16:20	28	0.1	300	30.3	3000	3086	G	4.13	25.392325	84.935185	Normal	IRI RURAL ROAD		
13/6/21	12:16:40	28	0.1	340	30.3	3400	3460	G	4.57	25.392888	84.934882	Normal	Good	Average	Poor
13/6/21	12:17:0	28	0.1	340	30.3	3400	3460	G	4.57	25.39381	84.935202	Normal	<4000	4001-5000	>5001
13/6/21	12:17:15	28	0.1	360	10.1	3600	3648	G	4.79	25.394643	84.935453	Speed Breaker			
13/6/21	12:17:30	28	0.1	330	30.3	3300	3367	G	4.46	25.395525	84.93588	Normal			
13/6/21	12:18:6	28	0.1	340	30.3	3400	3460	G	4.57	25.39638	84.935858	Normal			
13/6/21	12:18:16	28	0.1	180	30.3	1800	1963	G	2.76	25.397288	84.936077	Normal			
13/6/21	12:18:26	28	0.1	180	30.3	1800	1963	G	2.76	25.398232	84.936245	Normal			
13/6/21	12:18:41	28	0.1	180	20.2	1800	1963	G	2.76	25.399157	84.936312	Curve			
13/6/21	12:19:0	28	0.1	240	30.3	2400	2524	G	3.45	25.399158	84.937188	Normal			
13/6/21	12:19:16	28	0.044	140	30.3	3182	3256	G	4.33	25.398942	84.937592	Normal			
TOTAL			1.444	4310	373.7	44882	46179		61.65	380.92304	1274.041592				
AVERAGE						2992.133	3078.6		4.11						

PRATYAKSH
22.6.21
J.E.

22.06.21
A.E.

2016