कार्यपालक अभियंता का कार्यालय, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, बेनीपुर, (दरभंगा)

पत्रांक :- ... ११२। अञ्च / बेनीपुर, (दरभंगा) दिनांक :- 23/12/2022

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, बेनीपुर

सेवा में,

अपर मुख्य कार्यपालक पदाधिकारी, सह सचिव (ब्राडा) ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:— NABARD योजना अर्न्तगत योजनाओं का आवंटन हेतु अधियाचना के सम्बंध में।

महाशय,

उपर्युक्त विषयक सम्बंध में सुचित करना है कि NABARD योजनान्तर्गत योजनाओं का भुगतान हेतु अधियाचना आवश्यक कार्यवाही हेतु समर्पित किया जाता है।

अनु0:- विहित प्रपत्र में संलग्न।

विश्वासभाजन

कार्यपालक अभियंता ग्रामीण कार्य विभाग,कार्य प्रमण्डल, बेनीपुर।

23/12/22

FORM GFR-19 A

(See Government of India's Decision (1) below Rule-150)

Form of utilization Certificate up to the month of Dec-22 Head 4515 NAWARD Yojna

PIU-R.W.D, Works Division, Benipur (Darbhanga)

s.No.	Name of Scheme	Sanction No.& Date with Amount (in Rs.lacs)	Amount Received (in Rs.lacs)	Particulars Certified that out of Rs. 3908.79138 Lakh received				
1	Construction of Rural roads under	Upto 01.04.2019	3120.72832	during the years 2012-13 to 2019-20 in favou Executive Engineer, RWD Bihar, Benipur a sun				
2	NAWARD	Letter No 25 Dated 05.07.2019	156.05000	Rs.3904.49231 lakh has been utilize For the purpos Naward Schemes as Given in the margin for which				
3		Letter No 28 Dated 24,07,2019	was Sanctioned and that the balance of Rs. 4.2990 remaining Unutilized at the end of the period under					
4		Letter No 40we Dated 11.11.2019						
5		Letter No 49 we Dated 11.12.2019	50.00000					
5		Letter No 05 we Dated 24.01.2020						
7		Letter No 23 we Dated 19.03.2020	50.00000]				
	la .	Letter No 36we Dated 22.05.2020	15.00000					
\exists		Letter No 60 we Dated 20.08.2020	108.49905					
		Letter No 68 we Dated 18.09.2020	32.98429	, .				
		Letter No 90 we Dated 31.12.2020	32.67024					
		Letter No 9 we Dated 22.01.2021	34.72907	The same of the sa				
	1	Letter No 23we Dated 10.08.2022	9.94325					
		Total	3908.79138					

2. Certified that I have satisfied myself that the conditions on which the grants in aid was sanction have been duly fulfilled/at being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- works have been supevised by Executive Engineer/Superintending Engneer.
- Periodical inspection has been conducted by Executive Engineer/Superintending Engineer
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test conducted by the assistant Enginner/Executive Engneer.
- All other codal formalities have preserved.
- 3. Physical progress achived:-
 - Construction of Road works.
 - Construction of C.D.works.

Executive Engineer, R.W.D. Works Division, Benipur

Name of Division:-Benipur

NABARD Allotment Requisition Format Rural Works Department

		- 1							_			
-		_	1 2					Nº ST				
	Total			2018-19			,	,	Year			
				2018-19 Kanhouli Ghat Approach Road			3		Name of Road/Bridge Contractor (in English)			
			oat a taxasin Singh		Jai Proback Start		4		English)		IO SUIRA	
				0.37			5	In M.	(Road in Km/Bridge in M.)		Length	Administrative Sanction
				61.02000		٩	^		Lac)	Amount (In Main		ve Sanction
				51.85000		7				Main	ul) nunount ansense	Agreement
				3.07130		∞	Maintenance				ul) junomic	A
				3.07130 24.94325		٥			Keceived (in as per Mic.	Allotment		
			67666	24 94376	ē		Lacs)	(II) Cur.	as per Mic	Total	\int	
Q.	#\$G	e e e	34.17029		11	(Dd	Total Expenditure as per MIS (in Lacs) Lacs) Total Value of Current Demand (in Lacs) (11-9)					
Jaken hora	34.17000	9.22704			12		Current Demand (in Lacs) (11-9)					
ξ'		LONG MANDEN	T6.70080			Remarks						

Executive Engineer

R.W.D. Works Division, Benipur

3. पूर्व निर्गत राशि का उपयोगिता प्रमाण पत्र संलग्न होना आवश्यक है। 4. योजनावार सभी पर्थों का अधियचना एक साथ भेजना आवश्यक है। 5. निर्गत राशि का डीo सीo विपत्र 15 दिनांक के अंदर ब्राडा कार्यालय में उपलब्ध कराया जाना आवश्यक है।

खर्च का मिलान MIS से होना आवश्यक है।
 अधियाचित राशि का पथवार मापीपुस्त की प्रथम एवं अन्तिम पेज की अभिप्रमाणित छाया प्रति संलग्न होना आवश्यक है।