

1

Name of work—  
 Situation of work—  
 Agency by which work is executed—  
 Date of measurement—  
 No. and date of agreement.

(These four lines should be repeated at the commencement of the measurements relating to each work.)

| Particulars                     | Details of actual measurement |    |    |    | Contents of area |
|---------------------------------|-------------------------------|----|----|----|------------------|
|                                 | No.                           | L. | B. | D. |                  |
| Name of Work - Nadi Tola to     |                               |    |    |    |                  |
| PMGSY road in Kochadkaman       |                               |    |    |    |                  |
| Block under mmgsy (SC)          |                               |    |    |    |                  |
| Agency - mahfuzur Rahman        |                               |    |    |    |                  |
| Kishanganj.                     |                               |    |    |    |                  |
| Ag. No - 196/mmgsy/SBA/2020-21  |                               |    |    |    |                  |
| Date of start - 01.09.2020      |                               |    |    |    |                  |
| Date of completion - 31.05.2021 |                               |    |    |    |                  |
| Record measurement              |                               |    |    |    |                  |
| (i) setting out pillars:-       |                               |    |    |    |                  |
| (i) Benchmark pillars-          |                               |    |    |    |                  |
| 31 x 30.00 = 930 m              |                               |    |    |    |                  |
| 1 x 23.00 = 23 m                |                               |    |    |    |                  |
| Total - 953 m                   |                               |    |    |    |                  |
| = 0.953 Km                      |                               |    |    |    |                  |
| (ii) Reference pillars:-        |                               |    |    |    |                  |
| 31 x 30.00 = 930 m              |                               |    |    |    |                  |
| 1 x 23.00 = 23 m                |                               |    |    |    |                  |
| Total - 953 m                   |                               |    |    |    |                  |
| = 0.953 Km                      |                               |    |    |    |                  |

Continuation

38d & final bill

24

Sch. XLV—Form No. 134

| Particulars                                              | Details of actual measurement |    |    |                      | Contents of area |
|----------------------------------------------------------|-------------------------------|----|----|----------------------|------------------|
|                                                          | No.                           | L. | B. | D.                   |                  |
| Date of measurement:-                                    |                               |    |    |                      |                  |
|                                                          |                               |    |    | 24.11.021            |                  |
|                                                          |                               |    |    | <del>24.12.021</del> |                  |
| Date of entry:-                                          |                               |    |    |                      |                  |
|                                                          |                               |    |    | 24.11.021            |                  |
|                                                          |                               |    |    | <del>24.12.021</del> |                  |
| ① P & A Primer coat with bitumen emulsion (SS-1) on ---  |                               |    |    |                      |                  |
| $3 \times 30.00 \times \frac{(3.75 + 4.10 + 3.75)}{3} =$ |                               |    |    |                      |                  |
| $= 344.99 \text{ M}^2$                                   |                               |    |    |                      |                  |
| $7 \times 30.00 \times 3.75 =$                           |                               |    |    |                      |                  |
| $787.50 \text{ M}^2$                                     |                               |    |    |                      |                  |
| $1 \times 30.00 \times \frac{(3.75 + 4.10)}{2} =$        |                               |    |    |                      |                  |
| $117.75 \text{ M}^2$                                     |                               |    |    |                      |                  |
| $1 \times 23.00 \times 3.75 =$                           |                               |    |    |                      |                  |
| $86.25 \text{ M}^2$                                      |                               |    |    |                      |                  |
| Total:-                                                  |                               |    |    |                      |                  |
| $1336.49 \text{ M}^2$                                    |                               |    |    |                      |                  |

|                                                                   |  |  |  |  |  |
|-------------------------------------------------------------------|--|--|--|--|--|
| ② P & A tack coat with Bitumen emulsion (RS-1) using emulsion --- |  |  |  |  |  |
| $3 \times 30.00 \times \frac{(3.75 + 4.10 + 3.75)}{3} =$          |  |  |  |  |  |
| $344.99 \text{ M}^2$                                              |  |  |  |  |  |
| $7 \times 30.00 \times 3.75 =$                                    |  |  |  |  |  |
| $787.50 \text{ M}^2$                                              |  |  |  |  |  |
| $1 \times 30.00 \times \frac{(3.75 + 4.10)}{2} =$                 |  |  |  |  |  |
| $117.75 \text{ M}^2$                                              |  |  |  |  |  |
| $1 \times 23.00 \times 3.75 =$                                    |  |  |  |  |  |
| $86.25 \text{ M}^2$                                               |  |  |  |  |  |
| Total: 1336.49 M <sup>2</sup>                                     |  |  |  |  |  |

|                                                                                     |  |  |  |  |  |
|-------------------------------------------------------------------------------------|--|--|--|--|--|
| ③ P, L & R of close-graded premix surfacing Material of 20MM thickness composed --- |  |  |  |  |  |
| $3 \times 30.00 \times \frac{(3.75 + 4.10 + 3.75)}{3} =$                            |  |  |  |  |  |
| $344.99 \text{ M}^2$                                                                |  |  |  |  |  |
| $7 \times 30.00 \times 3.75 =$                                                      |  |  |  |  |  |
| $787.50 \text{ M}^2$                                                                |  |  |  |  |  |
| $1 \times 30.00 \times \frac{(3.75 + 4.10)}{2} =$                                   |  |  |  |  |  |
| $117.75 \text{ M}^2$                                                                |  |  |  |  |  |
| $1 \times 23.00 \times 3.75 =$                                                      |  |  |  |  |  |
| $86.25 \text{ M}^2$                                                                 |  |  |  |  |  |
| Total: 1336.49 M <sup>2</sup>                                                       |  |  |  |  |  |

Continuation

Continuation