

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, खगड़िया ।

पत्रांक — 204 /
प्रेषक, 738

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, खगड़िया ।

सेवा में,

नोडल पदाधिकारी,
3054(MR)
ग्रामीण कार्य विभाग,
बिहार, पटना ।

खगड़िया, दिनांक — 18-2-2022 /

विषय :- शीर्ष Maintenance Policy-2018 Under MR-3054 योजना अन्तर्गत आवंटन
उपलब्ध कराने के संबंध में ।

महाशय,

उपर्युक्त विषयांकित शीर्ष 3054(MR) के अन्तर्गत कार्यान्वित योजना हेतु माँग
पत्र में अंकित राशि 8.44874 लाख रुपये मात्र आवंटित करने की कृपा की जाय ताकि
कार्य की प्रगति सुचारु रूप से चल सके ।

अनु0 — अधियाचना पत्र ।

विश्वासभाजन,

18-2-22
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य
प्रमण्डल, खगड़िया । Sden
18/2/22

FROM GFR 19-A
(See Government of India's Decision (1) below Rule-150)
Form of utilization Certificate up to the Month of 15-02-2022

PIU :

Executive Engineer,
R.W.D. Works Division,
Khagaria.

Sl. No.	Name of Scheme	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars
1	MR(3054) under Bihar Rural Road Maintenance Policy - 2018	upto Letter No. 02 Date. 03-01-2022	1014.65234	Certified that out of Rs.1014.65234 Lacs received upto date 03-01-2022 in favour of Executive Engineer, RWD, Bihar Khagaria sum of Rs.996.74747 Lacs has ben utilized for the purpose of MR(3054) under Bihar Rural Road Maintenance Policy - 2018 Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 17.90487 remaining unutilized at the end of the period under.
	Total		1014.65234	

2 Certified that I have satisfied myself that the conditions on which the grants-in-aid wa

Kind of Checks excrecised :-

- (i) Works have been supervised by Executive Engineer/Superintending Engineer.
- (ii) Periodical inspection has been conducted by Executive Engineer/Superintending
- (iii) Construction material have been tested.
- (iv) Measurements have been recorded in the MBs and test check conducted by the
- (v) All other codal formalities have been observed.

3 Physical Progress achieved :

- (i) Construction of Road Works.
- (ii) Construction of CD Works.

Sdes
D.A.O. 18/2/22
Works Division,
Rural Works Department

18-2-22
Executive Engineer,
R.W.D. Works Division,
Khagaria.

Requisition Formate for Scheme Head - MR(3054) under Bihar Rural Road Maintenance Policy - 2018 (Initial Rectification and Surface Renewal)

Name of Works Division :- khagaria

SI No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in Lakh)	up-to-date expenditure as per MIS (in Lakh)	Requisition against work done (in Lakh)	Remarks
					Length (In km)	Amount of (In Lakh)	Initial Rectification with Surface Renewal (In Lakh)	5 Years Routine Maintenance (In Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	RM/KH/KHA/19/0005	REO Rd to Raun Shumbha Road	20904502083	19-Jul-19	3.600	155.7351	108.635	34.89779	03MBD/2019-20 01-02-2020	30-Oct-20	Completed 29.01.2022	3695	25	5	100.00	100.00	8.44874	Road Furniture work Completed

- Signed Hard Copy and Soft Copy (in Excel) of recorded IRI is enclosed.
- Up-to-date Physical Progress has been uploaded in MIS.

18-2-22
Executive Engineer
RWD, Works Division,
khagaria
18/2/22

Test Date :	13-08-21	Road Name :	EO Rd to Ream Shumba Road
Machine No. :	403	Road Type :	(A) RURAL ROAD
Stent S No. :		Side :	
Stent E No. :		Interval :	
Weather :		UV Range :	-772 To 5000 1000 min/m
Start Location :		Diet Range :	0 To 3.8 0.1 -1000 m
End Location :		Equation :	$Y = -0.0 \times X^2 + 0.889 \times X + 229.2$


Generate Report and Graph

Redraw Graph

Map View

File: C:\Users\IAMD\Desktop\IAMD\13001406.xls, Section No.: 11, Eqn: $Y = 0 \cdot X^2 + 0.009 \cdot X + 220.2$

Name of Customer : Friends Construction, **Name of Work/ Road :** NEO Rd to Raun Shumbha Road, **Lab Job number:**



-772° 0 0.10.20.30.40.50.60.70.80.9 1 1.1.2.3.4.5.6.7.8.9 2 2.1.2.2.2.2.4.4.5.5.6.6.7.7.8.8.9 3 3.1.3.2.3.3.3.3.4.5.5.6.6.7.7.8.8.9 4 4.1.4.2.4.2.4.2.4.4.5.5.6.6.7.7.8.8.9 5 5.1.5.2.5.2.5.2.5.4.5.5.6.6.7.7.8.8.9 6 6.1.6.2.6.2.6.2.6.4.6.5.6.6.7.7.8.8.9 7 7.1.7.2.7.2.7.2.7.4.7.5.7.6.7.7.8.8.9 8 8.1.8.2.8.2.8.2.8.4.8.5.8.6.8.7.8.8.9 9 9.1.9.2.9.2.9.2.9.4.9.5.9.6.9.7.9.8.9.9 10 10.1.10.2.10.2.10.2.10.4.10.5.10.6.10.7.10.8.10.9 11 11.1.11.2.11.2.11.2.11.4.11.5.11.6.11.7.11.8.11.9 12 12.1.12.2.12.2.12.2.12.4.12.5.12.6.12.7.12.8.12.9 13 13.1.13.2.13.2.13.2.13.4.13.5.13.6.13.7.13.8.13.9 14 14.1.14.2.14.2.14.2.14.4.14.5.14.6.14.7.14.8.14.9 15 15.1.15.2.15.2.15.2.15.4.15.5.15.6.15.7.15.8.15.9 16 16.1.16.2.16.2.16.2.16.4.16.5.16.6.16.7.16.8.16.9 17 17.1.17.2.17.2.17.2.17.4.17.5.17.6.17.7.17.8.17.9 18 18.1.18.2.18.2.18.2.18.4.18.5.18.6.18.7.18.8.18.9 19 19.1.19.2.19.2.19.2.19.4.19.5.19.6.19.7.19.8.19.9 20 20.1.20.2.20.2.20.2.20.4.20.5.20.6.20.7.20.8.20.9 21 21.1.21.2.21.2.21.2.21.4.21.5.21.6.21.7.21.8.21.9 22 22.1.22.2.22.2.22.2.22.4.22.5.22.6.22.7.22.8.22.9 23 23.1.23.2.23.2.23.2.23.4.23.5.23.6.23.7.23.8.23.9 24 24.1.24.2.24.2.24.2.24.4.24.5.24.6.24.7.24.8.24.9 25 25.1.25.2.25.2.25.2.25.4.25.5.25.6.25.7.25.8.25.9 26 26.1.26.2.26.2.26.2.26.4.26.5.26.6.26.7.26.8.26.9 27 27.1.27.2.27.2.27.2.27.4.27.5.27.6.27.7.27.8.27.9 28 28.1.28.2.28.2.28.2.28.4.28.5.28.6.28.7.28.8.28.9 29 29.1.29.2.29.2.29.2.29.4.29.5.29.6.29.7.29.8.29.9 30 30.1.30.2.30.2.30.2.30.4.30.5.30.6.30.7.30.8.30.9 31 31.1.31.2.31.2.31.2.31.4.31.5.31.6.31.7.31.8.31.9 32 32.1.32.2.32.2.32.2.32.4.32.5.32.6.32.7.32.8.32.9 33 33.1.33.2.33.2.33.2.33.4.33.5.33.6.33.7.33.8.33.9 34 34.1.34.2.34.2.34.2.34.4.34.5.34.6.34.7.34.8.34.9 35 35.1.35.2.35.2.35.2.35.4.35.5.35.6.35.7.35.8.35.9 36 36.1.36.2.36.2.36.2.36.4.36.5.36.6.36.7.36.8.36.9 37 37.1.37.2.37.2.37.2.37.4.37.5.37.6.37.7.37.8.37.9 38 38.1.38.2.38.2.38.2.38.4.38.5.38.6.38.7.38.8.38.9 39 39.1.39.2.39.2.39.2.39.4.39.5.39.6.39.7.39.8.39.9 40 40.1.40.2.40.2.40.2.40.4.40.5.40.6.40.7.40.8.40.9 41 41.1.41.2.41.2.41.2.41.4.41.5.41.6.41.7.41.8.41.9 42 42.1.42.2.42.2.42.2.42.4.42.5.42.6.42.7.42.8.42.9 43 43.1.43.2.43.2.43.2.43.4.43.5.43.6.43.7.43.8.43.9 44 44.1.44.2.44.2.44.2.44.4.44.5.44.6.44.7.44.8.44.9 45 45.1.45.2.45.2.45.2.45.4.45.5.45.6.45.7.45.8.45.9 46 46.1.46.2.46.2.46.2.46.4.46.5.46.6.46.7.46.8.46.9 47 47.1.47.2.47.2.47.2.47.4.47.5.47.6.47.7.47.8.47.9 48 48.1.48.2.48.2.48.2.48.4.48.5.48.6.48.7.48.8.48.9 49 49.1.49.2.49.2.49.2.49.4.49.5.49.6.49.7.49.8.49.9 50 50.1.50.2.50.2.50.2.50.4.50.5.50.6.50.7.50.8.50.9 51 51.1.51.2.51.2.51.2.51.4.51.5.51.6.51.7.51.8.51.9 52 52.1.52.2.52.2.52.2.52.4.52.5.52.6.52.7.52.8.52.9 53 53.1.53.2.53.2.53.2.53.4.53.5.53.6.53.7.53.8.53.9 54 54.1.54.2.54.2.54.2.54.4.54.5.54.6.54.7.54.8.54.9 55 55.1.55.2.55.2.55.2.55.4.55.5.55.6.55.7.55.8.55.9 56 56.1.56.2.56.2.56.2.56.4.56.5.56.6.56.7.56.8.56.9 57 57.1.57.2.57.2.57.2.57.4.57.5.57.6.57.7.57.8.57.9 58 58.1.58.2.58.2.58.2.58.4.58.5.58.6.58.7.58.8.58.9 59 59.1.59.2.59.2.59.2.59.4.59.5.59.6.59.7.59.8.59.9 60 60.1.60.2.60.2.60.2.60.4.60.5.60.6.60.7.60.8.60.9 61 61.1.61.2.61.2.61.2.61.4.61.5.61.6.61.7.61.8.61.9 62 62.1.62.2.62.2.62.2.62.4.62.5.62.6.62.7.62.8.62.9 63 63.1.63.2.63.2.63.2.63.4.63.5.63.6.63.7.63.8.63.9 64 64.1.64.2.64.2.64.2.64.4.64.5.64.6.64.7.64.8.64.9 65 65.1.65.2.65.2.65.2.65.4.65.5.65.6.65.7.65.8.65.9 66 66.1.66.2.66.2.66.2.66.4.66.5.66.6.66.7.66.8.66.9 67 67.1.67.2.67.2.67.2.67.4.67.5.67.6.67.7.67.8.67.9 68 68.1.68.2.68.2.68.2.68.4.68.5.68.6.68.7.68.8.68.9 69 69.1.69.2.69.2.69.2.69.4.69.5.69.6.69.7.69.8.69.9 70 70.1.70.2.70.2.70.2.70.4.70.5.70.6.70.7.70.8.70.9 71 71.1.71.2.71.2.71.2.71.4.71.5.71.6.71.7.71.8.71.9 72 72.1.72.2.72.2.72.2.72.4.72.5.72.6.72.7.72.8.72.9 73 73.1.73.2.73.2.73.2.73.4.73.5.73.6.73.7.73.8.73.9 74 74.1.74.2.74.2.74.2.74.4.74.5.74.6.74.7.74.8.74.9 75 75.1.75.2.75.2.75.2.75.4.75.5.75.6.75.7.75.8.75.9 76 76.1.76.2.76.2.76.2.76.4.76.5.76.6.76.7.76.8.76.9 77 77.1.77.2.77.2.77.2.77.4.77.5.77.6.77.7.77.8.77.9 78 78.1.78.2.78.2.78.2.78.4.78.5.78.6.78.7.78.8.78.9 79 79.1.79.2.79.2.79.2.79.4.79.5.79.6.79.7.79.8.79.9 80 8

14.8.22
JG/Alvarez

~~11/11/21~~
A. E. (Hawthorne)

21-8-14

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEGORY	Latitude	Longitude	Event
		No.	In km	In mm	Rate	mm/km	mm/km	ROAD			
13/8/21	13:7:0	11	0.1	360	0	3600	3428	G	25.645813	86.385302	Normal
13/8/21	13:7:21	11	0.1	370	20.2	3700	3517	G	25.645203	86.384595	Normal
13/8/21	13:7:21	11	0.1	310	20.2	3100	2984	G	25.644477	86.383955	Normal
13/8/21	13:8:0	11	0.1	300	20.2	3000	2895	G	25.643788	86.383265	Normal
13/8/21	13:13:14	11	0.1	370	0	3700	3517	G	25.643392	86.382777	Normal
13/8/21	13:13:14	11	0.1	260	20.2	2600	2539	G	25.643392	86.382777	Normal
13/8/21	13:13:49	11	0.1	380	20.2	3800	3606	G	25.643392	86.382777	Normal
13/8/21	13:13:49	11	0.1	320	30.3	3200	3073	G	25.643392	86.382777	Normal
13/8/21	13:13:49	11	0.1	330	20.2	3300	3161	G	25.643392	86.382777	Normal
13/8/21	13:14:24	11	0.1	340	20.2	3400	3250	G	25.643392	86.382777	Normal
13/8/21	13:14:24	11	0.1	370	30.3	3700	3517	G	25.643392	86.382777	Normal
13/8/21	13:14:24	11	0.1	380	30.3	3800	3606	G	25.643392	86.382777	Normal
13/8/21	13:15:0	11	0.1	290	30.3	2900	2806	G	25.643392	86.382777	Normal
13/8/21	13:15:0	11	0.1	350	30.3	3500	3339	G	25.643392	86.382777	Normal
13/8/21	13:15:0	11	0.1	300	30.3	3000	2895	G	25.643392	86.382777	Curve
13/8/21	13:15:35	11	0.1	390	20.2	3900	3695	G	25.643392	86.382777	Curve
13/8/21	13:15:35	11	0.1	310	20.2	3100	2984	G	25.643392	86.382777	Normal
13/8/21	13:15:35	11	0.1	350	30.3	3500	3339	G	25.643392	86.382777	Normal
13/8/21	13:16:10	11	0.1	340	30.3	3400	3250	G	25.643392	86.382777	Normal
13/8/21	13:16:10	11	0.1	350	30.3	3500	3339	G	25.643392	86.382777	Normal
13/8/21	13:16:46	11	0.1	330	30.3	3300	3161	G	25.643392	86.382777	Curve
13/8/21	13:16:46	11	0.1	350	30.3	3500	3339	G	25.643392	86.382777	Normal
13/8/21	13:16:46	11	0.1	340	20.2	3400	3250	G	25.643392	86.382777	Normal
13/8/21	13:17:21	11	0.1	370	30.3	3700	3517	G	25.643392	86.382777	Normal
13/8/21	13:17:21	11	0.1	300	30.3	3000	2895	G	25.643392	86.382777	Normal
13/8/21	13:17:56	11	0.1	380	20.2	3800	3606	G	25.643392	86.382777	Normal
13/8/21	13:17:56	11	0.1	330	20.2	3300	3161	G	25.643392	86.382777	Normal
13/8/21	13:17:56	11	0.1	340	30.3	3400	3250	G	25.643392	86.382777	Normal
13/8/21	13:18:31	11	0.1	320	20.2	3200	3073	G	25.643392	86.382777	Normal
13/8/21	13:18:31	11	0.1	330	30.3	3300	3161	G	25.643392	86.382777	Normal
13/8/21	13:18:31	11	0.1	300	20.2	3000	2895	G	25.643392	86.382777	Normal
13/8/21	13:19:7	11	0.1	240	20.2	2400	2361	G	25.643392	86.382777	Normal
13/8/21	13:19:7	11	0.1	320	20.2	3200	3073	G	25.643392	86.382777	Normal
13/8/21	13:19:42	11	0.077	280	10.1	3636	3460	G	25.643392	86.382777	Normal

$$Y = 0 \cdot X^2 + 0.889 \cdot X + 2.282$$

$$X = 7500$$

$$Y = 6895$$

(R) RURAL ROAD
 Good Average Poor
 <4000 - 4001-5000 >5001

14-8-21
 14-8-21
 14-8-21

14/8/21
 14/8/21
 14/8/21

14.8.21
 14.8.21
 14.8.21