

MMGS-SC

Recd Name:- pmgsy sadak se ramanand mandal Des
Schedule XLV Form No. 134.
Tola Hote hve to mohamad Ganga Seemarak

Tivernigang DIVISION

Chhatapur SUB-DIVISION

MB. NO. 890

Measurement Book

Uomala Singh

1st on file 10/1/1

Name of Work- ¹ Construction of Road PMGSY Sada
 Situation of Work- ² Se Ramnagar Mandal Das Tola
 Agency by which work is executed- ³ Hote Kye to Mahanad Jay Shree
 Date of Measurement- 14/12/21
 No. and date of agreement

(These four lines should be repeated at the commencement of the measurement relating to each work)

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
① Cleaning and Gully holes					
Land (By manual mud)					
		1 x 1800m	3.5m	1.00m	
					= 63.00
② Removing all type of lime stones					
900m x 15m					
③ Box cutting					
6 Excavate for road way in soil					

④ Road Right Road					
		6.25m			
	2 x 1800 x 0.32 x 0.1m				= 6 22.50 m ²
⑤ Const. of Embank. with efford					
material deposited from road way					
Only bus as item No 3					22.50 m ²
⑥ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑦ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑧ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑨ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑩ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑪ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑫ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑬ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑭ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑮ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑯ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑰ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑱ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑲ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
⑳ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉑ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉒ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉓ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉔ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉕ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉖ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉗ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉘ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉙ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉚ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉛ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉜ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉝ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉞ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㉟ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊱ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊲ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊳ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊴ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊵ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊶ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊷ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊸ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊹ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					
㊺ Const. of Embankment with with					
material obtained from borrow pits with					
as lift upto 1.5m					

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
Graded metry			1317		3,91649.67
TMD P-4		1325.32m ²			
		@ 3207.74			Rs 4251282.00
Total Value of work Rs					46,48,931.67
Less. 11% balwa Aff					
					(-) 511,382.48
					Rs 41,37,549.19
					Rs 41,37,549/2
12+1=13% GST + 2% S.C. + 1% S.F.C.					Rs → 537881.20
					→ 420792.20
					47,17,509.20
14/12/19					
28/12/19					