

N/Scheme: Construction & S&M Maintenance of Road from  
Daulatpur Pkrsy Road to Kamgaah Im

# Schedule XLV-Form No. 134

Thamama Block

31

N/Contractor: - Lal Bihari Pasari

DIVISION

Ag no no: - 02/SBD/2020-21

S. B-DIVISION

mmhsy (609)

Measurement Book

1153

| Particulars             | Details of actual measurement                     |    |    |    | Contents of area        |
|-------------------------|---------------------------------------------------|----|----|----|-------------------------|
|                         | No.                                               | L. | B. | D. |                         |
| Name of Work:-          | Construction work                                 |    |    |    |                         |
|                         | Five year Maintenance                             |    |    |    |                         |
|                         | of road Daulatpur                                 |    |    |    |                         |
|                         | P.M.G.SY Road to Rangark                          |    |    |    |                         |
|                         | under M.M.GSY (GEN) in                            |    |    |    |                         |
|                         | Block Dhanarus                                    |    |    |    |                         |
| N/Agency                | Sri Lal Bihari Pasad                              |    |    |    |                         |
| Agreement no:-          | 02/5130/2020-21                                   |    |    |    |                         |
| Start date -            | 27/2/2020                                         |    |    |    |                         |
| Int. dt of Comp-        | 26/2/2020                                         |    |    |    |                         |
| Actual Comp date -      | 05/2/2022                                         |    |    |    |                         |
| (B) PVR Applied Paves   |                                                   |    |    |    |                         |
| Coat. with (SS+D) - do. |                                                   |    |    |    |                         |
| do -                    | ---                                               |    |    |    | S19                     |
| CH:-                    | 366.50 to 2358 M.                                 |    |    |    |                         |
|                         | $7 \times 30.00 \times 3.75 = 787.50 \text{ M}^2$ |    |    |    |                         |
|                         | $1 \times 26.50 \times 3.75 = 99.38$              |    |    |    | <del>97.50</del> "      |
| Curve -                 | $1 \times 10.61 \times 3.75 + 4.50 = 41.25$       |    |    |    | "                       |
| "                       | $1 \times 10.00 \times 4.50 + 3.75 = 41.25$       |    |    |    | "                       |
|                         | $3 \times 30.00 \times 3.75 = 337.50$             |    |    |    | "                       |
|                         | $1 \times 24.00 \times 3.75 = 90.00$              |    |    |    | "                       |
| Curve -                 | $1 \times 15.00 \times 6.75 + 3.75 = 78.75$       |    |    |    | "                       |
|                         | $10 \times 30.00 \times 3.75 = 1125.00$           |    |    |    |                         |
|                         | $10 \times 30.00 \times 3.75 = 1125.00$           |    |    |    |                         |
|                         | $10 \times 30.00 \times 3.75 = 1125.00$           |    |    |    |                         |
| Continuation            |                                                   |    |    |    | $= 4850.66 \text{ M}^2$ |

$$BQ = 4850.66 M^2$$

| Particulars | Details of actual measurement |                  |      |    | Contents of area         |
|-------------|-------------------------------|------------------|------|----|--------------------------|
|             | No.                           | L.               | B.   | D. |                          |
|             |                               | 10 x 30.00       | 3.75 |    | = 1125.00 M <sup>2</sup> |
| ✓           |                               | 10 x 30.00       | 3.75 |    | = 1125.00                |
| ✓           |                               | 3 x 30.00 x 3.75 |      |    | = 337.50                 |
|             |                               | 1 x 16.00 x 3.75 |      |    | = 60.00                  |
|             |                               |                  |      |    | = 7498.16 M <sup>2</sup> |

2/9 Apply & Take Coat

WET (AS-1) — do —

Qty Same above

• Net No. (1/8) — — = 7498.16 M<sup>2</sup>

3/10 M.S.S. — fix Cap & 8

— 6000 of 20mm thick

Mix seal surface &

Type 'S' — do — do

as per — — — 2/9

CH: 366.50 to 2358 M

$$7 \times 30.00 \times 3.75 = 787.50 M^2$$

$$1 \times 26.50 \times 3.75 = 99.38$$

$$1 \times 10.00 \times 3.75 + 4.50 = 41.25$$

$$1 \times 10.00 \times 1.50 + 3.75 = 41.25$$

$$1 \times 15.00 \times 6.75 + 3.75 = 78.75$$

$$10 \times 30.00 \times 3.75 = 1125.00$$

$$10 \times 30.00 \times 3.75 = 1125.00$$

$$10 \times 30.00 \times 3.75 = 1125.00$$

$$10 \times 30.00 \times 3.75 = 1125.00$$

$$10 \times 30.00 \times 3.75 = 1125.00$$

Continuation

$$7100.66 M^2$$

C - 0

| Particulars                                        | Details of actual measurement |       |       |      | Contents of area       |
|----------------------------------------------------|-------------------------------|-------|-------|------|------------------------|
|                                                    | No.                           | L.    | B.    | D.   |                        |
|                                                    | 3                             | 30.00 | 3.75  |      | = 337.50               |
|                                                    | 1                             | 16.00 | 3.75  |      | = 60.00                |
|                                                    | Total Q <sub>1</sub> =        |       |       |      | 7498.16 M <sup>2</sup> |
| (4/22) P/V & (or) hot appld thermoplastic Compound |                               |       |       |      |                        |
| 2.5 mm thick ———                                   |                               |       |       |      |                        |
| On Edge of RT Surface                              |                               |       |       |      |                        |
| ✓                                                  | 2                             | 66    | 30.00 | 0.10 | = 396.00               |
|                                                    | 2                             | 11.50 | 40.10 |      | = 2.30 "               |
|                                                    | Q <sub>2</sub> =              |       |       |      | 398.30 M <sup>2</sup>  |
| (5/23) Road Marking with hot-applied thermoplastic |                               |       |       |      |                        |
| Compound 2.5 mm thick                              |                               |       |       |      |                        |
| —————                                              |                               |       |       |      |                        |
| On Edge of C&P                                     |                               |       |       |      |                        |
| ✓                                                  | 2                             | 9     | 30.00 | 0.10 | = 54.00 M <sup>2</sup> |
|                                                    | 2                             | 11.50 | 40.10 |      | = 2.30 M <sup>2</sup>  |
|                                                    | 2                             | 2     | 30.00 | 0.10 | = 12.00                |
|                                                    | 2                             | 1     | 3.00  | 0.10 | = 0.60 "               |
| Rumble.                                            | 4                             | 2     | 3.75  | 0.10 | = 3.00 "               |
| Link.                                              | 2                             | 1     | 17.00 | 0.10 | = 3.40 "               |
|                                                    | Total =                       |       |       |      | 75.30 M <sup>2</sup>   |
| (6/17) P/V & (or) Project Board                    |                               |       |       |      |                        |
| —————                                              |                               |       |       |      |                        |
| ✓                                                  | Manuf. Board                  |       |       |      | 1 No                   |

## Sch. XLV-Form No. 134

| Particulars                                       | Details of actual measurement |    |    |    | Contents of area |
|---------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                   | No.                           | L. | B. | D. |                  |
| (7/18) 600 mm dia Circular<br>(spread limit) sign |                               |    |    |    |                  |
| ✓ Total = 10 Nos                                  |                               |    |    |    |                  |
| (8/19) 600 mm. equilateral<br>(left right) sign   |                               |    |    |    |                  |
| ✓ Total = 16 Nos                                  |                               |    |    |    |                  |
| (9/20) 600 x 450 mm. Rectangular<br>T/sign        |                               |    |    |    |                  |
| ✓ Total = 10 Nos                                  |                               |    |    |    |                  |
| (10/12) Road Ordinary RM<br>Stone                 |                               |    |    |    |                  |
| ✓ Total = 4 Nos                                   |                               |    |    |    |                  |
| (11/13) Road 200 mm Stone<br>(for cast)           |                               |    |    |    |                  |
| ✓ Total = 9 Nos                                   |                               |    |    |    |                  |
| (12/14) Recm-15 Boundary<br>Pillar                |                               |    |    |    |                  |
| 1 x 8 = 8 Nos = 8 Nos                             |                               |    |    |    |                  |
| 1 x 8 = 8 " = 8 Nos                               |                               |    |    |    |                  |
| 3 x 10 Nos = 30 Nos                               |                               |    |    |    |                  |
| Total = 46 Nos                                    |                               |    |    |    |                  |
| <del>(13/21) [unclear]</del>                      |                               |    |    |    |                  |
|                                                   |                               |    |    |    |                  |
|                                                   |                               |    |    |    |                  |
|                                                   |                               |    |    |    |                  |
|                                                   |                               |    |    |    |                  |
|                                                   |                               |    |    |    |                  |

Continuation

PT-0

## Sch. XLV-Form No. 134

| Particulars                    | Details of actual measurement |          |            |            | Contents of area            |
|--------------------------------|-------------------------------|----------|------------|------------|-----------------------------|
|                                | No.                           | L.       | B.         | D.         |                             |
| (2) Construction of Embankment |                               |          |            |            |                             |
| do                             |                               |          |            |            |                             |
| Calculation on per graph       |                               |          |            |            |                             |
| 2 sheets                       |                               |          |            |            |                             |
| S.N                            | C.H. (M)                      | Left C/s | Right Mean | Distance M | Full Profile M <sup>2</sup> |
| 1.                             | 50                            | 1.923    | —          | —          | —                           |
| 2                              | 25                            | 2.811    | 2.367      | 25         | 59.175                      |
| 3.                             | 50                            | 3.007    | 2.909      | 25         | 72.725                      |
| 4.                             | 75                            | 2.959    | 2.983      | 25         | 74.575                      |
| 5.                             | 100                           | 2.638    | 2.799      | 25         | 69.963                      |
| 6.                             | 125                           | 2.797    | 2.716      | 25         | 67.900                      |
| 7.                             | 150                           | 2.773    | 2.784      | 25         | 69.558                      |
| 8.                             | 175                           | 4.30     | 2.537      | 25         | 88.413                      |
| 9.                             | 200                           | 1.739    | 3.020      | 25         | 75.488                      |
| 10.                            | 225                           | 1.971    | 1.855      | 25         | 46.375                      |
| 11.                            | 250                           | 2.188    | 2.080      | 25         | 51.988                      |
| 12.                            | 275                           | 2.039    | 2.114      | 25         | 52.838                      |
| 13.                            | 300                           | 4.057    | 3.045      | 25         | 76.125                      |
| 14.                            | 325                           | 4.173    | 4.112      | 25         | 102.800                     |
| 15.                            | 350                           | 4.398    | 4.286      | 25         | 107.138                     |
| 16.                            | 375                           | 4.139    | 4.269      | 25         | 106.713                     |
| 17.                            | 400                           | 4.303    | 4.221      | 25         | 105.525                     |
| 18.                            | 425                           | 6.40     | 5.152      | 25         | 128.788                     |
| 19.                            | 450                           | 6.204    | 6.102      | 25         | 152.550                     |
| 20.                            | 475                           | 6.579    | 6.392      | 25         | 159.788                     |
| 21.                            | 500                           | 7.027    | 6.803      | 25         | 170.075                     |
| 22.                            | 525                           | 6.678    | 6.853      | 25         | 171.313                     |

Continuation

C — 0

| Particulars | Details of actual measurement |       |       |    | Contents of area |
|-------------|-------------------------------|-------|-------|----|------------------|
|             | No.                           | L.    | B.    | D. |                  |
| 23.         | 550                           | 7.072 | 6.874 | 25 | 171.850          |
| 24.         | 575                           | 7.003 | 7.037 | 25 | 175.912          |
| 25.         | 600                           | 7.021 | 7.012 | 25 | 175.300          |
| ✓ 26.       | 625                           | 7.101 | 7.061 | 25 | 176.525          |
| 27.         | 650                           | 6.957 | 7.029 | 25 | 175.725          |
| 28.         | 675                           | 6.558 | 6.758 | 25 | 168.938          |
| 29.         | 700                           | 6.957 | 6.758 | 25 | 168.938          |
| 30.         | 725                           | 6.635 | 7.796 | 25 | 169.900          |
| 31.         | 750                           | 6.754 | 6.695 | 25 | 167.363          |
| 32.         | 775                           | 6.697 | 6.726 | 25 | 168.138          |
| 33.         | 800                           | 6.864 | 6.781 | 25 | 169.573          |
| 34.         | 825                           | 6.882 | 6.873 | 25 | 171.825          |
| 35.         | 850                           | 6.945 | 6.914 | 25 | 172.838          |
| 36.         | 875                           | 6.740 | 6.543 | 25 | 171.063          |
| 37.         | 900                           | 6.602 | 6.671 | 25 | 166.775          |
| 38.         | 925                           | 6.989 | 6.796 | 25 | 169.883          |
| ✓ 39.       | 950                           | 6.730 | 6.860 | 25 | 171.488          |
| 40.         | 975                           | 6.257 | 6.494 | 25 | 167.338          |
| 41.         | 1000                          | 6.893 | 6.575 | 25 | 164.375          |
| 42.         | 1025                          | 7.103 | 6.998 | 25 | 174.950          |
| 43.         | 1050                          | 7.125 | 7.114 | 25 | 177.850          |
| 44.         | 1075                          | 6.675 | 6.900 | 25 | 172.500          |
| 45.         | 1100                          | 6.756 | 6.716 | 25 | 167.885          |
| 46.         | 1125                          | 6.446 | 6.757 | 25 | 168.925          |
| 47.         | 1150                          | 6.485 | 6.602 | 25 | 165.050          |
| 48.         | 1175                          | 6.788 | 6.466 | 25 | 161.638          |

Continuation

## Sch. XLV-Form No. 134

| Particulars | Details of actual measurement |       |       |    | Contents of area |
|-------------|-------------------------------|-------|-------|----|------------------|
|             | No.                           | L.    | B.    | D. |                  |
| 49          | 1200                          | 6.788 | 6.637 | 25 | 165.913          |
| 50          | 1225                          | 6.772 | 6.780 | 25 | 169.500          |
| 51          | 1250                          | 6.442 | 6.607 | 25 | 165.775          |
| 52          | 1275                          | 8.064 | 7.253 | 25 | 181.325          |
| 53.         | 1300                          | 6.113 | 7.089 | 25 | 177.213          |
| ✓ 54        | 1325                          | 8.575 | 7.314 | 25 | 187.850          |
| 55.         | 1350                          | 8.222 | 8.369 | 25 | 209.213          |
| ✓ 56.       | 1375                          | 8.457 | 8.340 | 25 | 208.488          |
| 57.         | 1400                          | 6.127 | 7.292 | 25 | 182.340          |
| 58.         | 1425                          | 8.507 | 7.317 | 25 | 182.925          |
| 59.         | 1450                          | 8.568 | 8.538 | 25 | 213.438          |
| 60.         | 1475                          | 6.416 | 7.492 | 25 | 187.300          |
| 61.         | 1500                          | 8.261 | 7.339 | 25 | 189.462          |
| 62.         | 1525                          | 6.455 | 7.358 | 25 | 183.950          |
| 63.         | 1550                          | 6.379 | 6.417 | 25 | 160.425          |
| 64.         | 1575                          | 6.380 | 6.380 | 25 | 159.488          |
| 65.         | 1600                          | 8.719 | 7.550 | 25 | 188.738          |
| 66.         | 1625                          | 8.548 | 8.631 | 25 | 215.775          |
| 67          | 1650                          | 8.129 | 8.336 | 25 | 208.400          |
| 68.         | 1675                          | 6.169 | 7.149 | 25 | 178.725          |
| 69.         | 1700                          | 5.856 | 6.013 | 25 | 150.313          |
| 70.         | 1725                          | 8.338 | 7.097 | 25 | 177.425          |
| 71.         | 1750                          | 6.096 | 7.217 | 25 | 180.425          |
| 72          | 1775                          | 5.949 | 6.023 | 25 | 150.583          |
| 73.         | 1800                          | 7.577 | 6.733 | 25 | 168.325          |
| 74.         | 1825                          | 7.576 | 7.547 | 25 | 188.662          |
| 75.         | 1850                          | 7.379 | 7.478 | 25 | 186.938          |

Continuation

C →

## Sch. XLV-Form No. 134

| Particulars | Details of actual measurement |       |       |    | Contents of area |
|-------------|-------------------------------|-------|-------|----|------------------|
|             | No.                           | L.    | B.    | D. |                  |
| 76          | 1875                          | 7.242 | 7.311 | 25 | 182.763          |
| 77.         | 1900                          | 7.528 | 7.385 | 25 | 184.625          |
| 78.         | 1925                          | 7.737 | 7.633 | 25 | 190.813          |
| 79.         | 1950                          | 7.754 | 7.446 | 25 | 193.638          |
| 80.         | 1975                          | 7.713 | 7.534 | 25 | 188.938          |
| 81.         | 2000                          | 7.397 | 7.355 | 25 | 183.875          |
| 82.         | 2025                          | 7.399 | 7.398 | 25 | 184.950          |
| 83          | 2050                          | 7.091 | 7.245 | 25 | 181.125          |
| 84.         | 2075                          | 7.127 | 7.109 | 25 | 177.725          |
| 85          | 2100                          | 8.683 | 7.905 | 25 | 197.621          |
| 86.         | 2125                          | 8.657 | 8.670 | 25 | 216.750          |
| 87          | 2150                          | 8.310 | 8.484 | 25 | 212.88           |

|     |      |       |       |    |         |
|-----|------|-------|-------|----|---------|
| 88  | 2175 | 8.392 | 8.351 | 25 | 208.775 |
| 89. | 2200 | 8.627 | 8.570 | 25 | 212.738 |
| 90. | 2225 | 8.828 | 8.728 | 25 | 218.188 |
| 91. | 2250 | 8.540 | 8.684 | 25 | 217.100 |
| 92  | 2275 | 8.764 | 8.652 | 25 | 216.300 |
| 93. | 2300 | 8.604 | 8.684 | 25 | 217.100 |
| 94. | 2325 | 8.819 | 8.712 | 25 | 217.788 |
| 95. | 2350 | 7.331 | 8.075 | 25 | 201.875 |
| 96. | 2358 | 7.410 | 7.371 | 8  | 58.964  |

Total Area (with Cont.) = 15407.717 m<sup>2</sup>

Say - 15407.71 m<sup>2</sup>

(2)

## Sch. XLV-Form No. 134

| Particulars                 | Details of actual measurement |    |    |    | Contents of area                                                           |
|-----------------------------|-------------------------------|----|----|----|----------------------------------------------------------------------------|
|                             | No.                           | L. | B. | D. |                                                                            |
| <u>Description of Crust</u> |                               |    |    |    |                                                                            |
| (i) Subgrade & shoulder     |                               |    |    |    |                                                                            |
|                             |                               |    |    |    | $(6095.39 + 269.76) \cdot = 6365.15 \text{ m}^3$                           |
| (ii) G.S.B.                 |                               |    |    |    | $(1736.75 + 11.67) = 1748.42 \text{ "}$                                    |
| (iii) W.B.M. G.S.B.         |                               |    |    |    | $(599.56 + 59.78) = 659.34 \text{ "}$                                      |
| (iv) C.C.P. M-30            |                               |    |    |    | $(217.35 + 15.35) = 232.70$                                                |
| (v) Qty of Disposal         |                               |    |    |    |                                                                            |
|                             |                               |    |    |    | $22,000 \times 3.75 (\text{mm}) \times 0.60 (\text{mm}) = 49.50 \text{ "}$ |
|                             |                               |    |    |    | $= 9054.81 \text{ m}^3$                                                    |
|                             |                               |    |    |    | (B)                                                                        |
| Qty of Embankment           |                               |    |    |    | $= (A - B)$                                                                |
|                             |                               |    |    |    | $= 15407.71 - 9054.81$                                                     |

$$= 6352.90 \text{ m}^3 \text{ (C)}$$

(A) 20% Qty with lead  
10000 Mtr

$$6352.90 \times 20\% = 1270.58 \text{ m}^3$$

(B) 80% Qty with lead  
up to 100 M

$$6352.90 \times 80\% = 5082.32 \text{ m}^3$$

2552022  
JF

16/5/22  
A.B

| Particulars                                                     | Details of actual measurement |    |    |    | Contents of area |
|-----------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                 | No.                           | L. | B. | D. |                  |
| ABSTRACT OF COST.                                               |                               |    |    |    |                  |
| (1) Set out Reference Pillar & Work approach Mark               |                               |    |    |    |                  |
| = 2.358 RM (P-24, H 1/1)                                        |                               |    |    |    | 12155            |
| (2) 15786 = 15/RM                                               |                               |    |    |    | 37224 =          |
| (2/2) Clearing & grubbing road land. do                         |                               |    |    |    |                  |
| = 1.65 Haer (P-24, H 2/2)                                       |                               |    |    |    |                  |
| (2) 55727 = 0.5/Haer                                            |                               |    |    |    | 91,950 =         |
| (3) Construction of Embankment with lead upto 100M do do do     |                               |    |    |    |                  |
| Q <sub>1/2</sub> = 1270.58 M <sup>3</sup> (P-39, H 1/1, Mark A) |                               |    |    |    |                  |
| (2) 216 = 55/M <sup>3</sup>                                     |                               |    |    |    | 275144 =         |
| (4) Const of Embankment with lead upto 100M do                  |                               |    |    |    |                  |
| Comp etc                                                        |                               |    |    |    |                  |
| Q <sub>1/2</sub> = 5082.32 M <sup>3</sup> (P-39, H 1/1, Mark B) |                               |    |    |    |                  |
| (2) 167 = 93/M <sup>3</sup>                                     |                               |    |    |    | 8,58,474 =       |
| (5/5) Construction of Supergrade & Both side shoulder do do do  |                               |    |    |    |                  |
| Q <sub>1/2</sub> = 6095.39 M <sup>3</sup> (P-24, H 5/5)         |                               |    |    |    |                  |
| " = 269.26 M <sup>3</sup> (P-30, H 5/5)                         |                               |    |    |    |                  |
| = 6364.65 M <sup>3</sup>                                        |                               |    |    |    |                  |
| (2) 216 = 55/M <sup>3</sup>                                     |                               |    |    |    | 1378265 =        |

Continuation

2636057 = w

| Particulars                                 | Details of actual measurement |    |    |    | Contents of area                   |
|---------------------------------------------|-------------------------------|----|----|----|------------------------------------|
|                                             | No.                           | L. | B. | D. |                                    |
| (6/6) Construction of G.S.D.                |                               |    |    |    |                                    |
| Gr 1                                        | —                             | —  | —  | —  |                                    |
| aper                                        | —                             | —  | —  | —  |                                    |
| $Q_1 = 1736.75 (P-25, 94 \frac{6}{16})$     |                               |    |    |    |                                    |
| $= 11.67 M^3 (P-28, 94 \frac{1}{16})$       |                               |    |    |    |                                    |
| $= 1748.42 m^3$                             |                               |    |    |    |                                    |
| $(W) 2628 = 33/M^3$                         |                               |    |    |    | $\underline{\underline{24595428}}$ |
| (7/7) P/V Laying & Compaction               |                               |    |    |    |                                    |
| WBM Gr 3                                    | —                             | —  | —  | —  |                                    |
| aper                                        | —                             | —  | —  | —  |                                    |
| $= 599.56 M^3 (P-25, 94 \frac{7}{16})$      |                               |    |    |    |                                    |
| $= 59.78 M^3 (P-28, 94 \frac{2}{16})$       |                               |    |    |    |                                    |
| $= 659.34 M^3$                              |                               |    |    |    |                                    |
| $(V) 3824 = 43/M^3$                         |                               |    |    |    | $\underline{\underline{22521797}}$ |
| (8/8) Applying Primer Coat                  |                               |    |    |    |                                    |
| W46 (S-1)                                   | —                             | —  | —  | —  |                                    |
| $Q_1 = 7498.16 M^2 (P-32, 94 \frac{1}{8})$  |                               |    |    |    |                                    |
| Limit - 7458.75 m <sup>2</sup>              |                               |    |    |    |                                    |
| $(Q) 52 = 68/M^2$                           |                               |    |    |    | $\underline{\underline{2392930}}$  |
| (9/9) Applying Top Coat                     |                               |    |    |    |                                    |
| W46 (S-1)                                   | —                             | —  | —  | —  |                                    |
| $Q_1 = 7498.16 M^2 (P-32, 94 \frac{2}{16})$ |                               |    |    |    |                                    |
| Limit - 7458.75 m <sup>2</sup>              |                               |    |    |    |                                    |
| $(Q) 18582/M^2$                             |                               |    |    |    | $\underline{\underline{2140374}}$  |

| Particulars                                  | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------------|-------------------------------|----|----|----|------------------|
|                                              | No.                           | L. | B. | D. |                  |
| (10/10) M.S.B. - P/Lay - P 2                 |                               |    |    |    |                  |
| rod up Mix Seal                              |                               |    |    |    |                  |
| Inf. ang Type 'B' —                          |                               |    |    |    |                  |
| do — do — — C19                              |                               |    |    |    |                  |
| $Q_{1/2} = 7198.16 M^2 (P-33, 9/3/10)$       |                               |    |    |    |                  |
| Limit - 7458.75 m <sup>2</sup>               |                               |    |    |    |                  |
| ① 235 = 81/m <sup>2</sup> — 51758.848        |                               |    |    |    |                  |
| (11/11) Const <sup>n</sup> of Unscind. fund. |                               |    |    |    |                  |
| C.C. Pavement. M-30 —                        |                               |    |    |    |                  |
| do — do — — C19                              |                               |    |    |    |                  |
| $Q_{1/2} = 217.55 M^3 (P-25, 9/4/11)$        |                               |    |    |    |                  |
| " = 15.35 m <sup>3</sup> (P-29, 9/3/11)      |                               |    |    |    |                  |
| = 232.90 m <sup>3</sup>                      |                               |    |    |    |                  |
| ① 7818.59/M <sup>3</sup> — 51820.950         |                               |    |    |    |                  |
| (12/12) P/Lay Ordinary                       |                               |    |    |    |                  |
| K.M. Stone. —                                |                               |    |    |    |                  |
| $Q_{1/2} = 4 M^3 (P-34, 9/10/12)$            |                               |    |    |    |                  |
| ① 2799 = 19 each — 511,197                   |                               |    |    |    |                  |
| (13/13) 2nd M Recm-150                       |                               |    |    |    |                  |
| stone (Recm-150)                             |                               |    |    |    |                  |
| $Q_{1/2} = 9 M^3 (P-34, 9/11/13)$            |                               |    |    |    |                  |
| ① 780 = 43 each — 57024                      |                               |    |    |    |                  |
| (14/14) Recm-150 Bedding                     |                               |    |    |    |                  |
| Mortar —                                     |                               |    |    |    |                  |
| $Q_{1/2} = 46 M^3 (P-34, 9/12/14)$           |                               |    |    |    |                  |
| ① 582 = 22 each — 526782                     |                               |    |    |    |                  |

Continuation

13911387

| Particulars                            | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------|-------------------------------|----|----|----|------------------|
|                                        | No.                           | L. | B. | D. |                  |
| (15/17) 1700 Typical messy             |                               |    |    |    |                  |
| Branch with logs                       |                               |    |    |    |                  |
| = 2 Nos (P-25, H 9/17)                 |                               |    |    |    |                  |
| = 1 No (P-33, H 6/17)                  |                               |    |    |    |                  |
| = 3 Nos                                |                               |    |    |    |                  |
| ✓ 15118 = 18 each — ₹ 43534 =          |                               |    |    |    |                  |
| (16/18) 600 mm. Circular               |                               |    |    |    |                  |
| (Speed limit) sign                     |                               |    |    |    |                  |
| = 10 Nos (P-34, H 7/18)                |                               |    |    |    |                  |
| ✓ 5827 = 32 each — ₹ 58273 =           |                               |    |    |    |                  |
| (17/19) 600 mm. square                 |                               |    |    |    |                  |
| (Left right) sign                      |                               |    |    |    |                  |
| = 16 Nos (P-34, H 8/19)                |                               |    |    |    |                  |
| ✓ 4300 = 90 each — ₹ 68814 =           |                               |    |    |    |                  |
| (18/20) 600 x 450 mm Rect              |                               |    |    |    |                  |
| T/Sign                                 |                               |    |    |    |                  |
| = 10 Nos (P-34, H 9/20)                |                               |    |    |    |                  |
| ✓ 5671 = 0.7 each — ₹ 56711 =          |                               |    |    |    |                  |
| (19/22) P.V. & by ip Hot applied       |                               |    |    |    |                  |
| Thermoplastic                          |                               |    |    |    |                  |
| 2.5 mm thick                           |                               |    |    |    |                  |
| (B.T. Part)                            |                               |    |    |    |                  |
| = 38.30 M <sup>2</sup> (P-33, H 4/22)  |                               |    |    |    |                  |
| Limit to 390.00 M <sup>2</sup>         |                               |    |    |    |                  |
| ✓ 900 = 62/M <sup>2</sup> — ₹ 351242 = |                               |    |    |    |                  |

Continuation

14489 96126

| Particulars                           | Details of actual measurement |    |    |    | Contents of area          |
|---------------------------------------|-------------------------------|----|----|----|---------------------------|
|                                       | No.                           | L. | B. | D. |                           |
| (20/23) Gr & lay up Road              |                               |    |    |    |                           |
| Marking well laid                     |                               |    |    |    |                           |
| added the top end                     |                               |    |    |    |                           |
| Capd. ---                             |                               |    |    |    |                           |
| (CCP 121)                             |                               |    |    |    |                           |
| = 25.30 M <sup>3</sup> (P-33, Q-4713) |                               |    |    |    |                           |
| Q 93672/m <sup>2</sup>                |                               |    |    |    | 70591.00                  |
| (21/29) Lay up Rec Pipe               |                               |    |    |    | 20535.00                  |
| (Buried Conduit)                      |                               |    |    |    |                           |
| do                                    |                               |    |    |    |                           |
| = 30 M <sup>3</sup> (P-25, Q-10/29)   |                               |    |    |    |                           |
| = 30.00 M <sup>3</sup> (P-29, Q-4739) |                               |    |    |    |                           |
| = 110 M <sup>3</sup>                  |                               |    |    |    |                           |
| Q 990 = 29/M                          |                               |    |    |    | 1,08,932.00               |
|                                       |                               |    |    |    | 2 1,46,69,484.00          |
| Less 4% As per below                  |                               |    |    |    | 146,69,428.00             |
|                                       |                               |    |    |    | 2                         |
| Less previous payment                 |                               |    |    |    | 1,03,77,338.00            |
| Total                                 |                               |    |    |    | 146,69,428.00             |
| Less 4% below                         |                               |    |    |    | 58,67,779.00              |
|                                       |                               |    |    |    | 1,40,82,705.00            |
| Less previous payment                 |                               |    |    |    | 1,03,77,338.00            |
| Payable                               |                               |    |    |    | 37,05,363.00              |
|                                       |                               |    |    |    | 37,05,363.00              |
| Overall Material Station              |                               |    |    |    | 61512.00                  |
| (I) Earth R/L                         |                               |    |    |    | = 12717.55 M <sup>3</sup> |
| (II) Stone Malar (GSR+G3)             |                               |    |    |    | = 2471.28 M <sup>3</sup>  |
| (III) Stone Ss esw-p                  |                               |    |    |    | = 158.24 M <sup>3</sup>   |
| (IV) Stone Chp (CCP+M.SS)             |                               |    |    |    | = 411.00 M <sup>3</sup>   |
| (V) Coarse Sand (GSR+CCP)             |                               |    |    |    | = 524.43 M <sup>3</sup>   |
| (VI) Bitumen (S-90)                   |                               |    |    |    | = 14267.00 kg             |
| (VII) Emulsion (SS-1)                 |                               |    |    |    | = 6.37 M.T.               |
| (VIII) Emulsion (RS-1)                |                               |    |    |    | = 2.06 M.T.               |

Continuation

5/5/2022

Amended  
6/5/22  
A.E

## Sch. XLV-Form No. 134

| Sch. XLV-Form No. 134                    |                               |       |           |    | Contents of area |
|------------------------------------------|-------------------------------|-------|-----------|----|------------------|
| Particulars                              | Details of actual measurement |       |           |    |                  |
|                                          | No.                           | L.    | B.        | D. |                  |
| <u>Supply of Bitumen &amp; Emulsion</u>  |                               |       |           |    |                  |
| Materials date Inv/Document) Company Rly |                               |       |           |    |                  |
| ① Bitumen (S-90)                         | 10/4/21                       | 13675 | 61.210000 | 38 | 18283.40kg       |
| ② Emulsion (SS-D)                        | 7/4/21                        | JUNO  | BITUMIX   |    | 4.80MT           |
| do                                       | 13/4/21                       | do    |           |    | 1.60MT           |
|                                          |                               |       |           |    | Total = 6.40MT   |
| ③ Emulsi (RS-1)                          | 7/4/21                        | Juno  | Bitumix   |    | 1.60MT           |
| do                                       | 13/4/21                       | do    |           |    | 0.80MT           |
|                                          |                               |       |           |    | Total = 2.40MT   |
| <u>Balance - Rly</u>                     |                               |       |           |    |                  |

|                                                                                                                                                                               |               |                 |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------|----------------|
| <u>Material</u>                                                                                                                                                               | <u>Supply</u> | <u>Consumed</u> | <u>Balance</u> |
| Bitum (S-90)                                                                                                                                                                  | 18283.40      | 14247.00        | 4036.40        |
|                                                                                                                                                                               | kg            | kg              |                |
| Emulsi (SS-1)                                                                                                                                                                 | 6.40MT        | 6.37MT          | 0.03MT         |
| Emulsi (RS-1)                                                                                                                                                                 | 2.40MT        | 2.06MT          | 0.34MT         |
| <div style="display: flex; justify-content: space-around;"> <div> <u>05/5/22</u><br/> <u>At</u><br/> <u>Dharmap</u> </div> <div> <u>6/5/22</u><br/> <u>A.B.</u> </div> </div> |               |                 |                |
| <div style="display: flex; justify-content: center;"> <div> <u>06/5/22</u><br/> <u>hnp</u> </div> </div>                                                                      |               |                 |                |

Continuation