

| Particulars                             | Details of actual measurement |   |   |    | Contents of area |
|-----------------------------------------|-------------------------------|---|---|----|------------------|
|                                         | No.                           | L | B | D. |                  |
| e. 302137 milk T. 13.13 Page 17         |                               |   |   |    |                  |
| o. 738147 milk T. 13.13 Page 18         |                               |   |   |    |                  |
| 1.040107 @ 55373.41/ha —                |                               |   |   |    | 57588.00         |
| (27.) PLV 2010105 Acidity compound      |                               |   |   |    |                  |
| — do — ref. 1                           |                               |   |   |    |                  |
| 30.10.2010 milk T. 13.13 Page 18        |                               |   |   |    |                  |
| e. 41.72/ha                             |                               |   |   |    | 1252.00          |
| (28.) PLV 2010105 (11.3) compound       |                               |   |   |    |                  |
| — do — ref. 1                           |                               |   |   |    |                  |
| 2.02.2013 milk T. 13.13 Page 18.        |                               |   |   |    |                  |
| @ 686113/ha                             |                               |   |   |    | 13859.00         |
| (29.) PLV 2010105 milk T. 13.13 Page 16 |                               |   |   |    |                  |
| R. wall — do — ref. 1                   |                               |   |   |    |                  |
| 56.10.2013 milk T. 13.13 Page 16        |                               |   |   |    |                  |
| @ 117.16/ha                             |                               |   |   |    | 6561.00          |

[illegible]

| Particulars | Details of actual measurement |   |   |   | Contents of area |
|-------------|-------------------------------|---|---|---|------------------|
|             | No.                           | L | B | D |                  |

Second on A/c Bill

Name of work + location of work from

Kazgah Reser Pth (Residual work)

Agency + M & Rm Bntkld Sindh,

Jay Pankaj Nagar

Karora Pore, dist. Amrohtabad.

Ag. No. :- 211/205/2021-22.

Date of start + 15-12-21.

Date of completion + 14-12-22.

Date of measurement + 20-04-22.

(13.) E/W in enclosure of foundry

of structure do - E/W.

1) 1000 mm  $\phi$  H.P. - 1 Nos.

H.W. - 2 6.45 1.40 1.50 27.090<sup>3</sup>

below Ape - 1 4.85 1.53 1.365 9.708<sup>3</sup>

29.798<sup>3</sup>

(6) 1.50 x 1.50 m slab culverts - 2 Nos

abut - 2 9.10 2.133 1.60 62.112<sup>3</sup>

R. wall - 4 1.767 1.92 1.60 21.712<sup>3</sup>

83.824<sup>3</sup>

For 2 Nos - 167.648<sup>3</sup>

Sum of (6+13) - 199.446<sup>3</sup>

(14) PLV P.C.C M 15 in open

foundry do - E/W.

(9) 1000 mm  $\phi$  H.P. - 1 Nos.

H.W. - 2 6.45 1.40 0.15 2.709<sup>3</sup>

(6) 1.50 x 1.50 m slab culverts - 2 Nos

abut - 2 9.10 2.133 0.20 7.764<sup>3</sup>

R. wall - 4 1.767 1.92 0.20 2.714<sup>3</sup>

10.478<sup>3</sup>

For 2 Nos - 20.956<sup>3</sup>

Sum of (6+13) - 23.665<sup>3</sup>

23.665<sup>3</sup>

| Particulars                       | Details of actual measurement |   |    |    | Contents of area |
|-----------------------------------|-------------------------------|---|----|----|------------------|
|                                   | No.                           | L | B. | D. |                  |
| Second on A/C Bill                |                               |   |    |    |                  |
| Abstract of cost                  |                               |   |    |    |                  |
| (1.) Constg. setting out B.M.F.   |                               |   |    |    |                  |
| reference pillars - do - E/L -    |                               |   |    |    |                  |
| 5,000 kgs. v. l. T.M. B Page 10   |                               |   |    |    |                  |
| @ 25 108.98/km                    |                               |   |    |    | 125545.00        |
| (2.) clearing & grubbing woodland |                               |   |    |    |                  |
| do - E/L                          |                               |   |    |    |                  |
| 1.8427 Hec. v. l. T.M. B Page 10  |                               |   |    |    |                  |
| @ 54418.51/Hec                    |                               |   |    |    | 100,222.00       |
| (3.) Constg. embankment with      |                               |   |    |    |                  |
| material obtained from borrow     |                               |   |    |    |                  |
| ditch land 100m - do - E/L        |                               |   |    |    |                  |
| 6003.907m v. l. T.M. B Page 10    |                               |   |    |    |                  |

|                                               |  |  |  |  |            |
|-----------------------------------------------|--|--|--|--|------------|
| @ 161.46/m <sup>3</sup>                       |  |  |  |  | 969,394.00 |
| (4.) Constg. subgrade & elevation             |  |  |  |  |            |
| shoulders with approved material              |  |  |  |  |            |
| obtained from borrow pit land                 |  |  |  |  |            |
| 1000m - do - E/L                              |  |  |  |  |            |
| 7314.30m <sup>2</sup> v. l. T.M. B Page 10    |  |  |  |  |            |
| 406.81m <sup>3</sup> v. l. T.M. B Page 19.    |  |  |  |  |            |
| 9721.11m <sup>2</sup> @ 191.92/m <sup>2</sup> |  |  |  |  | 1481835.00 |
| (5.) P/V G.S. 667 (with coarse sand)          |  |  |  |  |            |
| by P/V well graded material as                |  |  |  |  |            |
| Per T.S. clause 402 - do - E/L                |  |  |  |  |            |
| 2961.156m <sup>3</sup> v. l. T.M. B Page 21   |  |  |  |  |            |
| @ 2385.85/m <sup>3</sup>                      |  |  |  |  | 7064874.00 |
| (6.) P/V works G. III with stone              |  |  |  |  |            |
| successive T.M. B 11.2 m                      |  |  |  |  |            |
| as per T.S. clause 403 - do - E/L             |  |  |  |  |            |

Continuation C.O. - 9741922.00

| Particulars                                  | Details of actual measurement |    |    |    | Contents of area        |
|----------------------------------------------|-------------------------------|----|----|----|-------------------------|
|                                              | No.                           | L. | B. | D. |                         |
| 1109.918 m <sup>3</sup> wide T.M.B. Page 22. |                               |    |    |    |                         |
| 3567.94 m <sup>3</sup>                       |                               |    |    |    | 3960.181 m <sup>3</sup> |
| (12.) P/L of typical reinforcement           |                               |    |    |    |                         |
| sign board, of 1200 mm x 600 mm              |                               |    |    |    |                         |
| board of reinforcement board,                |                               |    |    |    |                         |
| do                                           |                               |    |    |    |                         |
| 2 Nos wide T.M.B. Page 11                    |                               |    |    |    |                         |
| 9443.071 Nos                                 |                               |    |    |    | 19886.00                |
| (13.) E/W in excavation for foundation       |                               |    |    |    |                         |
| of structure                                 |                               |    |    |    |                         |
| 200.545 m <sup>3</sup> wide T.M.B. Page 11.  |                               |    |    |    |                         |
| 197.446 m <sup>3</sup> wide T.M.B. Page 14.  |                               |    |    |    |                         |
| 129.042 m <sup>3</sup> wide T.M.B. Page 22   |                               |    |    |    |                         |
| 527.039 m <sup>3</sup> 283.94 m <sup>3</sup> |                               |    |    |    | 149646.00               |
| (14.) P/L P.C.C. in 500 mm                   |                               |    |    |    |                         |

|                                              |    |     |           |
|----------------------------------------------|----|-----|-----------|
| Foundn                                       | do | E/L |           |
| 24.414 m <sup>3</sup> wide T.M.B. Page 11.   |    |     |           |
| 23.665 m <sup>3</sup> wide T.M.B. Page 14.   |    |     |           |
| 3.107 m <sup>3</sup> wide T.M.B. Page 15.    |    |     |           |
| 16.130 m <sup>3</sup> wide T.M.B. Page 23.   |    |     |           |
| 67.316 m <sup>3</sup> 4565.61 m <sup>3</sup> |    |     | 307406.00 |
| (15.) P/L R.C.C. in 600 mm                   |    |     |           |
| do                                           | do |     |           |
| 67.50 m wide T.M.B. Page 11.                 |    |     |           |
| 1161.49 m                                    |    |     | 78401.00  |
| (16.) P/L R.C.C. in 1000 mm                  |    |     |           |
| do                                           | do |     |           |
| 15.00 m wide T.M.B. Page 11                  |    |     |           |
| 7.50 m wide T.M.B. Page 15.                  |    |     |           |
| 22.50 m 3235.94 m                            |    |     | 73808.00  |
| (18.) E/W in C.P. (1:4) in 100 mm            |    |     |           |

Continuation C.O. 143, 29, 190.00

| Particulars                                       | Details of actual measurement |    |    | Contents of area |
|---------------------------------------------------|-------------------------------|----|----|------------------|
|                                                   | No.                           | L  | B. |                  |
| 7. Soidal                                         | —                             | do | —  | —                |
| 185.469 m <sup>3</sup> wide T.W.B. Page 11        |                               |    |    |                  |
| 16.970 m <sup>3</sup> wide T.W.B. Page 15         |                               |    |    |                  |
| 13.836 m <sup>3</sup> wide T.W.B. Page 16         |                               |    |    |                  |
| 216.275 m <sup>3</sup> @ 5264.09 m <sup>3</sup> — |                               |    |    | 1138491.00       |
| (19.) plastering with 2:13 (1:4)                  |                               |    |    |                  |
| on B.W. — do — E/F                                |                               |    |    |                  |
| 369.946 m <sup>2</sup> wide T.W.B. Page 11        |                               |    |    |                  |
| 153.230 m <sup>2</sup> wide T.W.B. Page 19        |                               |    |    |                  |
| 523.176 m <sup>2</sup> @ 141.921 m <sup>2</sup> — |                               |    |    | 74249.00         |
| (20.) P.V.R.C. Cement Runway                      |                               |    |    |                  |
| on B.W. — do — E/F                                |                               |    |    |                  |
| 149.22 m <sup>2</sup> wide T.W.B. Page 12         |                               |    |    |                  |
| @ 46.73 m <sup>2</sup> —                          |                               |    |    | 6973.00          |
| (22.) Bluestone (114) m                           |                               |    |    |                  |

|                                                   |  |  |  |               |
|---------------------------------------------------|--|--|--|---------------|
| Sub-structure: — do — E/F.                        |  |  |  |               |
| 104.002 m <sup>3</sup> wide T.W.B. Page 15        |  |  |  |               |
| 53.102 m <sup>3</sup> wide T.W.B. Page 16         |  |  |  |               |
| 90.425 m <sup>3</sup> wide T.W.B. Page 23.        |  |  |  |               |
| 246.529 m <sup>3</sup> @ 5703.09 m <sup>3</sup> — |  |  |  | 1405977.00    |
| (23.) P.V.R.C. 1720 m sub-structure               |  |  |  |               |
| — do — E/F —                                      |  |  |  |               |
| 672 m <sup>3</sup> wide T.W.B. Page 17            |  |  |  |               |
| @ 5465.94 m <sup>3</sup> —                        |  |  |  | 36731.00      |
| (25.) P.V.R.C. 1725 m deck slab                   |  |  |  |               |
| — do — E/F —                                      |  |  |  |               |
| 3.276 m <sup>3</sup> wide T.W.B. Page 18.         |  |  |  |               |
| @ 6379.79 m <sup>3</sup> —                        |  |  |  | 20900.00      |
| (26.) Supply, setting & placing                   |  |  |  |               |
| H.W.D. base reinforcement in                      |  |  |  |               |
| super structure — do — E/F                        |  |  |  |               |
| Continuation                                      |  |  |  | 170,12,511.00 |