

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
N/W -	Construction of main tunnel				
	from Barhi mukhya sandok to				
	Tolgaahi hole here				Marelatok
	in Kerali Bhera				
Apey -	Sri Ranthir Kumar				
Agro -	52	S.D.D/2020-21	(NABARD)		राउय भोजन
	ABSTRACT of COST				
late of July -					
1/1	Settup area as MARD				
	Shri				
at 2.0000	in 9 m x 28				
			OR 3977.1/28		7994.0
2/2	Construction of reference				
	field in the form				
at 10.00	MARD in 7 m x 28				
			OR 1841.84/28		18418.00
3/3	in 4 m x 28				
	in 4 m x 28				
at 0.832	in 7 m x 28				
			OR 52970.33/28		44071.0
4/4	Construction of the				
	MARD in 10 m x 28				
at 143.588	MARD in 10 m x 28				
at 1.875	MARD in 10 m x 34				
	145.469 m ³		OR 75.55/m ³		10993.0
5/5+6	Construction of substructure				
	with material				1

81476.0

Continuation

6' 77.34.0963.00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			156	R	7234096.00
Sta. 6725-47 mtr. 9 m at 38					
			QR 14.01/m		94924.00
11/12			Mix Seal Impurity		
			pr in apply. rollip		
			P. m. S. Material 20mm		
			do do		
Sta 6725-47 mtr. 9 m at 38					
			QR 196.41/m		1330770.00
12/13			End of line - reup - 8		
			reup'd p. m. S. or		
			had p. m. S. or		
Sta 39527035 mtr. 9 m at 31					
			QR 7035.28/m		2791810.00
13/15			R. com. 15 pr 20mm		
			RM do do		
Sta 39527035 mtr. 9 m at 31					
			QR 2338.30/m		7018.00
14/16			4. cm - 15 pr 20 m 4 km		
			sm side		
Sta 10.00 m mtr. 9 m at 41					
			QR 613.45/m		6134.00
15/17			Small line F. R. H. M. R		
			m mtr. 9 m at 30		
Sta - 2.00 mtr. 9 m at 30					
Sta - 1.00 mtr. 9 m at 30					
3.00 QR 9580.11/m					28740.00

Continuation / 11493492.00

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
			3A		11493192.0
<u>16</u> 18		p/r and the p/r m. with			
		center m. with p/r m. with			
		600 mm square & 100 ft			
at 10.00 m ²		p/r m. with p/r m. with			
		Q 3639.38/0.1			26394.0
<u>17</u> 19		p/r and the p/r m. with			
		center m. with p/r m. with			
		p/r m. with p/r m. with			
		600 mm square & 100 ft			
at 6.00 m ²		p/r m. with p/r m. with			
		Q 4651.66/0.1			27910.00
<u>18</u> 20		p/r and the p/r m. with			
		center m. with p/r m. with			
		p/r m. with p/r m. with			
		600 mm square & 100 ft			
at 5.00 m ²		p/r m. with p/r m. with			
		Q 4548.04/0.1			27288.0
<u>19</u> 21		p/r and the p/r m. with			
		center m. with p/r m. with			
		p/r m. with p/r m. with			
at 20.00 m ²		p/r m. with p/r m. with			
		Q 572.78/0.1			11445.0
<u>20</u> 22		p/r and the p/r m. with			
		center m. with p/r m. with			
		p/r m. with p/r m. with			
at 50.00 m ²		p/r m. with p/r m. with			
		Q 842.62/0.1			42131.0
<u>21</u> 23		p/r and the p/r m. with			
		center m. with p/r m. with			
		p/r m. with p/r m. with			
at 486.00 m ²		p/r m. with p/r m. with			
		Q 721.95/0.1			350868.0

C. 14860849FW

[illegible]