कार्यपालक अभियंता का कार्यालय, ग्रामीण कार्य विभाग,कार्य प्रमण्डल,जमुई।

पत्रांक 758 3030

जमुई,दिनांक 25' 05.20

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, जमुई ।

सेवा में,

नोडल पदाधिकारी, 3054(MR) ग्रामीण कार्य विभाग, बिहार, पटना।

शीर्ष MR New Maintenance Policy 2018 योजना अन्तर्गत 5(पाँच) वर्षीय अनुरक्षण का विषय:-आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक के संबंध में कहना है कि शीर्ष MR New Maintenance Policy 2018 योजना अन्तर्गत 5(पाँच) वर्षीय अनुरक्षण के पथों का पथवार मांगी जाने वाली आंवटन की सूची पत्र के साथ भवदीय के अवलोकनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित की जा रही है।

सूचनार्थ सादर समर्पित।

अनु0— यथोक्त

विश्वासभाजन

कार्यपालक अभियंता ग्रामीण कार्य विभाग कार्य प्रमंडल,जमुई।

FORM GFR 19-A

(Government of india's Decision (I) below Rule-150)

Form of Utilisation Certificate up to the Dates 31 March 2021

MR 3054(Bihar Rural Road New Maintenance Policy-2018

STATE-BIHAR

PIU - E.E,RWD (W), Div.-Jamui

SI. No.	Name of	Sanction No. & Date with Amount (in Rs. Lacs)	Amount Received (in Rs. Lacs)	Particulars
-1	Maintenance of Rural Roads under MR 3054 (Bihar Rural Road New Maintenance Policy-2018)	F.Y 2021-2022 Vide Lt.no00 dated-00	0.00000	Certified that out of Rs 0.00000 Lacs received during the years 2021-2022 in favour of Ex. Engineer, RWD (W), Div Jamui, Bihar, a sum of Rs0.00000 Lacs has been utilized for the purpose of MR Policy (3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 0.00000 Lacs remaining unutilized at the end of the period under.
1	at strang		0.00000	The state of the s

1 Certified that I have stisfied myself that the conditions on which the grans-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/ Supertending Engineer.
- ii. Periodical inspection has been conducted by Executive Engineer/ Supertending Engineer.
- iii. Construction materials have been tested
- iv. Measurements have been recorded in the MBs and test check conducted by the Assistant.
- v. All other codal formalities have been observed.
- 2 Physical Progress achieved:
 - i Maintenance of Road Works.
 - ii Maintenance of CD works.

Div. Accounts Officer R.W.D Works Division, Jamui Executive Engineer R.W.D Works Division, Jamui

STANDARD FORMAT FOR ROADS QUARTERLY STATEMENT

PIU Name:-RWD(WD), Jamui Block Name:- Sikandara 1 Name of the Road Lachhuar-Korbaia Nauadih to Lohsiyani Road 2 Batch No. RM/JA/JAM/19/0008 3 Project ID 20804101024 4 Total Lenth of Road (in KM) 2.2 Length of Road to Meet Required Service Level 5 2.2 [Completed length](in Km) 6 No. of Total Quarter (ie 3 Months as a unit) in 5 years 20 Ordinary Maintenance Cost as per Schedule 7 [Agreement Amount for Maintenance] (in Lakh) 18.74583 Quarterly Payment: 1/20 of Ordinary Maintenance 8 Cost as per Schedule (in Lakh) 0.93729 Non-Compliance Compliance Weighted Standard Job Description Reduction Payment Criteria Value for Length Non-[6]=[3]/[1]*[2]*[4] Payment Compliant [3] Reduction (%)[4] PAVED ROADS (CARRIAGEWAY) 0 60% 0.00 П SHOULDERS AND EMBANMENTS 0 10% 0.00 CROSS DRAINAGE INCLUDING CULVERTS Ш 15% AND BRIDGES 0 0.00 ΙV SIGNAGE AND ROAD SAFETY 0 10% 0.00 **VEGATION** ol 5% TOTAL PAYMENT REDUCTION FOR THE QUARTER (IN Lakh) [5] 0.00 0.00000 TO BE PAID FOR THE QUARTER/DEMAND (in Lakh) 0.93729

Date of inspection by E/I or his agent Prepare by Contractor's self Control unit

Name and Designation of person inspecting road

Date

A113/22

Signature of person inspecting road

(Signature)

Certify by E/I [signature] Date:-Executive Engineer

Rural Works Department Works Division, Jamui

	l		L	OM300 Dr	,	OM202 En	(c)		OM201 (a)	Ē	OM200 Sh	Qt	107 Co	i i		47	e	OM104 (a)	ड	ОМ103 Ст	OM102 Su	OM101 Po	OM100 Se	No			Road From: Lachuuar-Ko (Package No.RM/JA/JAN Length of Road :- 2.2Km Inspector :- J.E RWD Sub	Rural Work	Government Of Bihar OM01	Name Of Wo
		Culvert Cleaning	Surface Drains & Verge	Drainage including culverts major	Other activities (Rain Cuts)	Embankment Repair	(c) Holding water	(b) Roughness, Scouring or Potholes	(a) Edge Drop-off	Unsealed Shoulder	Shoulder	Other activities	Concreate pavement	Digouts	Edge Repair	© Crocodile Cracking	(b) Bleeding / Flushing	(a) Loss of Agreegate (SurfacebRavelling)	Surface Treatment	Crack Sealing	Surface Depression and Rut patching	Pothole Patching	Sealed payment	Name	standard Of Work Item		Road From: Lachuuar-Korbala Nauadih to Lohsiyani Road (Package No.RM/JA/JAM/19/0008) (Package No.RM/JA/JAM/19/0008) (Length of Road :~ 2.2Km (Inspector :~ J.E RWD Sub Division :Sikandra	Rural Works Department	nt Of Bihar	Name Of Woks Division:- Jamul
		No	Ĺm		7	MS	3	5	5	Spire . They	2 ないのはをおうです		m ₃	m²	m²	m²	m ₂	3,		Ħ	m3	m ₂		Unit	Work		ă			1,Year (2nd Quarter)
	Par l	Z	N.A		Nil	NIL	NE	NI CO	NI SEE	では、水の水の水の水の水の水の水の水の水の水の水の水の水の水の水の水の水の水の水の		F	AN	N.A	Ni	N.	Nil	N.		<u>N</u>	NI	N.		1	Unit OF Re			4		-1
	Z	Z	N.A		Z	NI-	NII	NI W	NI W	を表現を			N.A	A.N.	N.	NI.	NI.	N.		, NII	Z.	<u>z</u>		2	Unit OF Required in each Kilometere			SUMMAR		
-	N.	N.	N.A		Nii	NIL	N	NII	N.				N.A	A.N	N.	<u>N</u>	N.	₹.		N.	<u> </u>	N.		3 4	ch Kilomete			SUMMARY OF ORDINARY MAINTENANCE INSPECTION REPORT		1,Year (2nd Quarter)
	2	NI.	N.A	Ben Sage	Nil	NIL	N.	Z	Z.		L		N.A	N N	¥.	N.	<u>Z</u>	<u> </u>		N.	<u>Z</u>	<u>≅</u> .			re	8	To:- Ex	ARY MAINTE		luarter)
				* 48.5 A		19			L							#	ij							5		Position :-J.E	Executive Engineer RWD, Works Division Jamul	NANCE INSI		-
17				1	*					_											-			6			neer vision Jamul	PECTION RE		
	8						_			L							4 1	1						7				PORT		
		0,10	4.1			San A San									15		1		-			State of the		8						-
	1				N 100 S 100 S	-		1 1 1 1			,					+								9						
					-1			200	15,8 ×					-				7.4		-	=			6	-		Date:- 20.5.2022			
	Not required	Not Required	Not Required		Not Required	Not Required	No Holding Water Found	Not Required	No Edge Drop-Off Required						No Edge Repair Required	No Crocodile Cracking Found	No Bleeding/ Flushing Required	No Loss Of Aggregates (Surface Ravelling) Found		No Crack sealing Found	Not Surface Depression & Rut Patchibg Found	No Pat Hole Found.		Comments).5.2022			

dd

Other activities (Trimming of Grass)
Safety Signage and Road
Signs Maintanence
Guard Stones
Distance Stones
Road Marking
Other activities and roadside furniture
Tree and Shrub Management
Cutting Of Branches Of Trees
Cutting Of Shrubs From Road Way standard Of Work Item Work Unit N N N I 4. 8 5 8 Z, N N N N N Z N N N K Z Z Z N N N N N Z Z Z Z N N N N N N N Unit OF Required in each Kilometere ĭ Z 5 Not Required
Not Required **Not Required** Not Required **Not Required** Comments

Executive Engineer, R.W.D.Works Division, Jamus

of work-Lachhuar-Korbaia Nauadih to Lohsiyani Road

	22/5/22	22/5/22	22/5/22	22/5/22	22/ 5/ 22	77 15 177	77 /5 /77	77 /5 /77	77 16 177	77 /5 /77	77 /5 /77	22/5/22	77/5/77	22/5/22	22/5/22	22/5/22	22/5/22	77 15 177	77/5/22	77/5/77	22/5/22	22/5/22	22/5/22	22/5/22		Date
Ler	12:51:0	12: 50: 41	12: 50: 5	12: 49: 30	12: 49: 30	-	_	1.	-	_	-	-	$\overline{\cdot}$	_	12: 47: 7	12: 47: 7	12: 46: 35	_	_		-	12: 33: 36	12: 33: 36	12: 33: 1	14	Time
 Length	- 37	. 37	37	37	37	37	37	15			5		T	37	37	37	37	37	T	27		37	37	37	No.	Section
2.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	01	0.1	0.1	0.1	0.1	0.1	1.0		0.1	0.1	0.1	in km	Length
	320	370	390	350	350	330	360	380	300	340	390	370	320	330	380	350	310	380	350	310	200	330	380	380	in mm	Bumps Sper
Total IRI	10.1	10.1	10.1	10.1	30.3	20.2	30.3	30.3	20.2	20.2	20.2	20.2	10.1	10.1	101	10.1	20.2	20.2	30.3	30.3	30.3	7.07	30,3	4	-	Speed
콘	3200	3700	3900	3500	3500	3300	3600	3800	3000	3400	3900	3700	3200	3800		3500	2100	3800	3500	3100	3300	3800		2000	mm/km	OR .
71588	2991	3405	3570	3239	3239	3073	3322	3487	2825	3156	3570	3405	2991	3487	6575	2220	2000	3487	3239	2908	3073	3487	348/	TIII/KM		ō
	G	G	G	G	ഒ	G	G	G	G	ି ଦ G	G	G	G	G	G	6	0 0	ח	ล	<u>ه</u>	G	G	ഒ	ROAD	٦	Z
	24.90406	24.9043		24.90446	24.90449	24.9048	24.90526	24.90572	24.90556	24.90494	24.90442	24.90484	24.90488	24.90488	24.90491	24.90497	24.90509	24.90592	200000	24 90489	24.90485	24.90459	24.9049		Latitude	ame of Cont
00:000	85.985202	85.984697	85 983535	85 982457	85 981397	85.980673	85.979848	85.978955	85.977727	85.977238	85 976835	85 976093	85.974948	85.974948	85.974023	85.973013	85.972575	85.973518	05 073540	85 07/15/15	85.975622	85.976582	85.977205	*	Longitude	ractor- Ashok
14011101	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal	Normal			Notified	Normal	Normal	Normal		Event	&Company
																<4000 4001-5000 >5001	Good Average Poor	(R) RURAL ROAD			1001	Y = 2991	X = 3200	$Y = 0 * X ^ 2 + 0.828 * X + 3416$		Name of Contractor- Ashok&Company Niwas Pvt.Ltd

Executive Engineer
Rural Work Department
Works Division-Jamui

Average IRI

lyzer