कार्यपालक अभियंता का कार्यालय, ग्रामीण कार्य विभाग,कार्य प्रमण्डल,जमुई।

पत्रांक ते 58 3030

जमुई,दिनांक १५: ०५: २०१२

प्रेषक,

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमण्डल, जमुई ।

सेवा में,

नोडल पदाधिकारी, 3054(MR) ग्रामीण कार्य विभाग, बिहार, पटना।

विषय:-

शीर्ष MR New Maintenance Policy 2018 योजना अन्तर्गत 5(पाँच) वर्षीय अनुरक्षण का आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषयक के संबंध में कहना है कि शीर्ष MR New Maintenance Policy 2018 योजना अन्तर्गत 5(पाँच) वर्षीय अनुरक्षण के पथों का पथवार मांगी जाने वाली आंवटन की सूची पत्र के साथ भवदीय के अवलोकनार्थ एवं आवश्यक कार्रवाई हेतु समर्पित की जा रही है।

सूचनार्थ सादर समर्पित।

अनु0- यथोक्त

विश्वासभाजन

कार्यपालक अभियंता ग्रामीण कार्य विभाग कार्य प्रमंडल,जमुई।

FORM GFR 19-A

(Government of india's Decision (I) below Rule-150) Form of Utilisation Certificate up to the Dates 31 March 2021 MR 3054(Bihar Rural Road New Maintenance Policy-2018

STATE-BIHAR

Road New Maintenance

Policy-2018)

PIU - E.E,RWD (W), Div.-Jamui Sanction No. & Date with Amount **Particulars** Received Name of SL **Amount** (in Rs. Lacs) Scheme Certified that out of Rs 0.00000 Lacs received during No. (in Rs. Lacs) the years 2021-2022 in favour of Ex. Engineer, Maintenance RWD (W), Div.- Jamui, Bihar, a sum of Rs0.00000 of Rural Lacs has been utilized for the purpose of MR Policy Roads under F.Y 2021-2022 (3054) Schemes as given in the margin for which it MR 3054 Vide Lt.no. -00 dated-00 0.00000 was sanctioned and that the balance of Rs (Bihar Rural

1 Certified that I have stisfied myself that the conditions on which the grans-in-aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

0.00000

Kind of Checks exercised :-

Works have been supervised by Executive Engineer/ Supertending Engineer.

Periodical inspection has been conducted by Executive Engineer/ Supertending Engineer. ii.

Construction materials have been tested iii.

Measurements have been recorded in the MBs and test check conducted by the Assistant. iv.

All other codal formalities have been observed. v.

2 Physical Progress achieved:-

Maintenance of Road Works. i

Maintenance of CD works. ii

> Div. Accounts Officer R.W.D Works Division, Jamui

Executive Engineer R.W.D Works Division, Jamui

0.00000Lacs remaining unutilized at the end of the

period under.

STANDARD FORMAT FOR ROADS QUARTERLY STATEMENT

PIU Name:-	RWD(WD), Jamui			
Block Name:-	Jamui			
. 1	Name of the Road	Jamuir Khaira m Enadpay village		se of Ghutar Manjhi in
2	Batch No.	RM/JA/JAM/20	/0007	
3	Project ID	20804104034		
4	Total Lenth of Road (in KM)	1.5	***************************************	
N=115 5	Length of Road to Meet Required Service Level [Completed length](in Km) [1]	1.5		
6	No. of Total Quarter (ie 3 Months as a unit) in 5 years	20	•	i ei se ti
7	Ordinary Maintenance Cost as per Schedule [Agreement Amount for Maintenance] (in Lakh)	15.75955		
8	Quarterly Payment: 1/20 of Ordinary Maintenance Cost as per Schedule (in Lakh) [2]	0.78798		
		Non-Comp	pliance	
Compliance Criteria	Standard Job Description	Length Non- Compliant [3]	Weighted Value for Payment Reduction (%)[4]	Reduction Payment [6]=[3]/[1]*[2]*[4]
I	PAVED ROADS (CARRIAGEWAY)	0		0.0
I	SHOULDERS AND EMBANMENTS	0	10%	0.0
Ш	CROSS DRAINAGE INCLUDING CULVERTS AND BRIDGES	0	15%	0.0
IV.	SIGNAGE AND ROAD SAFETY	0	10%	0.0
V	VEGATION	0	5%	0.0
TOTAL PAY	MENT REDUCTION FOR THE QUARTER (IN L	akh) [5]		0.0000
	FOR THE QUARTER/DEMAND (in Lakh)	[6]		0.7879

Date of inspection by E/I or his agent Prepare by Contractor's self Control unit

Name and Designation of person inspecting road

Date

Signature of person inspecting road

(Signature)

Certify by E/I [signature] Date:-

Executive Engineer Rural Works Department Works Division, Jamui

	OM303	OMGOZ	OMBOI	OM300	Ī	OM202	I		OMEDI	4	OM200		107	106	É	31		DMID4		EQTIMO	OMIDZ	TOTMO	OMIDO	No	T		Inspector	Road From (Package Length of	Rural Wo	OM01	, , ,
Other activities(Whilw washing)	Culvert and pit Repair	Culvert Cleaning	Surface Drains & Verge	Drainage including culverts major	Other activities (Rain Cuts)	Embankment Repair	(c) Holding water	(b) Roughness, Scouring or Potholes	(a) Edge Drop-off	Unsealed Shoulder	Shoulder	Other activities	Concreate pavement	Digouts	Edge Repair	O Crocodile Cracking	(b) Bleeding / Flushing	(a) Loss of Agreegate (SurfacebRavelling)	Surface Treatment	Crack Sealing	Surface Depression and Rut patching	Pothole Patching	Sealed payment	Name	Standard Of Work Item		Inspector :- J.E RWD Sub Division :Jamui	Road From:-Jamui Khaira main road house of Ghutar manjhi in enadpay village (Package NoRM/JA/JAM/20/0007) Length of Road :- 1.5 Km	Rural Works Department	Government Of Bihar OMO1	med and consideration
1,2	M ³	No	5			M ³	Lian (_ Lm	Lm	3	* H		3,,	m ₂	m ₂	m ₂	32	32		F	m3	m ₂		Unit	Work			jhi in enadpay			
N	IN I	M	N.A		N	NIL	Ni	Ni	NI				Z.	N.	N	N	N	N		NI	N	N.		1				village	SUI		
NE	Nil	Ni	AN		N	NIL	Ni	IN	NI				ž	A.N	N	Ni	N	Na.		N.	K	Nil		- 2					MMARY OF		1 Year
III	Ni	Ni	A.N		Ni.	NIL	Ni	Na	NI				ž	N.A	N.	NI	NI	Nil		N.	Ni	Nil		3					ORDINAR		1 Year (1st Quarter)
NE NE	IIN	Nil	A.N		N.	NIL	N)	Ni	<u>Z</u>				N N	N.A	N	Ni	IIN	Nil		N	EN	N.		4	Unit O		7	То:	MAINTEN		
		Acres 1	1 1 1 1 1 1 1		- A. J												1							5	F Required i	Position :- J.E		Executive Engineer .W.D, Works Divisio	ANCE INSPE		
		7	12 ⁸											J.			A							6	Unit OF Required in each Kilometere	m		Executive Engineer R.W.D, Works Division Jamui	SUMMARY OF ORDINARY MAINTENANCE INSPECTION REPORT		
															4		1							7	netere			nui.	RT		,
	1	* .															7				-			8						, '	
						21																	,	٥							
													1					1					-	5				Date:-			
Not Required	Not Required	Not Required	No.	Not Required	Not Kequired	No Holding Water Found	Not Required	No Edge Drop-Off Required					3	wo cuge repair required	No Edge Book Booking round	No Crocodile Codding Found	No Bleeding/ Fluxhing Required	No Loss Of Aggregates (Surface Ravelling) Found	The Chart Scall & Louis	No frack spaling found	Not Surface Depression & Rut Patchibg Found	No Pot Hole Found.	Comments	Comments				Date:- 20.5.2022			

	Stelled Ct AACIV (CIII)	Work				IInit O	Unit OF Required in each Kilometere	in each Kilo	metere				
No	Name	Unit	-	3		-			7	0	┨	۰	-
OM400,	Vegetation ,	•		,	ا	ŧ	ļ	·		•	-	,	2
34	Grass Control				1					Ī			
	(a) Roadside- General Tidy	Ha	2										
			-	=	2	Z					ı		
OM401	(b) Clear near Safety signs, kilometer posts and roadside furniture	Ha	<u>Z</u>	<u>N</u>	NII	N:I					- 1		
	Tree and Shrub Management	No	N.	<u>Z</u>	<u>z</u>	Z.				1	- 1	1	
OM402	Cutting Of Branches Of Trees	No	N.	N:	<u>R</u>	<u>Z</u>					١		
	Cutting Of Shrubs From Road Way	No	NII	Nii	N.	<u>Z</u>					١		
	Other activities (Trimming of Grass)	M²	N.	Z.	<u>≅</u>	<u>Z</u>					-		
OM500	Safety Signage and Road		<u>Z</u>							1			
OM501	Signs Maintanence	No	N.	<u>Z</u>	<u>Z</u>	Z.				1			
OM502	Guard Stones	5	N.A	N.A	Z.A	N A				1			
OM503	Distance Stones	No	N.	N.A	Z.A	N.A				7			
OM504	Road Marking	M ²	N:	<u>N</u>	<u>Z</u>	<u>z</u>				7	1		
	Other activities									1			

Executive Engineer, R.W.D.Works Division-Jamui

Division,Jamul

me of work-Jamuir Khaira main road house of Ghutar Manjhi in Enadpay village.

Date | Time | Section | Length | Bumps | Speed | OR | IRI

		-	-	22/5/22	22/5/22	22/5/22	77 15 177	77/5/77	22/5/22	22/5/22	77 19 177	22/5/	22/5/22	22/5/22	77 10 122	22/5/22	22/5/22	22/5/22	22/2/22	22/5/22	22/5/22		Date	Data
	Len	2. 21. 23	0. 51. 73	9: 50: 0	9: 48: 26	9: 48: 0	9:4/:16	9: 10	9.47.16	9:46:5	9:46:5		9: 45: 30	9:45:0	J. 44. 15	9. 44. 19	9:44:0	9: 43: 44	0.43.9	0.73.0	9:43:0		- IIIIe	Timo
	Length	47	2	24	24	24	24	1.7		24	24	1	24	24	47	76	24	24	47	2	24	No.	Section	0 - 1
	1.5	0.1		01	0.1	0.1	0.1	Ţ.		0.1	0.1	1.0	01	0.1	0.1		0.1	0.1	0.1		0.1	in km	Length	- Cuc Mous
	1.	370	200	220	390	310	300	330	230	350	330	390	300	380	340		380	320	380	200	380	in mm	Bumps	in Enadpay village.
Average IRI	Total IRI	10.1	T.0T		101	10.1	10.1	10.1	10.1	101	10.1	10.1		10.1	10.1	15.1	101	10.1	20.2	c		Rate	Speed	Manjni ir
ge IRI	I IRI	3700	3300	300	2000	3100	3000	3300	0000	3500	3300	3900	1000	3800	3400	2000	2000	3200	3800	3800	2000	mm/km	OR	Enadpay v
3255.4	48831	3405	3073	33/0	25.70	2908	2825	3073	3239	2220	2072	3570	7946	2407	3156	348/	1667	7001	3487	3487	1111/1111	mm/l/m	R	/illage.
à		G	G	G	0 6		a	ഹ	G	G		ഹ	G		ب	വ	G		ū	ഹ	KOAD	2001	CATEGORY	
		24.89485	24.89548	24.89627	_	24.09076	27 000 70	24.89668	24.89671	24.89643		24 R9625	24.89669	24.69/41	24 00741	24.89707	24.89667	24.0555	2/ 0050	24.89526		Faultude	l atituda	
	00:200	86 2000/6	86.209848	86.2101	86.210622	24.09076 86.211582	00.21200	86 212558	24.89671 86.213518	86.21446		86 215/52	86.216143	86.216632	00 04 0000	86.217592	86.21845	00.210003	06 710007	86.219477		Longitude		Name
`	INOTITIAL	None	Normal	Normal	Normal	Normal	INCITIENT	Normal	Normal	Normal	Speed Breaker <4000	Spood Brooker	Normal	Normal		Normal	Normal	Normal		Normal		Event	or Countactor-	of Contractor- 1
													Good Ave	(R) RURAL ROAD				Y = 3405		7 x = 3700	Y=0*X^2+		itual or confidence - Ashoroccompany Niwas Pvt.Ltd	Shot & common
											4001-5000 > 5001	000	Average Poor	6							$Y = 0 * X ^2 + 0.828 * X + 341.6$		y Niwas Pvt.Ltd	
					, .																1.6			

Executive Engineer Rural Work Department Works Division-Jamui

