

| Particulars                    | Details of actual measurement |   |   |   | Contents of area |
|--------------------------------|-------------------------------|---|---|---|------------------|
|                                | No                            | L | B | D |                  |
|                                | 38d and find                  |   |   |   |                  |
| Name of work:- construction of |                               |   |   |   |                  |
| Road from Dhenuki              |                               |   |   |   |                  |
| Daha Jagatpur pmssy            |                               |   |   |   |                  |
| Path to Bahaut Polatuk         |                               |   |   |   |                  |
| N/Agency:- Reeta Singh         |                               |   |   |   |                  |
| Agg No:- 12/ Nmgssy/SD/19-20   |                               |   |   |   |                  |
| D.O.Start:- 5. 2. 2020         |                               |   |   |   |                  |
| D.O. Comp:- 4. 2. 2021         |                               |   |   |   |                  |
|                                |                               |   |   |   |                  |
|                                |                               |   |   |   |                  |
|                                |                               |   |   |   |                  |
|                                |                               |   |   |   |                  |
|                                |                               |   |   |   |                  |
|                                |                               |   |   |   |                  |

|                                                                          |  |  |  |  |  |
|--------------------------------------------------------------------------|--|--|--|--|--|
| ① Clearing and grubbing of                                               |  |  |  |  |  |
| Bill                                                                     |  |  |  |  |  |
| $(1700+300) \times 6.00 = 12000.00 \text{ m}^2$                          |  |  |  |  |  |
| $550.00 \text{ M} \times 6.00 = 3300.00 \text{ m}^2$                     |  |  |  |  |  |
| $15300.00 \text{ m}^2$                                                   |  |  |  |  |  |
| or 0.5380 Hec                                                            |  |  |  |  |  |
| Less 2.50 Hec                                                            |  |  |  |  |  |
| under P-7                                                                |  |  |  |  |  |
| = 0.492 Hec                                                              |  |  |  |  |  |
| ② Banding and lining of                                                  |  |  |  |  |  |
| working from 2 Red Pillar = 0.820 Km                                     |  |  |  |  |  |
| ③ Cost of subgrade and center                                            |  |  |  |  |  |
| shoulder                                                                 |  |  |  |  |  |
| BT Partia                                                                |  |  |  |  |  |
| $820.00 \text{ M} \times 6.00 \times 0.300 = 1476.00 \text{ m}^3$        |  |  |  |  |  |
| $1380.00 \text{ M} \times (6.00+5.00) \times 0.300 = 414.00 \text{ m}^3$ |  |  |  |  |  |
| $1890.00 \text{ m}^3$                                                    |  |  |  |  |  |

| Particulars                               | Details of actual measurement |   |   |          | Contents of area      |
|-------------------------------------------|-------------------------------|---|---|----------|-----------------------|
|                                           | No.                           | L | B | D        |                       |
| <b>③ Construction of AS @ 8mE</b>         |                               |   |   |          |                       |
| <b>with app material</b>                  |                               |   |   |          |                       |
| ST Area                                   |                               |   |   |          |                       |
| 2 x 20.00 x $\frac{1}{2}$ x 1.20 x 0.20 = |                               |   |   |          | 4.80 m <sup>3</sup>   |
| 1 x 35.00 x 4.05 x 0.20 =                 |                               |   |   |          | 28.35 m <sup>3</sup>  |
| 1 x 765 x 4.05 x 0.20 =                   |                               |   |   |          | 619.65 m <sup>3</sup> |
| 1 x 20.00 x 4.05 + 6.70                   |                               |   |   |          |                       |
|                                           |                               |   |   | x 0.20 = | 21.50 m <sup>3</sup>  |
|                                           |                               |   |   | 2        |                       |
| <b>Extra on widening</b>                  |                               |   |   |          |                       |
| 1 x 20.00 x 0.35 (m) x 0.20 =             |                               |   |   |          | 1.40 m <sup>3</sup>   |
| 1 x 20.00 x 0.30 (m) x 0.20 =             |                               |   |   |          | 1.20 m <sup>3</sup>   |
| 1 x 25.00 x 0.25 (m) x 0.20 =             |                               |   |   |          | 1.25 m <sup>3</sup>   |

|                                |                       |
|--------------------------------|-----------------------|
| 1 x 18.00 x 0.40 (m) x 0.20 =  | 1.44 m <sup>3</sup>   |
| <b>Rec Area</b>                |                       |
| <b>Extra on widening</b>       |                       |
| 2 x 15.00 x 0.40 (m) x 0.100 = | 1.20 m <sup>3</sup>   |
|                                | 680.79 m <sup>3</sup> |

|                                                         |  |  |  |           |                       |
|---------------------------------------------------------|--|--|--|-----------|-----------------------|
| <b>⑤ Boundary and Logging work</b><br>with app material |  |  |  |           |                       |
| ST Area                                                 |  |  |  |           |                       |
| 2 x 20.00 x $\frac{1}{2}$ x 1.35 x 0.075 =              |  |  |  |           | 2.02 m <sup>3</sup>   |
| 1 x 35.00 x 3.75 x 0.075 =                              |  |  |  |           | 9.84 m <sup>3</sup>   |
| 1 x 765.00 x 3.75 x 0.075 =                             |  |  |  |           | 215.16 m <sup>3</sup> |
| 1 x 20.00 x 3.75 + 6.70                                 |  |  |  |           |                       |
|                                                         |  |  |  | x 0.075 = | 7.83 m <sup>3</sup>   |
|                                                         |  |  |  | 2         |                       |

Continuation

C.O. only 234.85 m<sup>3</sup>



| Particulars                                    | Details of actual measurement |             |    |    | Contents of area        |
|------------------------------------------------|-------------------------------|-------------|----|----|-------------------------|
|                                                | No.                           | L.          | B. | D. |                         |
| Extra                                          |                               | C.G. Area = |    |    | 8306.50 sq              |
| Extra on underp.                               |                               |             |    |    |                         |
| 1 x 20.00 x 0.35 (m)                           |                               |             |    |    | 7.00 sq                 |
| 1 x 20.00 x 0.30 (m)                           |                               |             |    |    | 6.00 sq                 |
| 1 x 25.00 x 0.25 (m)                           |                               |             |    |    | <del>6.25</del> 6.25 sq |
| 1 x 18.00 x 0.40 (m)                           |                               |             |    |    | 7.20 sq                 |
|                                                |                               |             |    |    |                         |
|                                                |                               |             |    |    | 8332.95 sq              |
| Area of land as per map                        |                               |             |    |    | 8332.50 sq              |
| (8) Provision for applying tack coat with appm |                               |             |    |    |                         |
| 1 x 20.00 x 6.45 + 3.75                        |                               |             |    |    | = 102.00 sq             |
|                                                |                               |             |    |    |                         |

|                         |  |  |  |  |                         |
|-------------------------|--|--|--|--|-------------------------|
| 1 x 910.00 x 3.75       |  |  |  |  | = 3412.50 sq            |
| 1 x 350.00 x 3.75       |  |  |  |  | = 1312.50 sq            |
| 1 x 900.00 x 3.75       |  |  |  |  | = 3375.00 sq            |
| 1 x 20.00 x 3.75 + 6.70 |  |  |  |  | = 104.50 sq             |
| Extra on underp.        |  |  |  |  |                         |
| 1 x 20.00 x 0.35 (m)    |  |  |  |  | 7.00 sq                 |
| 1 x 20.00 x 0.30 (m)    |  |  |  |  | 6.00 sq                 |
| 1 x 25.00 x 0.25 (m)    |  |  |  |  | <del>6.25</del> 6.25 sq |
| 1 x 18.00 x 0.40 (m)    |  |  |  |  | 7.20 sq                 |
|                         |  |  |  |  |                         |
|                         |  |  |  |  | 8332.95 sq              |
| Area of land as per map |  |  |  |  | 8332.50 sq              |

(9) Provision for laying 20mm thick m.s.s

|                         |  |  |  |  |              |
|-------------------------|--|--|--|--|--------------|
| 1 x 20.00 x 6.45 + 3.75 |  |  |  |  | = 102.00 sq  |
| Continuation            |  |  |  |  |              |
| 1 x 910.00 x 3.75       |  |  |  |  | = 3412.50 sq |
| 1 x 350.00 x 3.75       |  |  |  |  | = 1312.50 sq |

Sch. XLV - Form No. 134

| Particulars                   | Details of actual measurement |   |   |   | Contents of area       |
|-------------------------------|-------------------------------|---|---|---|------------------------|
|                               | No.                           | L | B | D |                        |
| 1x300.00 x 3.75               |                               |   |   |   | 3375.00 m <sup>2</sup> |
| 1x20.00 x 3.75+6.70           |                               |   |   |   | 104.250 m <sup>2</sup> |
| Extra for window <sup>2</sup> |                               |   |   |   |                        |
| 1x20.00 x 0.35 (av)           |                               |   |   |   | 7.00 m <sup>2</sup>    |
| 1x20.00 x 0.30 (av)           |                               |   |   |   | 6.00 m <sup>2</sup>    |
| 1x25.00 x 0.25 (av)           |                               |   |   |   | 6.25 m <sup>2</sup>    |
| 1x18.00 x 0.40 (av)           |                               |   |   |   | 7.20 m <sup>2</sup>    |
|                               |                               |   |   |   | 8332.95 m <sup>2</sup> |
| Area left over for Agg        |                               |   |   |   | 8332.50 m <sup>2</sup> |

(10) Construction of Subgrade and earth on shoulder

BT Portion

$$2 (930 + 350 + 920) \times 0.975 \times 0.20 = 858.00 \text{ m}^3$$

$$2 (930 + 350 + 920) \times 1.120 \times 0.075 = 369.60 \text{ m}^3$$

alc Portion

$$1 \times 415.00 \times 0.625 \times 0.10 = 25.94 \text{ m}^3$$

$$2 \times 350.00 \times 0.625 \times 0.10 = 43.75 \text{ m}^3$$

$$2 \times 350.00 \times 0.625 \times 0.160 = 70.00 \text{ m}^3$$

$$1336.04 \text{ m}^3$$

$$1332.62$$

Continuation

| Particulars                                                                       | Details of actual measurement |    |    |    | Contents of area      |
|-----------------------------------------------------------------------------------|-------------------------------|----|----|----|-----------------------|
|                                                                                   | No.                           | L. | B. | D. |                       |
| (11) Excavation in pond                                                           |                               |    |    |    |                       |
| 2x 3.30x 1.15 x 1.50 = 13.45 m <sup>3</sup>                                       |                               |    |    |    |                       |
| Bottom pit                                                                        |                               |    |    |    |                       |
| 1x 5.35 x 1.15 x 0.365 = 2.20 m <sup>3</sup>                                      |                               |    |    |    | 2.25                  |
|                                                                                   |                               |    |    |    | 15.65 m <sup>3</sup>  |
|                                                                                   |                               |    |    |    | 15.71 m <sup>3</sup>  |
|                                                                                   |                               |    |    |    | 15.662                |
| (12) Banding on 15 concrete in                                                    |                               |    |    |    |                       |
| banding course                                                                    |                               |    |    |    |                       |
| H-wall - 2x 3.90 x 1.15 x 0.15 = 1.345 m <sup>3</sup>                             |                               |    |    |    |                       |
| Bottom pipe 1 x 5.311 x 1.13 x 0.25 = 1.50 m <sup>3</sup>                         |                               |    |    |    |                       |
| Less due pipe = 0.250 x 0.7857 x (0.83) <sup>2</sup> x 5.84 = 0.79 m <sup>3</sup> |                               |    |    |    |                       |
|                                                                                   |                               |    |    |    | 2.054 m <sup>3</sup>  |
| (13) Banding on 15 concrete in                                                    |                               |    |    |    |                       |
| pond                                                                              |                               |    |    |    |                       |
| H-wall - 2x 3.60 x 0.70 x 0.28 = 1.4016 m <sup>3</sup>                            |                               |    |    |    |                       |
| Bottom pipe - 2x 3.60 x 0.40 x 0.60 = 1.728 m <sup>3</sup>                        |                               |    |    |    |                       |
| Less due pipe = 2x 0.7857 x (0.83) <sup>2</sup> x 0.53 = 0.574 m <sup>3</sup>     |                               |    |    |    |                       |
|                                                                                   |                               |    |    |    | 15.165 m <sup>3</sup> |
| (14) Banding and laying 600 mm                                                    |                               |    |    |    |                       |
| dia. Rec H.B. same pipe                                                           |                               |    |    |    |                       |
| 2 3 x 2.5 m = 7.50 met                                                            |                               |    |    |    |                       |
| (15) Banding and laying                                                           |                               |    |    |    |                       |
| 300 mm dia. Rec R.H.                                                              |                               |    |    |    |                       |
| 2 5 x 5 m = 10.00 met                                                             |                               |    |    |    |                       |

Continuation

Sch. XLV—Form No. 134

| Particulars                                       | Details of actual measurement |   |   |   | Contents of area          |
|---------------------------------------------------|-------------------------------|---|---|---|---------------------------|
|                                                   | No                            | L | B | Θ |                           |
| (16) Cost of earth with upper material            |                               |   |   |   |                           |
| Total E/W Only Discharge                          |                               |   |   |   |                           |
| Road Crust                                        |                               |   |   |   | 28406.09 m <sup>3</sup>   |
| R-2 1166.94 + 680.72 (11)                         |                               |   |   |   |                           |
| Deduction for 1st 100 m                           |                               |   |   |   | 5361847.73 m <sup>3</sup> |
| R-2 488.52 + 237.73 (12)                          |                               |   |   |   |                           |
| " " " "                                           |                               |   |   |   | 7241.30 m <sup>3</sup>    |
| R-6 " " pcc in Pav                                |                               |   |   |   | 211.92 m <sup>3</sup>     |
| " " " " Subgrade                                  |                               |   |   |   | 5368.64 m <sup>3</sup>    |
| R-2 2137.50                                       |                               |   |   |   |                           |
| R-10 1890.00                                      |                               |   |   |   |                           |
| R-14 1222.42                                      |                               |   |   |   |                           |
| Net E/W Only =                                    |                               |   |   |   | 258.50 m <sup>3</sup>     |
| (17) Cost of earth with sand material up to 100 m |                               |   |   |   |                           |
| Only = 0.65 × 258.50 m <sup>3</sup>               |                               |   |   |   | 168.02 m <sup>3</sup>     |
| Less for 1st 100 m                                |                               |   |   |   |                           |
| net at P-7                                        |                               |   |   |   | 84.24 m <sup>3</sup>      |
|                                                   |                               |   |   |   | = 83.78 m <sup>3</sup>    |
| (18) Cost of earth with app. mat up to 100 m      |                               |   |   |   |                           |
| Only = 0.35 × 258.50 m <sup>3</sup>               |                               |   |   |   | 90.48 m <sup>3</sup>      |
| Less for 1st 100 m                                |                               |   |   |   |                           |
| net at P-7                                        |                               |   |   |   | 45.69 m <sup>3</sup>      |
|                                                   |                               |   |   |   | = 44.79 m <sup>3</sup>    |
| (19) Pav and 1st 100 m Pav                        |                               |   |   |   | 0.4 No                    |
| (20) Pav and 1st 100 m Pav                        |                               |   |   |   | 10.14                     |

Continuation

Sch. XLV—Form No. 134

| Particulars                                                      | Details of actual measurement |   |    |    | Contents of area                                    |
|------------------------------------------------------------------|-------------------------------|---|----|----|-----------------------------------------------------|
|                                                                  | No.                           | L | B. | D. |                                                     |
| (19) Banding and lapping<br>Road marking paint<br>on bit surface |                               |   |    |    |                                                     |
|                                                                  |                               |   |    |    | $2(930 + 350 + 930) \times 0.100 = 440 \text{ m}^2$ |
| (20) Banding and lapping<br>Road marking paint on<br>c/l surface |                               |   |    |    |                                                     |
|                                                                  |                               |   |    |    | $2(200 + 100) \times 0.100 = 70 \text{ m}^2$        |
| (21) Banding and lapping of<br>down band                         |                               |   |    |    | 03 M <sup>2</sup>                                   |
| (22) Banding and lapping of<br>boundary pillar                   |                               |   |    |    | 40 M <sup>2</sup>                                   |

|                                                      |  |  |  |  |                                                             |
|------------------------------------------------------|--|--|--|--|-------------------------------------------------------------|
| (23) Banding and lapping of traffic<br>signs         |  |  |  |  |                                                             |
| (1) 600 mm eq triangle                               |  |  |  |  | 02 M <sup>2</sup>                                           |
| (11) 600 mm circle                                   |  |  |  |  | 03 M <sup>2</sup>                                           |
| (11) 600 mm x 450 mm rect                            |  |  |  |  | 01 M <sup>2</sup>                                           |
| (24) Banding and lapping typex                       |  |  |  |  |                                                             |
| Logo/Horizontal mount band                           |  |  |  |  | 03 M <sup>2</sup>                                           |
| (25) Providing PTH in cu (1:3)                       |  |  |  |  |                                                             |
|                                                      |  |  |  |  | $2 \times 6.15 \times 0.40 \times 0.60 = 2.952 \text{ m}^3$ |
| (26) Banding free m <sup>2</sup> over m <sup>2</sup> |  |  |  |  |                                                             |
|                                                      |  |  |  |  | $2 \times 6.15 = 12.30 \text{ m}^2$                         |
| (27) Banding plastering m <sup>2</sup> (1:3)         |  |  |  |  |                                                             |
|                                                      |  |  |  |  | $2 \times 2 \times 6.15 \times 0.60 = 14.76 \text{ m}^2$    |
|                                                      |  |  |  |  | $2 \times 6.15 \times 0.40 = 4.92 \text{ m}^2$              |
|                                                      |  |  |  |  | $4 \times 0.40 \times 0.60 = 0.96 \text{ m}^2$              |
|                                                      |  |  |  |  | Continuation 20.64 M <sup>2</sup>                           |

6/10/22  
30.02

02/05/22  
BE

Sch. XLV—Form No. 134

| Particulars                    | Details of actual measurement |                     |    |    | Contents of area |
|--------------------------------|-------------------------------|---------------------|----|----|------------------|
|                                | No.                           | L.                  | B. | D. |                  |
|                                | <u>Abstract of Cost</u>       |                     |    |    |                  |
| ① Clearing and grubbing of RL  |                               |                     |    |    |                  |
| 14① P-7 =                      |                               | 1.038 Ha            |    |    |                  |
| 14① P-10 =                     |                               | <del>0.492 Ha</del> |    |    |                  |
|                                |                               | <del>2.120 Ha</del> |    |    |                  |
|                                |                               | 1.530 Ha            |    |    |                  |
| Ch                             |                               | 49809.13 / Ha       |    |    | 76208.           |
| ② Paving and filling of workup |                               |                     |    |    |                  |
| Bm 2 Rb Piller                 |                               |                     |    |    |                  |
| 14② P-7 =                      |                               | 1.730 km            |    |    |                  |
| 14② P-10 =                     |                               | 0.820 km            |    |    |                  |

|                               |  |                       |  |  |          |
|-------------------------------|--|-----------------------|--|--|----------|
|                               |  | 2.550 km              |  |  |          |
|                               |  | Ch 6690.68 / km       |  |  | 17061.00 |
| ③ Cost of embankment with app |  |                       |  |  |          |
| material L-100 m              |  |                       |  |  |          |
| 14③ P-7 =                     |  | 84.24 m <sup>3</sup>  |  |  |          |
| 14③ P-16 =                    |  | 83.78 m <sup>3</sup>  |  |  |          |
|                               |  | 168.02 m <sup>3</sup> |  |  |          |
| Ch 183.17 / m <sup>3</sup>    |  |                       |  |  | 30776.00 |
| ④ Cost of embankment with app |  |                       |  |  |          |
| material L-1000 m             |  |                       |  |  |          |
| 14④ P-7 =                     |  | 45.69 m <sup>3</sup>  |  |  |          |
| 14④ P-16 =                    |  | 44.79 m <sup>3</sup>  |  |  |          |
|                               |  | 90.48 m <sup>3</sup>  |  |  |          |
| Ch 187.51 / m <sup>3</sup>    |  |                       |  |  | 16966.00 |

141011.00

16.10.11.00

| Particulars                     | Details of actual measurement |            |   |   | Contents of area |
|---------------------------------|-------------------------------|------------|---|---|------------------|
|                                 | No.                           | L          | B | D |                  |
| ⑤ Excavation of Railway cutting |                               |            |   |   |                  |
| 12 ⑤ P-7                        |                               |            |   |   |                  |
| 22.87 m³ or 82.04 m³            |                               |            |   |   | 1876.0           |
| ⑥ Cost of concrete work         |                               |            |   |   |                  |
| 14 ⑥ P-7 =                      |                               | 1166.94 m³ |   |   |                  |
| 14 ⑥ P-11 =                     |                               | 680.79 m³  |   |   |                  |
|                                 |                               | 1847.73 m³ |   |   |                  |
| Qty. limit as per spec =        |                               | 1840 m³    |   |   |                  |
| ⑦ 3581.75 m³                    |                               |            |   |   | 16592668         |

|                         |  |           |  |  |           |
|-------------------------|--|-----------|--|--|-----------|
| ① Paving and layup work |  |           |  |  |           |
| 14 ① P-8 =              |  | 486.57 m³ |  |  |           |
| 14 ① P-11/12 =          |  | 237.73 m³ |  |  |           |
|                         |  | 724.30 m³ |  |  | 3247277.0 |
| ⑧ 4482.96 m³            |  |           |  |  | 3247008.0 |

|                                       |  |            |  |  |             |
|---------------------------------------|--|------------|--|--|-------------|
| ③ Cost of Subgrade and earth shoulder |  |            |  |  |             |
| 14 ③ P-12 =                           |  | 2137.50 m³ |  |  |             |
| 14 ③ P-10 =                           |  | 1890.00 m³ |  |  | 0           |
| 14 ③ P-14 =                           |  | 1336.04 m³ |  |  | 1332.62     |
|                                       |  | 5363.54 m³ |  |  |             |
| ④ 224.95 m³                           |  |            |  |  | 1205759.00  |
|                                       |  |            |  |  | 11187991.00 |

| Particulars                   | Details of actual measurement |    |                        |    | Contents of area |
|-------------------------------|-------------------------------|----|------------------------|----|------------------|
|                               | No.                           | L. | B.                     | D. |                  |
| ⑨ Cast of concrete for slab   |                               |    |                        |    |                  |
| concrete concrete m3          |                               |    |                        |    |                  |
| 1st P-12                      |                               |    |                        |    |                  |
| 211.92 m <sup>3</sup>         |                               |    | 8596.69/m <sup>2</sup> |    | 1821811.00       |
| ⑩ For and app for concrete    |                               |    |                        |    |                  |
| 1st P-12 & 13                 |                               |    |                        |    |                  |
| 8332.50 m <sup>2</sup>        |                               |    | 54.45/m <sup>2</sup>   |    | 453705.00        |
| ⑪ For and app for concrete    |                               |    |                        |    |                  |
| 1st P-13                      |                               |    |                        |    |                  |
| 8332.50 m <sup>2</sup>        |                               |    | 18.50/m <sup>2</sup>   |    | 154151.00        |
| ⑫ For and app for concrete    |                               |    |                        |    |                  |
| 1st P-13 & 14                 |                               |    |                        |    |                  |
| 8332.50 m <sup>2</sup>        |                               |    | 227.26/m <sup>2</sup>  |    | 1893644.00       |
| ⑬ E10 in excavation into      |                               |    |                        |    |                  |
| 1st P-15                      |                               |    |                        |    |                  |
| 15.66 m <sup>3</sup>          |                               |    | 285.71/m <sup>3</sup>  |    | 4474.00          |
| ⑭ For m15 concrete in dunnell |                               |    |                        |    |                  |
| 1st P-15                      |                               |    |                        |    |                  |
| 2.054 m <sup>3</sup>          |                               |    | 6224.15/m <sup>3</sup> |    | 12784.00         |
| ⑮ For m15 concrete in dunnell |                               |    |                        |    |                  |
| 1st P-15                      |                               |    |                        |    |                  |
| 15.165 m <sup>3</sup>         |                               |    | 6224.15/m <sup>3</sup> |    | 94389.00         |
| Continuation                  |                               |    |                        |    |                  |
| 15622949.00                   |                               |    |                        |    |                  |

| Particulars                                      | Details of actual measurement |    |    |    | Contents of area             |
|--------------------------------------------------|-------------------------------|----|----|----|------------------------------|
|                                                  | No.                           | L. | B. | D. |                              |
| (16) Area of Laying 600 mm dia Rec duct Pipe     |                               |    |    |    |                              |
| 1a (14) P-15                                     |                               |    |    |    |                              |
| 7.50 m <sup>2</sup> ea 1268.33/m <sup>2</sup> b  |                               |    |    |    | 9512.00                      |
| (17) Area of Laying 300 mm dia Rec duct Pipe     |                               |    |    |    |                              |
| 1a (15) P-12                                     |                               |    |    |    |                              |
| 10.00 m <sup>2</sup> ea 776.98/m <sup>2</sup> b  |                               |    |    |    | <del>7670.00</del> 7770.00   |
| (18) Area of Paving 2 m x 2 m                    |                               |    |    |    |                              |
| 1a (17) P-16                                     |                               |    |    |    |                              |
| 04 Nos ea 2544.61/ea b                           |                               |    |    |    | <del>10178.44</del>          |
| (19) Area of Paving 2 m x 2 m                    |                               |    |    |    |                              |
| 1a (18) P-16                                     |                               |    |    |    |                              |
| 10 Nos ea 712.38/ea b                            |                               |    |    |    | <del>7124.00</del>           |
| (20) Area of Laying Rubb masonry on c/c surface  |                               |    |    |    |                              |
| 1a (19) P-17                                     |                               |    |    |    |                              |
| 440.00 m <sup>2</sup> ea 851.80/m <sup>2</sup> b |                               |    |    |    | <del>374792.00</del>         |
| (21) Area of Laying Rubb masonry on c/c surface  |                               |    |    |    |                              |
| 1a (20) P-17                                     |                               |    |    |    |                              |
| 70.00 m <sup>2</sup> ea 957.11/m <sup>2</sup> b  |                               |    |    |    | <del>66997.00</del> 66998.00 |

Continuation

16099323.00

161,09323.00

| Particulars                                | Contents of actual measurement |   |   |   | Contents of area |
|--------------------------------------------|--------------------------------|---|---|---|------------------|
|                                            | 1                              | 2 | 3 | 4 |                  |
| (22) From and among of ...<br>in (22) P-17 |                                |   |   |   |                  |
| 03 No. of 2741.72 feet B                   |                                |   |   |   | 8234.00          |
| (23) From and among of ...<br>in (22) P-17 |                                |   |   |   | 22290.00         |
| 40 No. of 557.24 feet B                    |                                |   |   |   | 22259.00         |
| (24) From and among of ...<br>in (23) P-17 |                                |   |   |   |                  |
| (25) From and among of ...<br>in (24) P-17 |                                |   |   |   |                  |
| 02 No. of 1651.62 feet B                   |                                |   |   |   | 3303.00          |

|                                            |  |  |  |  |          |
|--------------------------------------------|--|--|--|--|----------|
| (26) From and among of ...<br>in (25) P-17 |  |  |  |  |          |
| 03 No. of 1695.67 feet B                   |  |  |  |  | 5087.00  |
| (27) From and among of ...<br>in (26) P-17 |  |  |  |  |          |
| 01 No. of 1691.16 feet B                   |  |  |  |  | 1691.00  |
| (28) From and among of ...<br>in (27) P-17 |  |  |  |  |          |
| 03 No. of 9741.38 feet B                   |  |  |  |  | 29224.00 |
| (29) From and among of ...<br>in (28) P-17 |  |  |  |  |          |
| 2.972 No. of 752.19 feet B                 |  |  |  |  | 22235.00 |
| (30) From and among of ...<br>in (29) P-17 |  |  |  |  |          |
| 12.20 No. of 489.07 feet B                 |  |  |  |  | 6016.00  |

Continuation

16219638.00

16197403.00

|    |          |                  |              |          |
|----|----------|------------------|--------------|----------|
| 03 | No       | EB               | 1420.12/each | 0259.00  |
| 23 | Placemat | 8 1/2            | P-11a        |          |
| 14 | 22       | P-17             |              | 22290.00 |
| 40 | No       | EB               | 557.24/each  | 22289.00 |
| 24 | Post and | Group of Traffic |              |          |
|    | Sign     | 14               | 23 P-17      |          |
| 1  | 600 km   | EB               | 37.00        |          |
| 02 | No       | EB               | 1651.62/each | 3303.00  |

|       |              |                  |              |          |
|-------|--------------|------------------|--------------|----------|
| 11    | 600 km       | Circular         |              |          |
| 03    | No           | EB               | 1695.67/each | 5087.00  |
| 11    | 600 km x 1/2 | mm-Reed          |              |          |
| 01    | No           | EB               | 1691.16/each | 1691.00  |
| 25    | Post and     | Group of Traffic |              |          |
|       | Sign         | 14               | 24 P-17      |          |
| 03    | No           | EB               | 9741.38/each | 29224.00 |
| 26    | Post and     | Group of Traffic |              |          |
| 14    | 25           | P-17             |              |          |
| 2.952 | No           | EB               | 7532.19/each | 22235.00 |
| 27    | Post and     | Group of Traffic |              |          |
| 14    | 26           | P-17             |              |          |
| 12.30 | No           | EB               | 489.07/each  | 6016.00  |

Continuation

16219638.00  
16197403.00

| Particulars                                     | Details of actual measurement |    |    |    | Contents of area |
|-------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                 | No.                           | L. | B. | D. |                  |
| 28 Drander (lastamp new 1/4)                    |                               |    |    |    |                  |
| 10/27 0.17                                      |                               |    |    |    |                  |
| 20.64 m <sup>2</sup> of 184 0/4 <sup>2</sup> by |                               |    |    |    | 3798.7           |
|                                                 |                               |    |    |    | 16201201.00      |
| Total R                                         |                               |    |    |    | 16201599.00      |
| Less 10% A rate rate                            |                               |    |    |    | 1620160.00       |
| R                                               |                               |    |    |    | 14581439.00      |
| Less for Payment                                |                               |    |    |    | R 6145504.4      |
| 20/ R                                           |                               |    |    |    | 8435935.00       |
|                                                 |                               |    |    |    | 8435577.00       |
| 1                                               |                               |    |    |    |                  |
| at 30.4.22                                      |                               |    |    |    |                  |
| 02/05/22                                        |                               |    |    |    |                  |
| AE                                              |                               |    |    |    |                  |

### Material Statement (only for sale)

|                |                       |                        |
|----------------|-----------------------|------------------------|
| ① Earth        | —                     | 3354.57 m <sup>3</sup> |
| ② Stone mchup  |                       |                        |
| 50 mm to 25.50 | 435.69 m <sup>3</sup> | 4526.80 m <sup>3</sup> |
| 26.50 to 2.86  | 174.72 m <sup>3</sup> | 419.38 m <sup>3</sup>  |
| ③ 450          | 260.96 m <sup>3</sup> | 118.34 m <sup>3</sup>  |
| ④ Stone mchup  |                       |                        |
| 53 mm to 22.40 | 287.65 m <sup>3</sup> | 466.20 m <sup>3</sup>  |
| ⑤ screen mchup | 126.09 m <sup>3</sup> | 307.52 m <sup>3</sup>  |

Continuation

Sch. XLV—Form No. 134

| Particulars                                                    | Details of actual measurement |    |    |    | Contents of area |
|----------------------------------------------------------------|-------------------------------|----|----|----|------------------|
|                                                                | No.                           | L. | B. | D. |                  |
| ⑤ Stone chubb                                                  |                               |    |    |    |                  |
| 12.2 x 10.09 m - 225.10 m <sup>2</sup> @ 470.28/m <sup>2</sup> |                               |    |    |    |                  |
| ⑥ Stone chubb                                                  |                               |    |    |    |                  |
| 40 m - 40 m - 8.27 m @ 448.67/m <sup>2</sup>                   |                               |    |    |    |                  |
| 20 m - 40 m - 4.14 m @ 560.89/m <sup>2</sup>                   |                               |    |    |    |                  |
| 10 m - 40 m - 1.38 m @ 625.62/m <sup>2</sup>                   |                               |    |    |    |                  |
| ⑦ Stone chubb                                                  |                               |    |    |    |                  |
| 190.73 m <sup>2</sup> @ 537.67/m <sup>2</sup>                  |                               |    |    |    |                  |
| ⑧ Sand: - 104.63 m <sup>3</sup> @ 161.80/m <sup>3</sup>        |                               |    |    |    |                  |
| ⑨ Bricks - 1476 Nos @ 5060.00/m <sup>2</sup>                   |                               |    |    |    |                  |

|                                  |   |                        |  |  |
|----------------------------------|---|------------------------|--|--|
| <u>Consumption</u>               |   |                        |  |  |
| ⑩ Consumption SS-1               | - | 7.083 MT               |  |  |
| ⑪ Consumption SS-1               | - | 2.292 MT               |  |  |
| ⑫ Return SS-90                   | - | 15.833 MT              |  |  |
| Duty Taken note Tax Invoice      |   |                        |  |  |
| RY 2122 M 23 01 M 5297           |   |                        |  |  |
| dt - 15.3.2022                   |   |                        |  |  |
| SS-1                             | - | duty = 7.80 MT         |  |  |
| RT                               | - | duty = 3.40 MT         |  |  |
| Return SS-90                     |   |                        |  |  |
| note Tax Invoice No 202323232572 |   |                        |  |  |
| dt 9.4.22 -> 17.940 MT           |   |                        |  |  |
| Tax Invoice No 202323232573      |   |                        |  |  |
| dt - 20.4.22 -> 3.120 MT         |   |                        |  |  |
| Total - 21.06 MT                 |   |                        |  |  |
| Consumption                      |   | Continuation 15.833 MT |  |  |
|                                  |   | 2nd duty = 5.227 MT    |  |  |

Chand  
30/4/22

02/05/22  
ATB