

Name of Work — Gidhobari to Mukundpur Usar

Schedule XLV-Form No. 134

M. B No — 201

DIVISION

SUB-DIVISION

Tasraing

MEASUREMENT BOOK

Name to work—
 Situation of work—
 Agency by which work is executed—
 Date of measurement—
 No. and date of agreement.
 (These four lines should be repeated at the commencement of the measurements relating to each work.)

| Particulars | Details of actual measurement | | | | Contents of area |
|---------------|-------------------------------|----|----|----|------------------|
| | No. | L. | B. | D. | |
| | E.D.R | | | | |
| Name of work— | Memorable work of | | | | |
| | Gaidhabari to Mukundpur | | | | |
| | Usari field | | | | |
| Authority— | E.E.R.W.D. work | | | | |
| | Division, Ajalhpura | | | | |
| Agency— | Indevard Infosteers | | | | |
| | and consultancy Pvt. | | | | |
| | Ltd. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| ch | L. | B. | D. | Qty |
|--------|------|------|------|-----------------------|
| 040500 | | | | |
| " | 1.25 | 0.50 | 0.20 | = 0.13 m ³ |
| " | 1.50 | 1.50 | 0.20 | = 0.45 " |
| " | 3.50 | 3.25 | 0.30 | = 3.41 " |
| " | 2.75 | 2.75 | 0.30 | = 2.27 " |
| " | 3.70 | 3.10 | 0.30 | = 3.44 " |
| " | 2.10 | 3.40 | 0.40 | = 2.40 " |
| " | 3.4 | 1.0 | 0.30 | = 0.90 " |
| " | 4.4 | 1.0 | 0.30 | = 1.20 " |
| " | 8.0 | 1.50 | 0.30 | = 3.60 " |
| " | 3.0 | 1.50 | 0.30 | = 1.35 " |
| " | 8.0 | 3.4 | 0.40 | = 9.60 " |
| " | 7.70 | 2.60 | 0.40 | = 8.00 " |
| " | 8.0 | 3.4 | 0.40 | = 9.60 |

Continuation

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|------|-------|------|------------------|
| | No. | L. | B. | D. | |
| 04 | L. | B | D | | Qty |
| 070170 | | | | | |
| " | 3.00 | 3.00 | 0.400 | | 3.60 42 |
| " | 2.60 | 2.30 | 0.400 | | 2.39 " |
| " | 3.00 | 3.40 | 0.40 | | 4.08 " |
| " | 2.90 | 3.10 | 0.400 | | 3.60 " |
| " | 3.60 | 2.50 | 0.40 | | 3.60 " |
| " | 7.00 | 4.00 | 0.300 | | 8.40 " |
| ASD - | 5.00 | 1.50 | 0.40 | | 3.00 " |
| " | 2 | 4.00 | 1.50 | 0.40 | 4.80 " |
| 1570 - | 2.00 | 1.50 | 0.30 | | 0.90 " |
| " - | 11.00 | 4.50 | 0.40 | | 19.80 " |
| " - | 3.00 | 2.80 | 0.40 | | 3.36 " |
| " - | 10.00 | 3.00 | 0.300 | | 9.00 " |
| 3300 - | 2.30 | 2.70 | 0.40 | | 2.48 " |
| 3560 - | 8.00 | 4.50 | 0.300 | | 10.80 " |

| | | | | | |
|--------|-------|------|-------|--|---------|
| " - | 9.00 | 4.00 | 0.40 | | 14.40 " |
| " - | 4.00 | 0.50 | 0.300 | | 0.60 " |
| 3700 - | 6.00 | 3.00 | 0.30 | | 5.40 " |
| " - | 2.50 | 3.00 | 0.400 | | 3.00 " |
| 4000 - | 3.00 | 2.50 | 0.40 | | 3.00 " |
| 4100 - | 10.00 | 4.00 | 0.60 | | 21.00 " |
| 4300 - | 4.40 | 3.00 | 0.40 | | 5.28 " |
| 4450 - | 2.50 | 1.50 | 0.300 | | 1.13 " |
| 6600 - | 4.00 | 3.00 | 0.40 | | 4.80 " |
| " - | 2.50 | 2.00 | 0.40 | | 2.00 " |
| 6625 - | 7.40 | 4.00 | 0.40 | | 11.84 " |
| 6670 - | 6.00 | 3.50 | 0.40 | | 8.40 " |
| 6700 - | 5.00 | 2.50 | 0.400 | | 5.00 " |
| 6725 - | 5.00 | 4.00 | 0.400 | | 8.00 " |
| 6750 - | 4.00 | 3.00 | 0.60 | | 7.20 " |
| 6800 - | 7.00 | 3.00 | 0.60 | | 12.60 " |

Continuation

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|------|------|----|------------------|
| | No. | L. | B. | D. | |
| 6820 - | L | B | D | | Contd |
| 6820 - | 2.00 | 1.50 | 0.40 | = | 1.20 43 |
| " - | 5.00 | 3.50 | 0.40 | = | 7.00 " |
| 6830 - | 1.00 | 1.00 | 0.20 | = | 0.20 " |
| " | 1.00 | 1.50 | 0.40 | = | 2.40 " |
| " | 7.00 | 2.00 | 0.60 | = | 8.40 " |
| " | 2.50 | 2.00 | 0.40 | = | 2.00 " |
| 6860 - | 2.00 | 2.25 | 0.40 | = | 1.80 " |
| 6900 - | 1.90 | 2.00 | 0.40 | = | 1.52 " |
| " - | 7.00 | 2.50 | 0.30 | = | 5.25 " |
| " - | 8.00 | 4.00 | 0.40 | = | 12.80 " |
| 7000 - | 4.00 | 1.50 | 0.30 | = | 1.80 " |
| 7050 - | 4.00 | 2.00 | 0.40 | = | 3.20 " |
| " - | 7.00 | 4.00 | 0.40 | = | 11.20 " |
| 4 - | 5.00 | 3.50 | 0.40 | = | 7.00 " |

| | | | | | |
|----------|-------|------|------|---|---------|
| " - | 4.50 | 3.00 | 0.40 | = | 5.40 " |
| 7100 - | 7.00 | 3.00 | 0.30 | = | 6.30 " |
| " - | 5.50 | 1.50 | 0.30 | = | 2.48 " |
| " - | 3.00 | 1.00 | 0.30 | = | 0.90 " |
| 7125 - | 4.50 | 3.00 | 0.40 | = | 5.40 " |
| 7135 - | 8.00 | 2.50 | 0.30 | = | 6.00 " |
| " 7150 - | 7.00 | 1.50 | 0.40 | = | 4.20 " |
| " - | 3.00 | 2.00 | 0.40 | = | 2.40 " |
| 7200 - | 3.00 | 1.00 | 0.40 | = | 1.20 " |
| 7215 - | 5.00 | 3.00 | 0.40 | = | 6.00 " |
| 7230 - | 4.80 | 1.50 | 0.30 | = | 2.16 " |
| " - | 8.00 | 2.50 | 0.40 | = | 11.20 " |
| " - | 18.00 | 2.50 | 0.40 | = | 18.00 " |
| 7260 - | 5.00 | 2.00 | 0.40 | = | 4.00 " |
| 7295 - | 15.00 | 3.50 | 0.40 | = | 21.00 " |
| - | - | - | - | = | - |

Continuation

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|------|------|----|--------------------|
| | No. | L. | B. | D. | |
| OL- | L- | B | D | | Qty |
| 7310- | 5.40 | 2.90 | 0.40 | = | 5.184 ³ |
| " | 1.50 | 1.00 | 0.40 | = | 0.60 |
| 7350- | 7.00 | 4.00 | 0.40 | = | 11.20 |
| " | 8.00 | 3.50 | 0.30 | = | 9.40 |
| " | 4.60 | 2.30 | 0.30 | = | 3.174 |
| " | 15.00 | 4.00 | 0.30 | = | 18.00 |
| " | 5.30 | 3.75 | 0.40 | = | 7.95 |
| " | 8.00 | 4.00 | 0.30 | = | 9.60 |
| " | 16.00 | 4.00 | 0.40 | = | 25.60 |
| " | 15.00 | 3.50 | 0.30 | = | 15.75 |
| " | 8.00 | 3.50 | 0.40 | = | 11.20 |
| " | 5.00 | 4.00 | 0.40 | = | 8.00 |
| " | 4.50 | 2.50 | 0.30 | = | 3.38 |
| " | 7.50 | 3.50 | 0.40 | = | 10.50 |

| | | | | | |
|----------------------|------|------|------|---|------|
| " | 5.00 | 1.00 | 0.40 | = | 2.00 |
| " | 8.00 | 4.00 | 0.30 | = | 9.60 |
| 555.45M ³ | | | | | |

② Round off local sand
 all up to
 over all mats Area

| | | | | |
|------|------|------|---|--------|
| 1.25 | 0.50 | 0.10 | = | 0.0625 |
| 1.50 | 1.50 | 0.10 | = | 0.23 |
| 3.50 | 3.25 | 0.10 | = | 1.19 |
| 2.75 | 2.75 | 0.10 | = | 0.76 |
| 3.70 | 3.10 | 0.10 | = | 1.15 |
| 2.00 | 3.00 | 0.10 | = | 0.60 |
| 3.00 | 1.00 | 0.10 | = | 0.30 |
| 4.00 | 1.00 | 0.10 | = | 0.40 |

Continuation

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|--------|---------|----|---------------------|
| | No. | L. | B. | D. | |
| | 8.00 | X 1.50 | X 0.100 | = | 1.20 m ³ |
| | 3.00 | X 1.50 | X 0.100 | = | 0.45 m ³ |
| | 8.00 | X 3.00 | X 0.100 | = | 2.40 m ³ |
| | 7.70 | X 2.60 | X 0.10 | = | 2.00 m ³ |
| | 8.00 | X 3.00 | X 0.100 | = | 2.40 m ³ |
| | 3.00 | X 3.00 | X 0.100 | = | 0.90 m ³ |
| | 2.60 | X 2.30 | X 0.100 | = | 0.60 m ³ |
| | 3.00 | X 3.40 | X 0.100 | = | 1.02 m ³ |
| | 2.90 | X 3.10 | X 0.10 | = | 0.90 m ³ |
| | 3.60 | X 2.50 | X 0.100 | = | 0.90 m ³ |
| | 7.00 | X 4.00 | X 0.100 | = | 2.80 m ³ |
| | 5.00 | X 1.50 | X 0.100 | = | 0.75 m ³ |
| | 2 X 4.00 | X 1.50 | X 0.100 | = | 1.20 m ³ |
| | 2.00 | X 1.50 | X 0.100 | = | 0.30 m ³ |
| | 11.00 | X 4.50 | X 0.100 | = | 4.95 m ³ |

| | | | | | |
|--|-------|--------|---------|---|---------------------|
| | 3.00 | X 2.80 | X 0.10 | = | 0.84 m ³ |
| | 10.00 | X 3.00 | X 0.100 | = | 3.00 m ³ |
| | 2.30 | X 2.70 | X 0.100 | = | 0.62 m ³ |
| | 8.00 | X 4.50 | X 0.100 | = | 3.60 m ³ |
| | 9.00 | X 4.00 | X 0.100 | = | 3.60 m ³ |
| | 4.00 | X 0.50 | X 0.100 | = | 0.20 m ³ |
| | 6.00 | X 3.00 | X 0.100 | = | 1.80 m ³ |
| | 2.50 | X 3.00 | X 0.100 | = | 0.75 m ³ |
| | 3.00 | X 2.50 | X 0.100 | = | 0.75 m ³ |
| | 10.00 | X 4.00 | X 0.100 | = | 4.00 m ³ |
| | 4.40 | X 3.00 | X 0.100 | = | 1.32 m ³ |
| | 2.50 | X 1.50 | X 0.100 | = | 0.38 m ³ |
| | 4.00 | X 3.00 | X 0.100 | = | 1.20 m ³ |
| | 2.50 | X 2.00 | X 0.100 | = | 0.50 m ³ |
| | 7.40 | X 4.00 | X 0.100 | = | 2.96 m ³ |
| | 6.00 | X 3.50 | X 0.100 | = | 2.10 m ³ |

Continuation

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|------|------|-------|-----------------------|
| | No. | L. | B. | D. | |
| | 5.00 | 2.50 | 2.00 | 0.100 | 2 1.25 4 ³ |
| | 5.00 | 4.00 | 2.00 | 0.100 | 2 2.00 4 ¹ |
| | 4.00 | 3.00 | 2.00 | 0.100 | 2 1.20 11 |
| | 7.00 | 3.00 | 2.00 | 0.100 | 2 2.10 11 |
| | 2.00 | 1.50 | 2.00 | 0.100 | 2 0.30 11 |
| | 5.00 | 3.50 | 2.00 | 0.100 | 2 1.75 11 |
| | 1.00 | 1.00 | 2.00 | 0.100 | 2 0.10 11 |
| | 4.00 | 1.50 | 2.00 | 0.100 | 2 0.60 11 |
| | 7.00 | 2.00 | 2.00 | 0.100 | 2 1.40 11 |
| | 2.50 | 2.00 | 2.00 | 0.100 | 2 0.50 11 |
| | 2.00 | 2.25 | 2.00 | 0.100 | 2 0.45 11 |
| | 1.90 | 2.00 | 2.00 | 0.100 | 2 0.38 11 |
| | 7.00 | 2.50 | 2.00 | 0.100 | 2 1.75 11 |
| | 8.00 | 4.00 | 2.00 | 0.100 | 2 3.20 11 |
| | 4.00 | 1.50 | 2.00 | 0.100 | 2 0.60 11 |

| | | | | |
|-------|------|------|-------|-----------|
| 4.00 | 2.00 | 2.00 | 0.100 | 2 0.80 11 |
| 7.00 | 4.00 | 2.00 | 0.100 | 2 2.80 11 |
| 5.00 | 3.50 | 2.00 | 0.100 | 2 1.75 11 |
| 4.50 | 3.00 | 2.00 | 0.100 | 2 1.35 11 |
| 7.00 | 3.00 | 2.00 | 0.100 | 2 2.10 11 |
| 5.50 | 1.50 | 2.00 | 0.100 | 2 0.83 11 |
| 3.00 | 1.00 | 2.00 | 0.100 | 2 0.30 11 |
| 4.50 | 3.00 | 2.00 | 0.100 | 2 1.35 11 |
| 8.00 | 2.50 | 2.00 | 0.100 | 2 2.00 11 |
| 7.00 | 1.50 | 2.00 | 0.100 | 2 1.05 11 |
| 3.00 | 2.00 | 2.00 | 0.100 | 2 0.60 11 |
| 3.00 | 1.00 | 2.00 | 0.100 | 2 0.30 11 |
| 5.00 | 3.00 | 2.00 | 0.100 | 2 1.50 11 |
| 2.80 | 1.50 | 2.00 | 0.100 | 2 0.72 11 |
| 8.00 | 3.50 | 2.00 | 0.100 | 2 2.80 11 |
| 18.00 | 2.50 | 2.00 | 0.100 | 2 4.50 11 |

Continuation

| Particulars | Details of actual measurement | | | | Contents of area |
|-------------|-------------------------------|------|--------|----|---------------------|
| | No. | L. | B. | D. | |
| | 5.00 | 2.00 | 0.1005 | | 1.00 u ³ |
| | 15.00 | 3.50 | 0.1000 | | 5.25 " |
| | 5.40 | 2.40 | 0.1000 | | 1.30 " |
| | 7.50 | 1.00 | 0.1000 | 2 | 10.15 " |
| | 7.00 | 4.00 | 0.1000 | | 2.80 " |
| | 8.00 | 3.50 | 0.1000 | | 2.80 " |
| | 1.60 | 2.30 | 0.1000 | | 1.06 " |
| | 15.00 | 4.00 | 0.1000 | | 6.00 " |
| | 5.30 | 3.75 | 0.1000 | | 1.99 " |
| | 8.00 | 4.00 | 0.1000 | | 3.20 " |
| | 16.00 | 4.00 | 0.1000 | | 6.40 " |
| | 15.00 | 3.50 | 0.1000 | | 5.25 " |
| | 8.00 | 3.50 | 0.1000 | | 2.80 " |
| | 5.00 | 4.00 | 0.1000 | | 2.00 " |
| | 4.50 | 2.50 | 0.1000 | | 1.13 " |

| | | | | | |
|--|------|------|--------|--|---------------------|
| | 7.50 | 3.50 | 0.1000 | | 2.63 u ³ |
| | 5.00 | 1.00 | 0.1000 | | 0.50 " |
| | 8.00 | 4.00 | 0.1000 | | 3.20 " |

146.78 u³.

~~5.00~~
 6.11.21
 A.E.
~~5.00~~
 6.11.21
 A.E.