

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
(17) Blw 2nd C.B. (1.4) 2nd					
Lead wall — do — E/P					
10.417 m ² wide T.B. Page 19					
7.922 m ² wide T.B. Page 20					
9.505 m ² wide T.B. Page 21					
27.746 m ² Add 27.746 m ² C.B. 1.4 71 m ² —					170,537.00
(18) Plastering with C.B. (1.4) on					
Blw — do — E/P					
57.514 m ² wide T.B. Page 21					
C 155.15 m ² —					8,923.00
(19) P.V. 1.5 m cement flooring					
on plaster — do — E/P					
18.24 m ² wide T.B. Page 22					

C 49.96 m ² —				911.00
				3948,885.00
(26) Add self storage fee wide				
T.B. Page 26 —			(+)	46242.00
Less 1st. below 25 per agreement —			(-)	3995726.00
Less previous page amount —			(-)	599359.00
T.B. Page 19 —			(-)	3396367.00
			(-)	2397,445.00
				Rs 998,922.00
				2,45,000
				2,45,000
Mrs. S. S. S. S.			A. H. H. H.	
28-02-22			10/03/22	
S. B. K. S. S. S.			A. E.	

Continuation

Sch. XLV-Form No. 134

20

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
4th on A/c Bill					
Named work - Baus waka Tak					
To Baus Wadoto Tola					
Agency - Ravi Regional Kueru					
Ag. No - 54/1800/20-21					
date of start - 20-06-24					
date of completion - 19-06-21					
date of revision made					
U4) E/w 20 excavation					
fund of start - do-PP					
① 600 mms of PC - 1H3					

4th on A/C Bill	
Abstract of cost	
(1) Constn setting out B.M. All done	
0.550 K. 12. 1/2 T.N.B. Page 17.	
C 27,308.68 / K. 13	15069.00
(2) clearing & grubbing road (not done)	
0.119 Hrs. 1/2 T.N.B. Page 17.	
C 58321.70 / Hrs.	11081.00
(3) Constn of embankment with	
selected obtained from borrow pits	
Each 100 m. — do — 1/2	
716.875 m ³ 1/2 T.N.B. Page 17	
585.125 m ³ 1/2 T.N.B. Page 25.	
1302.00 m ³ 181.19 / 1/3	2,35,909.00
(4) Constn of subgrade & exaltation	

Continuation 2,62,059.00

Particulars	Details of actual measurement			Contents of area
	No.	L	B	D
Shoulders with approved road				
obtained from borrow pits land				
1000 m	—	do	Elr.	
540.00 m ² wide T.N.B. Road				
C 228.07 m ²				120,944.00
(5.) P.V. W.B. for 1/4th course				
and by well graded material				
as per T.S. clause 402-do-Elr				
259.00 m ² wide T.N.B. Road				
B 1.118 m ³ wide T.N.B. Road				
340.12 m ³ C 3129.07 m ³				10,64,259.00
(6.) P.V. W.B. for 1/4th				
stone screening type 18'				

as per T.S. clause 405-do-Elr				
128.570 m ³ wide T.N.B. Road				
27.660 m ³ wide T.N.B. Road				
156.23 m ³ C 4383.41 m ³				684,820.00
(7.) P.A. Paving coat with gravel				
51,00.85 kg/m ² as per T.S. clause				
502 — do — Elr				
1136.25 m ² wide T.N.B. Road				
C 50.29 m ²				57,142.00
(8.) P.A. Tack coat with emulsion				
RS 100.275 kg/m ² as per T.S. clause 503-do-Elr				
1136.25 m ² wide T.N.B. Road				
C 16.87 m ²				19,169.00
(9.) P.V. 20 mm coarse by River				
finishes) with stone chip 132 mm				

Continuation

22,08,393.00

Particulars	Details of actual measurement				Contents of area
	No.	L	B	D	
to 0.099 m of bitumen @ 1.90 kg/m ²					
— do — E/F.					
1136.25 m ² wide T.N.B Page 23					
@ 25103/m ²					2,85,233.00
(10) Cost of Unreinforced C.C.					
Reinforcement 1230 with coarse S.					
Sare effigates with 43 grade					
Cement — do — E/F.					
151.80 m ³ wide T.N.B Page 18					
@ 6992.05/m ³					10,59,296.00
10(22) P/F K.V. Sore do — E/F.					
2 Nos wide T.N.B Page 23					
@ 2294.92/Nos					4,590.00

10(22) P/F 200 m Sore do — E/F.					
2 Nos wide T.N.B Page 23					
@ 643.76/Nos					1,288.00
11(2) P/F 600 m T.N.B do — E/F.					
4 Nos wide T.N.B Page 23,					
@ 3816.42/Nos					15,266.00
12(2) P/F 600 X 450 m do — E/F.					
2 Nos wide T.N.B Page 23					
@ 5066.10/Nos					10,132.00
11(22) P/F 600 m circular do — E/F.					
1 Nos wide T.N.B Page 23					
@ 5152.72/Nos					5,153.00
12(2) P/L of do applied the same —					
— Plastic compound 2.5 mm thick					
— do — E/F.					

Continuation

35,89,351.00

Particulars	Details of actual measurement			Content's of area
	No.	L	B	
(9.) On BIT surface.				
60.00 m ² wide T.N.B. Page 24				
0.830.58 m ²				49,835.00
ch 3 rd c Pavement.				
50.00 m ² wide T.N.B. Page 24.				
0.947.73 m ²				47,386.00
(13.) P/F of various typical				
reinforcement signs board, 2000mm				
reinforcement in door of car entrance				
board — do — 2/2.				
2 Nos wide T.N.B. Page 18.				
1 Nos wide T.N.B. Page 24				
3 Nos 0.10564.44 m ² —				31,693.00

(14.) E/W on excavated ground				
of structure — do — 2/2.				
15.66 m ² wide T.N.B. Page 18				
15.66 m ² wide T.N.B. Page 20.				
31.222 m ² 304.33 m ² —				9,532.00
(15.) p/v p.c. in 15.10 m ² 4 do 2/2.				
2.0545 m ² wide T.N.B. Page 18.				
1.3455 m ² wide T.N.B. Page 20				
0.709 m ² wide T.N.B. Page 21.				
4.109 m ² 5272.15 m ² —				21,663.00
(16.) P/L Rec. Area 13600 mm				
φ — do — 2/2				
7.50 m wide T.N.B. Page 18				
7.50 m wide T.N.B. Page 18				
15.00 m 1270.25 m —				19,054.00

Continuation

C.O. - 37,68,514.00