

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल दरभंगा-2

पत्रांक 383 31/10/1

दिनांक 12-03-2022

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्र०, दरभंगा-2

सेवा में,

नोडल पदाधिकारी,
(3054-एम०आर०)
विश्वेश्वरैया भवन, पटना।

विषय:- शीर्ष-3054 (नई अनुरक्षण नीति-2018) अन्तर्गत पूर्ण किये गये पथों में आवंटन माँग हेतु अधियाचना पत्र समर्पित करने के संबंध में।


महाशय,

उपर्युक्त विषयक के संबंध में गैर योजना मद शीर्ष-3054 (नई अनुरक्षण नीति-2018) अन्तर्गत पूर्ण किये गये पथों में आवंटन माँग हेतु राशि की अधियाचना विहित प्रपत्र तैयार कर समर्पित की जा रही है।


अतः श्रीमान् से अनुरोध है कि रु० 57.71616 लाख (कुल सन्तावन लाख एकहतर हजार छः सौ सोलह) मात्र रुपये का आवंटन उपलब्ध कराने की कृपा की जाय। ताकि संवेदक को भुगतान किया जा सके।

अनु०:- यथोक्त।

विश्वासभाजन


12/3/22

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्र०, दरभंगा-2


12/3/22

Requisition Fromat for Scheme Head- MR(3054) under Bihar Rural Road Maintenance policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- RWD Works Division Darbhanga-2

Sl No.	Package No.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No & Date	Administrative Approval (AA)		Agreement Amount (In Lakh)		Agreement No & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of BIL (in million)	Thickness of Bitumen Layer (in mm)	Value of Billions Contract in Percentage	Previous Total Agreed Amount (In Lakh)	up to date expenditure as per MIS (In Lakh)	Expenditure spent upto date (In Lakh)	Remarks
					Length (In Km)	Amount of (In Lakh)	Initial Rectification with Surface Renewal (In Lakh)	5 Years Routine Maintenance (In Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	318-N/2415-2017	Nearkanda to Begeshwari Bhaugard Aithan	3180304023	Lt. No-SISS Dt.-25.09.2019	3.206	94.86900	64.43109	26.77754	47313029-11 Dt-11.06.2010	31.08.2021	31.08.2021	82.64	25mm	5.5	0.000	0.000000	57.71616	रकम
कुल करीबानीय करी-													57.71616 (रकम)					

1. Signed Hard Copy and Soft Copy (in excel) of recorded BIL is enclosed.
2. Up to date Physical Progress has been uploaded in MIS

V.R.
Divisional Accounts Officer
R.W.D. Works Division
Darbhanga-2

anupam
Executive Engineer
RWD Works Division Darbhanga-2
12/13/21

FORM GFR 19-A

(See Government of India's Decision (1) below Rule- 150)

Form of Utilisation Certificate up to the month of March-2022

Head 3054 Account for M.R (New Maintenance Policy-2018) Yojna. Year 2021-22

PIU Darbhanga-2

Sl. No	Name of Scheme	Sanction No. & Date with Amount (In Rs. Lacs)	Amount Received (In Rs. Lacs)	Particulars
1	Maintenance Account for Head 3054 Account for MR R (New Maintenance Policy-2018) Yojna	Additional CEO-cum-Secretary Patna. Letter No-81 We Date- 11.03.2022	Rs. 931.66152	Certified that out of Rs 865.01336 lacs received during the years 2021-22 in favour of Ex. Engineer RWD work division Darbhanga-2 a sum of Rs 866.83919 lacs has been utilized for the purpose of Maintenance Account for Head 3054 M.R (New Maintenance Policy-2018) Schemes as given in the margin for which it was sanctioned and that the balance of Rs 64.82233 lacs remaining unutilized at the end of the period under.
	Total		931.66152	

2. Certified that I have satisfied myself that the conditions on which the grants in aid was sanctioned have been duly fulfilled/ are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised :-

- Works have been supervised by Executive Engineer/ Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- Constructions materials have tested.
- Measurements have been recorded in the MBs and test check conduction by the Assistant Engineer/ Executive Engineer
- All other codal formalities have been observed.

[Signature]
D. A. O.
R.W.D. Works Division
Darbhanga-2


[Signature]
12/3/22
Executive engineer,
R.W.D. Works Division
Darbhanga-2

कार्यपालक अभियंता का कार्यालय,
ग्रामीण कार्य विभाग, कार्य प्रमण्डल दरमंगा-2

प्रमाण-पत्र

विभागीय आदेशानुसार सत्यापित किया जाता है कि शीर्ष 3054 (नई
अनुरक्षण नीति-2018) अन्तर्गत Markanda to Bageshawri Bhaggati Asthan
तक पथ मरम्मत कार्य की जॉच 100 प्रतिशत संबंधित कनीय अभियंता, 50
प्रतिशत संबंधित सहायक अभियंता एवं 10 प्रतिशत कार्यपालक अभियंता द्वारा कर
लिया गया है।


12/3/22

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग, कार्य प्र0, दरमंगा-2

12/3/22

Name of Customer :

Name of Work/

Road :

Lab Job number :

Date :

Section No. :

Test Date :

Machine No :

Start S No :

Start E No :

Weather :

Start Location :

End Location :

Road Name :

Road Type :

Side :

Interval :

UTM Range : To mm/km

Dist Range : To * 1000 m


Elevation :

Print Generate Report and Graph

Redraw Graph

Map View

File : C:\OLD DATA\2012\Survey\Bageshwar Bhagwati Asthan\2012\1810\20s. Section
Name of Customer : Name of Work/ Road : Lab Job number :



Signature
Executive Engineer
RWD Works Division
Darchanga-2

NAME OF ROAD-Makaranda to Bageshwar Bhagati Asthan

LENGTH-3.2 KM

NAME OF CONTRACTOR-M/S S.K.CONSTRUCTION

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI mm/km	IRI CATEGORY ROAD	Latitude	Longitude	Event
10/3/22	18:3:0	63	0.1	280	0	2800	2775 G		26.16282	86.14241	Normal
10/3/22	18:3:0	63	0.1	290	20.2	2900	2868 G		26.16265	86.14153	Normal
10/3/22	18:3:34	63	0.1	300	20.2	3000	2961 G		26.1625	86.14062	Speed Breaker
10/3/22	18:3:34	63	0.1	310	20.2	3100	3054 G		26.16323	86.14003	Normal
10/3/22	18:4:0	63	0.1	260	20.2	2600	2529 G		26.16367	86.13955	Normal
10/3/22	18:4:9	63	0.1	250	30.3	2500	2496 G		26.16459	86.13965	Normal
10/3/22	18:4:9	63	0.1	280	40.4	2800	2775 G		26.16553	86.13987	Normal
10/3/22	18:4:9	63	0.1	300	30.3	3000	2961 G		26.16636	86.13976	Normal
10/3/22	18:4:9	63	0.1	290	30.3	2900	2868 G		26.16681	86.13882	Normal
10/3/22	18:4:44	63	0.1	260	30.3	2600	2589 G		26.16685	86.13776	Normal
10/3/22	18:5:0	63	0.1	270	30.3	2700	2682 G		26.16687	86.13675	Normal
10/3/22	18:5:0	63	0.1	280	30.3	2800	2775 G		26.16686	86.13576	Normal
10/3/22	18:5:19	63	0.1	250	30.3	2500	2496 G		26.16629	86.13498	Normal
10/3/22	18:5:19	63	0.1	240	30.3	2400	2403 G		26.16587	86.13407	Normal
10/3/22	18:6:13	63	0.1	260	30.3	2600	2589 G		26.18255	86.13408	Normal
10/3/22	18:6:28	63	0.1	270	30.3	2700	2682 G		26.18257	86.13675	Normal
10/3/22	18:6:40	63	0.1	280	30.3	2800	2775 G		26.18257	86.13576	Normal
10/3/22	18:3:0	63	0.1	280	0	2800	2775 G		26.16288	86.14241	Normal
10/3/22	18:3:0	63	0.1	290	20.2	2900	2868 G		26.16265	86.14153	Normal
10/3/22	18:3:34	63	0.1	300	20.2	3000	2961 G		26.1625	86.14062	Speed Breaker
10/3/22	18:3:34	63	0.1	310	20.2	3100	3054 G		26.16323	86.14003	Normal
10/3/22	18:4:0	63	0.1	260	20.2	2600	2589 G		26.16367	86.13955	Normal
10/3/22	18:4:9	63	0.1	250	30.3	2500	2496 G		26.16459	86.13965	Normal
10/3/22	18:4:9	63	0.1	280	40.4	2800	2775 G		26.16553	86.13987	Normal
10/3/22	18:4:9	63	0.1	300	30.3	3000	2961 G		26.16636	86.13976	Normal
10/3/22	18:4:9	63	0.1	290	30.3	2900	2868 G		26.16681	86.13882	Normal
10/3/22	18:3:0	63	0.1	280	0	2800	2775 G		26.16288	86.14241	Normal
10/3/22	18:3:0	63	0.1	290	20.2	2900	2868 G		26.16265	86.14153	Normal
10/3/22	18:3:34	63	0.1	300	20.2	3000	2961 G		26.1625	86.14062	Speed Breaker
10/3/22	18:3:34	63	0.1	310	20.2	3100	3054 G		26.16323	86.14003	Normal
10/3/22	18:4:0	63	0.1	260	20.2	2600	2589 G		26.16367	86.13955	Normal
10/3/22	18:4:9	63	0.1	250	30.3	2500	2496 G		26.16459	86.13965	Normal
10/3/22	18:4:9	63	0.1	280	40.4	2800	2775 G		26.16553	86.13987	Normal
10/3/22	18:4:9	63	0.1	300	30.3	3000	2961 G		26.16636	86.13976	Normal
10/3/22	18:4:9	63	0.1	290	30.3	2900	2868 G		26.16681	86.13882	Normal
10/3/22	18:4:9	63	0.1	280	40.4	2800	2775 G		26.16686	86.13776	Normal
10/3/22	18:4:9	63	0.1	270	30.3	2700	2682 G		26.18257	86.13675	Normal
10/3/22	18:4:9	63	0.1	260	30.3	2600	2589 G		26.18255	86.13408	Normal
10/3/22	18:4:9	63	0.1	250	30.3	2500	2496 G		26.16629	86.13498	Normal
10/3/22	18:4:9	63	0.1	240	30.3	2400	2403 G		26.16587	86.13407	Normal
10/3/22	18:4:9	63	0.1	230	30.3	2300	2389 G		26.16485	86.13307	Normal
10/3/22	18:4:9	63	0.1	220	30.3	2200	2282 G		26.16387	86.13207	Normal
10/3/22	18:4:9	63	0.1	210	30.3	2100	2175 G		26.16288	86.13107	Normal
10/3/22	18:4:9	63	0.1	200	30.3	2000	2068 G		26.16188	86.13007	Normal
10/3/22	18:4:9	63	0.1	190	30.3	1900	1961 G		26.16088	86.12907	Normal
10/3/22	18:4:9	63	0.1	180	30.3	1800	1854 G		26.15988	86.12807	Normal
10/3/22	18:4:9	63	0.1	170	30.3	1700	1747 G		26.15888	86.12707	Normal
10/3/22	18:4:9	63	0.1	160	30.3	1600	1640 G		26.15788	86.12607	Normal
10/3/22	18:4:9	63	0.1	150	30.3	1500	1533 G		26.15688	86.12507	Normal
10/3/22	18:4:9	63	0.1	140	30.3	1400	1426 G		26.15588	86.12407	Normal
10/3/22	18:4:9	63	0.1	130	30.3	1300	1319 G		26.15488	86.12307	Normal
10/3/22	18:4:9	63	0.1	120	30.3	1200	1212 G		26.15388	86.12207	Normal
10/3/22	18:4:9	63	0.1	110	30.3	1100	1105 G		26.15288	86.12107	Normal
10/3/22	18:4:9	63	0.1	100	30.3	1000	1000 G		26.15188	86.12007	Normal
10/3/22	18:4:9	63	0.1	90	30.3	900	900 G		26.15088	86.11907	Normal
10/3/22	18:4:9	63	0.1	80	30.3	800	800 G		26.14988	86.11807	Normal
10/3/22	18:4:9	63	0.1	70	30.3	700	700 G		26.14888	86.11707	Normal
10/3/22	18:4:9	63	0.1	60	30.3	600	600 G		26.14788	86.11607	Normal
10/3/22	18:4:9	63	0.1	50	30.3	500	500 G		26.14688	86.11507	Normal
10/3/22	18:4:9	63	0.1	40	30.3	400	400 G		26.14588	86.11407	Normal
10/3/22	18:4:9	63	0.1	30	30.3	300	300 G		26.14488	86.11307	Normal
10/3/22	18:4:9	63	0.1	20	30.3	200	200 G		26.14388	86.11207	Normal
10/3/22	18:4:9	63	0.1	10	30.3	100	100 G		26.14288	86.11107	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.14188	86.11007	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.14088	86.10907	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13988	86.10807	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13888	86.10707	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13788	86.10607	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13688	86.10507	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13588	86.10407	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13488	86.10307	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13388	86.10207	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13288	86.10107	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13188	86.10007	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.13088	86.09907	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12988	86.09807	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12888	86.09707	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12788	86.09607	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12688	86.09507	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12588	86.09407	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12488	86.09307	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12388	86.09207	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12288	86.09107	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12188	86.09007	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.12088	86.08907	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11988	86.08807	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11888	86.08707	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11788	86.08607	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11688	86.08507	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11588	86.08407	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11488	86.08307	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11388	86.08207	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11288	86.08107	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11188	86.08007	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.11088	86.07907	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10988	86.07807	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10888	86.07707	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10788	86.07607	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10688	86.07507	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10588	86.07407	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10488	86.07307	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10388	86.07207	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10288	86.07107	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10188	86.07007	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.10088	86.06907	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.09988	86.06807	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.09888	86.06707	Normal
10/3/22	18:4:9	63	0.1	0	30.3	0	0 G		26.09788	86.06607	